

Preparation of Building Blocks

Synthesize Building Blocks:

Antisense	
Intact Sense	<u>NH₂-5'-Sense-3'-SSR</u>
5'-SplitSense	<u>RSS-5'-Se-3'</u>
3'-SplitSense	<u>5'-nse-3'-SSR</u>
Ligand	(Lig)

Derivatize Building Blocks:

Ligate Ligand to Intact Sense	<u>NH₂-5'-Sense-3'-SSR</u>	→	<u>DtCO-5'-Sense-3'-SSR</u>	→	<u>(Lig)-5'-Sense-3'-SSR</u>	→	<u>(Lig)-5'-Sense-3'-SH</u>
Derivatize Sense	<u>NH₂-5'-Sense-3'-SSR</u>	→	<u>NH₂-5'-Sense-3'-SH</u>	→	<u>NH₂-5'-Sense-3'-Mal</u>		
Derivatize 5'-SplitSense	<u>RSS-5'-Se-3'</u>	→	<u>HS-5'-Se-3'</u>	→	<u>Mal-5'-Se-3'</u>		
Derivatize 3'-SplitSense	<u>5'-nse-3'-SSR</u>	→	<u>5'-nse-3'-SH</u>	→	<u>5'-nse-3'-Mal</u>		

FIG. 1




FIG. 2

Annealing to two divided Sense Strands





FIG. 3

Preparation Ligand-conjugated homo-hexamer



7511

Preparation Ligand-conjugated Homo-heptamer




FIG. 8

Preparation Ligand-conjugated homo-octamer




FIG. 9

Preparation Ligand-conjugated homo-trimer of siRNA
targeting Human DMPK




FIG. 11

Preparation Ligand-conjugated homo-trimer of siRNA
targeting Human Huntingtin




FIG. 12