
What is claimed is:

1. A compound of Formula I:



I

or stereoisomers, tautomers, or pharmaceutically acceptable salts, solvates or prodrugs thereof, wherein:

the Y-B moiety and the NH-C(=X)-NH moiety are in the *trans* configuration;

R^a, R^b, R^c and R^d are independently selected from H and (1-3C)alkyl;

X is O, S or NH;

R^1 is (1-3C alkoxy)(1-6C)alkyl, (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C) alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, aminocarbonyl(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-6C)alkyl, (1-3Calkylamino)(1-3C)alkyl, (1-4C alkoxycarbonyl)(1-6C)alkyl, amino(1-6C)alkyl, hydroxy(1-3C alkoxy)(1-6C)alkyl, di(1-3C alkoxy)(1-6C)alkyl, (1-3C alkoxy)trifluoro(1-6C)alkyl, hydroxytrifluoro(1-6C)alkyl, (1-4C alkoxycarbonyl)(1-3C alkoxy)(1-6C)alkyl, hydroxycarbonyl(1-3C alkoxy)(1-6C)alkyl, $hetAr^5(CH_2)_{0-1}$, or $Ar^5(CH_2)_{0-1}$;

R^2 is H, F, or OH;


Y is a bond, -O- or $-OCH_2-$;

B is Ar^1, $hetAr^1$, (1-6C alkyl or (1-6C)alkoxy;


Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkyl and CN;

$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected form (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;


Ring C is formula **C-1**, **C-2**, **or C-3**



C-1



C-2



C-3

R^3 is H, (1-6C)alkyl, hydroxy(1-6C)alkyl, Ar^2, $hetCyc^1$, (3-7C)cycloalkyl, or $hetAr^2$;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetCyc^1$ is a 5-6-membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C) alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C) alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C)alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, pentafluoro(2-6C)alkoxy cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl (1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl [optionally substituted with F, OH, (1-6C alkyl), (1-6C) alkoxy, or (1-3C alkoxy)(1-6C)alkyl], $hetAr^4$, Ar^4, $hetCyc^2(O)CH_2$-, (1-4C alkoxycarbonyl)(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, aminocarbonyl(1-6C)alkoxy, $hetCyc^2C(=O)$(1-6C)alkoxy, hydroxy(1-3C alkoxy)(1-6C)alkoxy, hydroxytrifluoro(1-6C)alkoxy, (1-3C)alkylsulfonamido(1-6C)alkoxy, (1-3C)alkylamido(1-6C)alkoxy, di(1-3C alkyl)aminocarboxy, $hetCyc^2C(=O)O$-, hydroxydifluoro(1-6C)alkyl, (1-4C alkylcarboxy)(1-6C)alkyl, (1-6C)alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, (1-3C alkoxy)amino-carbonyl, $hetCyc^3$, halogen, CN, trifluoromethylsulfonyl, N-(1-3C alkyl)pyridinonyl, N-(1-3C trifluoroalkyl)pyridinonyl, (1-4C alkylsiloxy)(1-6C)alkoxy, isoindoline-1,3-dionyl(1-6C)alkoxy or N-(1-3C alkyl)oxadiazolonyl;

$hetCyc^2$ is a 4-6 membered heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl, (1-4C alkylcarboxy)(1-6C)alkyl, and (1-6C)acyl;

$hetCyc^3$ is a 4-7 membered heterocycle having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with one or more substituents independently selected from F, CN, CF_3, (1-6C)alkyl, hydroxy(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, (1-6C)acyl-, (1-6C)alkylsulfonyl, trifluoromethylsulfonyl and (1-4C alkoxy)carbonyl;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring atoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

Ar^3 is phenyl optionally substituted with (1-4C)alkoxy;

$hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, halogen, CN, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2- (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy), (1-3C)trifluoroalkyl, and methoxybenzyl; or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms;

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-;

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, phenyl [optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy], (3-4C)cycloalkyl, amino, aminocarbonyl, or trifluoro(1-3C alky)amido; or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated, partially unsaturated or unsaturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form 5-6 membered saturated, partially unsaturated or unsaturated heterocyclic ring having a ring heteroatom selected

from N, O or S, wherein said heterocyclic ring is optionally substituted with one or two substituents independently selected from (1-6C alkyl)C(=O)O-,, (1-6)acyl, (1-6C)alkyl and oxo, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2;

$hetAr^5$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O or S, wherein the ring is optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl, (1-6C)alkoxy and CF_3;

Ar^5 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl, (1-6C)alkoxy, CF_3O-, (1-4C)alkoxycarbonyl and aminocarbonyl;

R^{3a} is hydrogen, halogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^{3b} is hydrogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^{4a} is hydrogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, phenyl [optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-], or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2-, (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy)(1-3C)trifluoroalkyl, and methoxybenzyl; and

R^{5a} is hydrogen, halogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms

independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen.

2. The compound according to claim 1, wherein:

B and the NH-C(=X)-NH moiety are in a *trans* configuration;

R^a, R^b, R^c and R^d are independently selected from H and (1-3C)alkyl;

X is O or S;

R^1 is (1-3C alkoxy)(1-6C)alkyl, (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C) alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, aminocarbonyl(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-6C)alkyl, or (1-3Calkylamino)(1-3C)alkyl;


R^2 is H, F, or OH;

B is Ar^1 or $hetAr^1$;

Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl and (1-6C)alkyl;

$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;

Ring C is



;

R^3 is H, (1-6C)alkyl, hydroxy(1-6C)alkyl, Ar^2, $hetCyc^1$, (3-7C)cycloalkyl, or $hetAr^2$;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetCyc^1$ is a 5-6-membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C) alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C) alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C)

alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C)alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, pentafluoro2-6C)alkoxy cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl (1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$, or Ar^4;

$hetCyc^2$ is a 4-6 membered heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring atoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

Ar^3 is phenyl optionally substituted with (1-4C)alkoxy;

$hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms;

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, amino-carbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-;

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy; or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said ring nitrogen atom is optionally substituted with (1-6C alkyl)C(=O)O-, or (1-6)acyl, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2.

3. A compound according to claim 1 or 2, wherein X is O.

4. A compound according to claim 1 or 2, wherein X is S.

5. A compound according to any of claims 1-4, wherein R^1 is selected from (1-3C alkoxy)(1-6C)alkyl, difluoro(1-6C)alkyl, and trifluoro(1-6C)alkyl.

6. A compound according to claim 5, wherein R^1 is (1-3C alkoxy)(1-6C)alkyl.

7. A compound according to any of claims 1-6, wherein B is Ar^1.

8. The compound of claim 7, wherein Ar^1 is phenyl optionally substituted with one or more halogens.

9. A compound according to any of claims 1-6, wherein Ring B is $hetAr^1$.

10. A compound according to claim 9, wherein Ring B is pyridyl optionally substituted with 1-2 groups independently selected from (1-6C)alkyl or halogen.

11. A compound according to any of claims 1-10, wherein Ring C is formula C-1.

12. A compound according to claim 11, wherein:

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C) alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C)alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C)alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C) alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy, trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, penta-fluoro(2-6C) alkoxy, cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C) alkoxy, aminocarbonyl(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$, or Ar^4; and

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C) alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy.

13. A compound according to claim 12, wherein R^4 is selected from H, (1-6C)alkyl, trifluoro(1-6C)alkyl, cyano(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, cyano(1-6C) alkoxy, hydroxy(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$ and Ar^4.

14. A compound according to claim 13, wherein R^4 is selected from (1-6C)alkyl, trifluoro(1-6C)alkyl, cyano(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl and (3-6C)cycloalkyl.

15. A compound according to claim 13, wherein R^4 is selected from (1-6C)alkoxy, cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, and (1-4C alkoxy)(1-6C)alkoxy.

16. A compound according to claim 15, wherein R^4 is selected from $hetAr^4$ and Ar^4.

17. A compound according to claim 16, wherein R^4 is Ar^4.

18. A compound according to any of claims 1-17, wherein R^5 is selected from H, halogen, CN, (1-6C)alkyl, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy.

19. A compound according to claim 18, wherein R^5 is selected from H, halogen and (1-6C)alkyl.

20. A compound according to claim 19, wherein R^5 is (1-6C)alkyl.

21. A compound according to any of claims 1-11, wherein:

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said ring nitrogen atom is optionally substituted with (1-6C alkyl)C(=O)O-, or (1-6)acyl, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2.

22. A compound according to any of claims 1-21, wherein R^3 is selected from H, Ar^2, $hetAr^2$ and (1-6C)alkyl.


23. A compound according to any of claims 1-22, wherein R^3 is selected from Ar^2 and (1-6C)alkyl.

24. A compound according to claim 23, wherein R^3 is Ar^2.

25. A compound according to any of claims 1-24, wherein R^2 is H.


26. A compound according to any of claims 1-25, wherein R^a, R^b, R^c and R^d are H.

27. A compound according to any of claims 1-26, wherein the Y-B moiety and the -NH-C(=X)-NH- moiety of Formula I are trans in the absolute configuration shown in formula C:



C

28. A compound according to any of claims 1-26, wherein Ring B and the -NH-C(=X)-NH- moiety of Formula I are *trans* in the absolute configuration shown in formula D:



D

29. A compound according to any of claims 1-27, wherein Y is a bond.

30. A compound of claim 1, selected from

1-(3-*tert*-butyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-p-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

trans-1-(4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-*tert*-butyl-1-methyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1,3-dimethyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(pyridin-3-yl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(4-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1,3-diphenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-*tert*-butyl-1-(2-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(3-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-3-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-1*H*-pyrazol-5-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)thiourea;

1-(2-(3-fluorophenyl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(2-(4-fluorophenyl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopentyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1-ethyl-3-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,5,6,7-tetrahydro-2*H*-indazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-methyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)urea;

1-(1,3-dimethyl-4-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-o-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-m-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-cyano-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(1-methyl-1*H*-pyrazol-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-*tert*-butyl-1-(tetrahydro-2H-pyran-4-yl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-2-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(6,6-dimethyl-2-phenyl-2,4,5,6-tetrahydro-cyclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenyl-pyrrolidin-3-yl)urea;

1-(7,7-dimethyl-2-phenyl-4,5,6,7-tetrahydro-2*H*-indazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-(pyridin-4-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(3-chlorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(2-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(1-(2-methoxyethyl)-4-(thiophen-2-yl)pyrrolidin-3-yl)urea;

1-((3,4-*trans*)-4-(2,4-dimethylthiazol-5-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-(oxazol-5-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-(isoxazol-5-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3,4-*trans*)-1-(2-methoxyethyl)-4-(3-methoxyphenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(1-(2-methoxyethyl)-4-(thiazol-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*(3S,4R)*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((*3S,4R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-phenyl-3-(trifluoromethyl)-1*H*-pyrazol-5-yl)urea;

1-(1,4-dimethyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopropyl-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-3-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,1'-dimethyl-1*H*,1'*H*-3,4'-bipyrazol-5-yl)urea;

1-(3-(3-cyanophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(4-cyanophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(imidazo[1,2-a]pyridin-5-yl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,3-dimethyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-cyano-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-cyano-3-(cyanomethyl)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(2-cyanopropan-2-yl)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethyl-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-methyl-1-phenyl-1*H*,1'*H*-3,4'-bipyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(oxetan-3-ylmethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((3-methyloxetan-3-yl)methoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((*S*)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

tert-butyl 3-(3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)ureido)-2-phenyl-4,6-dihydropyrrolo[3,4-c]pyrazole-5(2*H*)-carboxylate;

1-(3-isopropyl-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2*H*-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(1-hydroxy-2-methylpropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(5-oxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-4-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(thiophen-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(methoxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-p-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-m-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-o-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(4-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(2,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-

fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-(1-hydroxy-2-methylpropan-2-yl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-hydroxy-2-methylpropan-2-yl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(4-chlorophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(2,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

methyl 4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-hydroxyethyl)-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(4-(methylthio)phenyl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,3-diphenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-(2-methoxyethoxy)phenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methoxy-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(hydroxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(benzyloxy)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(cyanomethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluoro-phenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-methoxybenzyloxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-1-

phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(2-cyclohexyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(5-methylpyrazin-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,4-dimethyl-3-(5-methylpyrazin-2-yl)-1*H*-pyrazol-5-yl)urea;

ethyl 5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-4-carboxylate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyrazin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)urea;

1-(5-acetyl-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

(3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-(hydroxymethyl)-3-(methoxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoic acid;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzamide;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)-*N*-methylbenzamide;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)-*N*,*N*-dimethylbenzamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-(hydroxymethyl)phenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(4-(methylsulfonyl)phenyl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1,3-diphenyl-1*H*-pyrazol-5-yl)urea;

2-methoxyethyl 4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-(methylsulfonyl)ethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-(hydroxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2,3-

dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*R*,4*S*)-4-hydroxy-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*R*,4*S*)-4-fluoro-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-phenyl-1-(2-(trifluoromethoxy)ethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-(methylthio)ethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-((*S*)-2-methoxypropyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3,4-*trans*)-4-phenyl-1-(4,4,4-trifluorobutyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3,4-*trans*)-1-(cyanomethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

2-((3*R*,4*S*)-3-phenyl-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)acetamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-hydroxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((*trans*)-1-(3,3,4,4,4-pentafluorobutyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-1-ethyl-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c] pyrazol-3-yl)urea;

1-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((trans)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*3S,4R*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*R*,4*S*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*R*,4*S*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-1-(1,3-difluoropropan-2-yl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

(*trans*)-tert-butyl 3-(3-methoxyphenyl)-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidine-1-carboxylate;

1-((*trans*)-4-(3-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-

2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((*trans*)-4-(pyridin-2-yl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(4-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(2-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((*trans*)-4-(pyridin-3-yl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-4-(2-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2,2-difluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1H-pyrazol-3-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-(trifluoromethyl)-1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluoro-phenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(1-methyl-1H-pyrazol-5-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-1-(1-methyl-1H-pyrazol-5-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1-methyl-1H-pyrazol-5-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3R,4S)-4-(3,5-difluorophenyl)-1-(1-methyl-1H-pyrazol-5-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-phenylpyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyphenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-fluorophenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(4-fluorophenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methylphenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyphenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-chlorophenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-phenyl-1-(2-

(trifluoromethoxy)phenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-1-(2,6-difluorophenyl)-4-phenylpyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-4-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-ethoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-(cyanomethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-1H-imidazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((1-methyl-1H-1,2,3-triazol-4-yl)methyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1,3-dimethoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2-(methylamino)ethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-1-((1H-imidazol-2-yl)methyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

methyl 3-methoxy-2-((*trans*)-3-phenyl-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)propanoate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-hydroxy-1-methoxy-3-methylbutan-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)-3-methoxypropanoic acid;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(cyanomethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-

(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

(R,S)-1-((2α,3β,4α)-2-methyl-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

(R,S)-1-((3β,4α,5α)-5-methyl-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-hydroxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-methoxypropan-2-yl) pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-((R)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((R)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl) pyrrolidin-3-yl)-3-(3-methyl-4-(methylthio)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2-hydroxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

ethyl 5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxylate;

5-(3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(3-chlorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(5-methyl-1,3,4-oxadiazol-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(3-methyl-1,2,4-oxadiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(3-(trifluoromethyl)-1,2,4-oxadiazol-5-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(3-(trifluoromethyl)-1,2,4-oxadiazol-5-yl)-1H-pyrazol-5-yl)urea;

5-(3-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-

dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2',4,5'-trimethyl-1-phenyl-1H,2'H-[3,3'-bipyrazol]-5-yl)urea;

1-(4-cyclopropyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-isopropyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-ethyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-chlorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(3-chloro-4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1-(3-chloro-2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-chlorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(3-chloro-4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1-(3-chloro-2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(2,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3-cyanophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-cyanophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(p-tolyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4,5-trifluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4 -fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-trans-1-(2-methoxyethyl)-4-(1-

methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-(1-methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((trans-1-(2-methoxyethyl)-4-(1,2,3-thiadiazol-4-yl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-(trans-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3R,4S)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-(5-chloropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(5-chloropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-(*trans*-4-(5-fluoropyridin-2-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3-fluoropyridin-4-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-1*H*-1,2,4-triazol-3-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-(3-cyano-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-hydroxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-6-oxo-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-6-oxo-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-*c*]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-3-ethoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-fluoro-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-bromo-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

ethyl 2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetate;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((*R*)-3,3,3-trifluoro-2-hydroxypropoxy)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((*S*)-3,3,3-trifluoro-2-hydroxypropoxy)-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

ethyl 4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-3-carboxylate;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-morpholinoethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-(1,3-dioxoisoindolin-2-yl)ethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

tert-butyl 4-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)piperazine-1-carboxylate;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2H-indazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2H-indazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-(pyrazin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-(pyridazin-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl dimethylcarbamate;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl morpholine-4-carboxylate;

1-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-(tert-butyldimethylsilyloxy)propoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-(tert-butyldimethylsilyloxy)-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((S)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((R)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((R)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(3-methyl-1,2,4-oxadiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(2-cyanopropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-cyanopropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-phenyl-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,3-diphenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-2-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4,5-trifluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(4-methoxybenzyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(4-methoxybenzyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)ethyl acetate;

1-(4-chloro-3-(2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-3-(*cis*-3-hydroxycyclobutyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((1r,3S)-3-hydroxycyclobutyl)-1-phenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxylic acid;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,N,4-trimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N-ethyl-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N-isopropyl-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-(hydroxymethyl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

methyl 2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)ureido)pyrrolidin-1-yl)acetate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3,3,3-trifluoro-2-hydroxypropyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-hydroxypropyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-(2-cyanoethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)ureido)pyrrolidin-1-yl)-N-methylacetamide;

1-(1-cyclohexyl-3,4-dimethyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-hydroxy-2-(hydroxymethyl)propoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-(3-(2,2-difluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-phenyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(5-fluoropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(5-fluoropyridin-3-yl)-4-methyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2',4-dimethyl-1-phenyl-1H,2'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(5-fluoropyridin-3-yl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-(5-methylpyridin-3-yl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(5-chloropyridin-3-yl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-1'-(2,2,2-trifluoro-1-(2,2,2-trifluoroethoxy)ethyl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-1'-(2,2,2-trifluoroethyl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-(cyclopropylmethyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1'-(cyclopropanecarbonyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1'-(methylsulfonyl)-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-isopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyrimidin-5-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',3',4-trimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-cyclopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methylthiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methylpyrimidin-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(2-aminopyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2,4-dimethylthiazol-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2,6-dimethylpyridin-4-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(6-aminopyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(6-oxo-1-(2,2,2-trifluoroethyl)-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-isopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-aminopyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl trifluoromethanesulfonate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxypyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-(dimethylamino)pyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxypyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(2-(dimethylamino)pyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-cyclopropyl-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-cyclopropyl-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2-(piperazin-1-yl)ethoxy)-1*H*-pyrazol-5-yl)urea;

1-(3-(benzyloxy)-4-chloro-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetic acid;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)-*N*-ethylacetamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-ethyl-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(2-aminoethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

N-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)methanesulfonamide;

N-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)acetamide;

1-(3-(2-(4-acetylpiperazin-1-yl)ethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetamide;

N-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-ethoxy-1-phenyl-1*H*-pyrazol-4-yl)-2,2,2-trifluoroacetamide;

1-(4-amino-3-ethoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-(2-hydroxyethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-(4-methylpiperazin-1-yl)ethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-morpholino-2-oxoethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-3-carboxylic acid;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-*N*-methyl-1-phenyl-1*H*-pyrazole-3-carboxamide;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-*N*-methoxy-1-phenyl-1*H*-pyrazole-3-carboxamide;

1-(4-chloro-1'-(2-methoxyethyl)-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-((S)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((R)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,1'-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,1'-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

Tert-butyl 4-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)piperidine-1-carboxylate;

1-(4-chloro-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(3,5-dimethylisoxazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

(R)-tert-butyl 2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

(S)-tert-butyl 2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

1-(4-bromo-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

Tert-butyl 4-(4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)piperidine-1-carboxylate;

1-(4-bromo-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(3,5-dimethylisoxazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

(R)-tert-butyl 2-(4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

tert-butyl 4-((4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)methoxy)piperidine-1-carboxylate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)urea;

1-(4-chloro-1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-chloro-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-chloro-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-(4-bromo-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)urea;

1-(4-chloro-1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(1-(methylsulfonyl)piperidin-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1-acetylpiperidin-4-yl)-4-bromo-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(1-(trifluoromethylsulfonyl)piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((R)-1-(methylsulfonyl)pyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-((R)-1-acetylpyrrolidin-2-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((R)-1-methylpyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((S)-1-methylpyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-3-((1-(methylsulfonyl)piperidin-4-yloxy)methyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-((1-acetylpiperidin-4-yloxy)methyl)-4-bromo-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-isopropyl-5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(4-methyl-5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((trans)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((trans)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((trans)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-(4-cyano-3-methoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-(4-cyano-1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-cyano-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methoxy-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluoro-phenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-ethyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

5-(3-((trans)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((trans)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((*trans*)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazole-4-carboxamide;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)guanidine;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)thiourea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)thiourea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)thiourea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)thiourea;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)urea;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(pyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(pyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-3-phenyl-1-(pyrazin-2-yl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,5-dimethyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,5-dimethyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-isopropyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-isopropyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-3-phenyl-1-(2,2,2-trifluoroethyl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-ethyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-ethyl-3-methyl-5-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-5-phenyl-3-(trifluoromethyl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-5-(trifluoromethyl)-1H-pyrazol-4-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-4-yl)urea; and

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-(trifluoromethyl)-1*H*-pyrazol-4-yl)urea;

and pharmaceutically acceptable salts thereof.

31. A pharmaceutical composition, which comprises a compound of Formula I as defined in any one of claims 1 to 30 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

32. A method for treating a disease or disorder selected from pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection in a mammal, which comprises administering to said mammal a therapeutically effective amount of a compound of Formula I as defined in any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof.


33. The method of claim 32, wherein the disease or disorder is pain.

34. A compound of Formula I as defined in any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof, for use in the treatment of pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.

35. Use of a compound of Formula I as defined in any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof, in the preparation of a medicament for treating pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.


36. A process for the preparation of a compound of claim 1, which comprises:

(a) for a compound of Formula I where X is O, coupling a corresponding compound having the formula II



II


with a corresponding compound having the formula III



III


in the presence carbonyldiimidazole and a base; or

(b) for a compound of Formula I where X is S, coupling a corresponding compound having the formula II



II


with a corresponding compound having the formula III



III


in the presence di(1H-imidazol-2-yl)methanethione and a base; or

(c) for a compound of Formula I where X is O, coupling a corresponding compound having the formula II



II


with a corresponding compound having the formula IV



IV


where L^1 is a leaving group, in the presence of a base; or

(d) for a compound of Formula I where X is O, coupling a corresponding compound having the formula V



V


where L^2 is a leaving group, with a corresponding compound having the formula III



III


in the presence of a base; or

(e) for a compound of Formula **I** where X is O, activating a corresponding compound having the formula **VI**



VI


with diphenylphosphoryl azide followed by coupling the activated intermediate with a corresponding compound having the formula **III**



III


in the presence a base; or

(f) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II

with a corresponding compound having the formula **VII**




VII

in the presence of a base; or

(g) for a compound of Formula **I** where R^1 is (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl,


tetrafluoro(2-6C)alkyl, or pentafluoro(2-6C)alkyl, reacting a corresponding compound having the formula VIII



VIII

with a corresponding compound having the (trifluoromethoxy)(1-6C)alkyl-L^3, (1-3C sulfanyl)(1-6C)alkyl-L^3, monofluoro(1-6C)alkyl-L^3, difluoro(1-6C)alkyl-L^3, trifluoro(1-6C)alkyl-L^3, tetrafluoro(2-6C)alkyl-L^3, or pentafluoro(2-6C)alkyl-L^3, where L^3 is a leaving atom or a leaving group, in the presence of a base; or

(h) for a compound of Formula **I** where X is O, R^4 is CH_3OCH_2- and R^5 is $OHCH_2$-, treating a corresponding compound having the general formula **IX**




IX

with an inorganic acid; and

optionally removing protecting groups and optionally preparing a pharmaceutically acceptable salt thereof.

What is claimed is:

1. A compound of Formula **I**:



I

or stereoisomers, tautomers, or pharmaceutically acceptable salts, solvates or prodrugs thereof, wherein:

the Y-B moiety and the NH-C(=X)-NH moiety are in the *trans* configuration;

R^a, R^b, R^c and R^d are independently selected from H and (1-3C)alkyl;

X is O, S or NH;

R^1 is (1-3C alkoxy)(1-6C)alkyl, (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C) alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, aminocarbonyl(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-6C)alkyl, (1-3Calkylamino)(1-3C)alkyl, (1-4C alkoxycarbonyl)(1-6C)alkyl, amino(1-6C)alkyl, hydroxy(1-3C alkoxy)(1-6C)alkyl, di(1-3C alkoxy)(1-6C)alkyl, (1-3C alkoxy)trifluoro(1-6C)alkyl, hydroxytrifluoro(1-6C)alkyl, (1-4C alkoxycarbonyl)(1-3C alkoxy)(1-6C)alkyl, hydroxycarbonyl(1-3C alkoxy)(1-6C)alkyl, $hetAr^5(CH_2)_{0-1}$, or $Ar^5(CH_2)_{0-1}$;

R^2 is H, F, or OH;


Y is a bond;

B is Ar^1, $hetAr^1$, 1-6C alkyl or (1-6C)alkoxy;


Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkyl and CN;

$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected form (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;


Ring C is formula **C-1**, **C-2**, **or C-3**



C-1



C-2



C-3

R^3 is H, (1-6C)alkyl, hydroxy(1-6C)alkyl, Ar^2, $hetCyc^1$, (3-7C)cycloalkyl, or $hetAr^2$;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetCyc^1$ is a 5-6-membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C) alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C) alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C)alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, pentafluoro(2-6C)alkoxy cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl (1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl [optionally substituted with F, OH, (1-6C alkyl), (1-6C) alkoxy, or (1-3C alkoxy)(1-6C)alkyl], $hetAr^4$, Ar^4, $hetCyc^2(O)CH_2$-, (1-4C alkoxycarbonyl)(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, aminocarbonyl(1-6C)alkoxy, $hetCyc^2C(=O)$(1-6C)alkoxy, hydroxy(1-3C alkoxy)(1-6C)alkoxy, hydroxytrifluoro(1-6C)alkoxy, (1-3C)alkylsulfonamido(1-6C)alkoxy, (1-3C)alkylamido(1-6C)alkoxy, di(1-3C alkyl)aminocarboxy, $hetCyc^2C(=O)O$-, hydroxydifluoro(1-6C)alkyl, (1-4C alkylcarboxy)(1-6C)alkyl, (1-6C)alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, (1-3C alkoxy)amino-carbonyl, $hetCyc^3$, halogen, CN, trifluoromethylsulfonyl, N-(1-3C alkyl)pyridinonyl, N-(1-3C trifluoroalkyl)pyridinonyl, (1-4C alkylsiloxy)(1-6C)alkoxy, isoindoline-1,3-dionyl(1-6C)alkoxy or N-(1-3C alkyl)oxadiazolonyl;

hetCyc^2 is a 4-6 membered heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl, (1-4C alkylcarboxy)(1-6C)alkyl, and (1-6C)acyl;

hetCyc^3 is a 4-7 membered heterocycle having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with one or more substituents independently selected from F, CN, CF_3, (1-6C)alkyl, hydroxy(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, (1-6C)acyl-, (1-6C)alkylsulfonyl, trifluoromethylsulfonyl and (1-4C alkoxy)carbonyl;

hetAr^3 is a 5-membered heteroaryl ring having 1-3 ring atoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

Ar^3 is phenyl optionally substituted with (1-4C)alkoxy;

hetAr^4 is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, halogen, CN, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2- (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy), (1-3C)trifluoroalkyl, and methoxybenzyl; or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms;

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-;

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, phenyl [optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy], (3-4C)cycloalkyl, amino, aminocarbonyl, or trifluoro(1-3C alky)amido; or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated, partially unsaturated or unsaturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form 5-6 membered saturated, partially unsaturated or unsaturated heterocyclic ring having a ring heteroatom selected

from N, O or S, wherein said heterocyclic ring is optionally substituted with one or two substituents independently selected from (1-6C alkyl)C(=O)O-,, (1-6)acyl, (1-6C)alkyl and oxo, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2;

$hetAr^5$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O or S, wherein the ring is optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl, (1-6C)alkoxy and CF_3;

Ar^5 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl, (1-6C)alkoxy, CF_3O-, (1-4C)alkoxycarbonyl and aminocarbonyl;

R^{3a} is hydrogen, halogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^{3b} is hydrogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^{4a} is hydrogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, phenyl [optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-], or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2- (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy)(1-3C)trifluoroalkyl, and methoxybenzyl; and

R^{5a} is hydrogen, halogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms

independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen.

2. The compound according to claim 1, wherein:

B and the NH-C(=X)-NH moiety are in a *trans* configuration;

R^a, R^b, R^c and R^d are independently selected from H and (1-3C)alkyl;

X is O or S;

R^1 is (1-3C alkoxy)(1-6C)alkyl, (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C) alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, aminocarbonyl(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-6C)alkyl, or (1-3Calkylamino)(1-3C)alkyl;


R^2 is H, F, or OH;

B is Ar^1 or $hetAr^1$;

Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl and (1-6C)alkyl;

$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;

Ring C is



;

R^3 is H, (1-6C)alkyl, hydroxy(1-6C)alkyl, Ar^2, $hetCyc^1$, (3-7C)cycloalkyl, or $hetAr^2$;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetCyc^1$ is a 5-6-membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C) alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C)

alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C) alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C)alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, pentafluoro2-6C)alkoxy cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl (1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$, or Ar^4;

$hetCyc^2$ is a 4-6 membered heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring atoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

Ar^3 is phenyl optionally substituted with (1-4C)alkoxy;

$hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms;

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, amino-carbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-;

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy; or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said ring

nitrogen atom is optionally substituted with (1-6C alkyl)C(=O)O-, or (1-6)acyl, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2.

3. A compound according to claim 1 or 2, wherein X is O.

4. A compound according to claim 1 or 2, wherein X is S.

5. A compound according to any of claims 1-4, wherein R^1 is selected from (1-3C alkoxy)(1-6C)alkyl, difluoro(1-6C)alkyl, and trifluoro(1-6C)alkyl.

6. A compound according to claim 5, wherein R^1 is (1-3C alkoxy)(1-6C)alkyl.

7. A compound according to any of claims 1-6, wherein B is Ar^1.

8. The compound of claim 7, wherein Ar^1 is phenyl optionally substituted with one or more halogens.

9. A compound according to any of claims 1-6, wherein Ring B is $hetAr^1$.

10. A compound according to claim 9, wherein Ring B is pyridyl optionally substituted with 1-2 groups independently selected from (1-6C)alkyl or halogen.

11. A compound according to any of claims 1-10, wherein Ring C is formula C-1.

12. A compound according to claim 11, wherein:

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C) alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C)alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C)alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C) alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy, trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, penta-fluoro(2-6C) alkoxy, cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C) alkoxy, aminocarbonyl(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$, or Ar^4; and

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C) alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy.

13. A compound according to claim 12, wherein R^4 is selected from H, (1-6C)alkyl, trifluoro(1-6C)alkyl, cyano(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, cyano(1-6C) alkoxy, hydroxy(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$ and Ar^4.

14. A compound according to claim 13, wherein R^4 is selected from (1-6C)alkyl, trifluoro(1-6C)alkyl, cyano(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl and (3-6C)cycloalkyl.

15. A compound according to claim 13, wherein R^4 is selected from (1-6C)alkoxy, cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, and (1-4C alkoxy)(1-6C)alkoxy.

16. A compound according to claim 15, wherein R^4 is selected from $hetAr^4$ and Ar^4.

17. A compound according to claim 16, wherein R^4 is Ar^4.

18. A compound according to any of claims 1-17, wherein R^5 is selected from H, halogen, CN, (1-6C)alkyl, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy.

19. A compound according to claim 18, wherein R^5 is selected from H, halogen and (1-6C)alkyl.

20. A compound according to claim 19, wherein R^5 is (1-6C)alkyl.

21. A compound according to any of claims 1-11, wherein:

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said ring nitrogen atom is optionally substituted with (1-6C alkyl)C(=O)O-, or (1-6)acyl, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2.

22. A compound according to any of claims 1-21, wherein R^3 is selected from H, Ar^2, $hetAr^2$ and (1-6C)alkyl.


23. A compound according to any of claims 1-22, wherein R^3 is selected from Ar^2 and (1-6C)alkyl.

24. A compound according to claim 23, wherein R^3 is Ar^2.

25. A compound according to any of claims 1-24, wherein R^2 is H.


26. A compound according to any of claims 1-25, wherein R^a, R^b, R^c and R^d are H.

27. A compound according to any of claims 1-26, wherein the Y-B moiety and the -NH-C(=X)-NH- moiety of Formula **I** are trans in the absolute configuration shown in formula C:



C

28. A compound according to any of claims 1-26, wherein Ring B and the -NH-C(=X)-NH- moiety of Formula **I** are *trans* in the absolute configuration shown in formula D:



D

29. A compound of claim 1, selected from

1-(3-*tert*-butyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-p-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

trans-1-(4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-*tert*-butyl-1-methyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1,3-dimethyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(pyridin-3-yl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(4-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1,3-diphenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-*tert*-butyl-1-(2-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(3-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-3-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-1*H*-pyrazol-5-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)thiourea;

1-(2-(3-fluorophenyl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(2-(4-fluorophenyl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopentyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1-ethyl-3-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,5,6,7-tetrahydro-2*H*-indazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-methyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)urea;

1-(1,3-dimethyl-4-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-o-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-m-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-cyano-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(1-methyl-1*H*-pyrazol-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-*tert*-butyl-1-(tetrahyro-2H-pyran-4-yl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-2-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(6,6-dimethyl-2-phenyl-2,4,5,6-tetrahydro-yclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenyl-pyrrolidin-3-yl)urea;

1-(7,7-dimethyl-2-phenyl-4,5,6,7-tetrahydro-2*H*-indazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-(pyridin-4-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(3-chlorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(2-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(1-(2-methoxyethyl)-4-(thiophen-2-yl)pyrrolidin-3-yl)urea;

1-((3,4-*trans*)-4-(2,4-dimethylthiazol-5-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-(oxazol-5-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-(isoxazol-5-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3,4-*trans*)-1-(2-methoxyethyl)-4-(3-methoxyphenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(1-(2-methoxyethyl)-4-(thiazol-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*(3S,4R)*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((*3S,4R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-phenyl-3-(trifluoromethyl)-1*H*-pyrazol-5-yl)urea;

1-(1,4-dimethyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopropyl-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-3-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,1'-dimethyl-1*H*,1'*H*-3,4'-bipyrazol-5-yl)urea;

1-(3-(3-cyanophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(4-cyanophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(imidazo[1,2-a]pyridin-5-yl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,3-dimethyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-cyano-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-cyano-3-(cyanomethyl)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(2-cyanopropan-2-yl)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethyl-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-methyl-1-phenyl-1*H*,1'*H*-3,4'-bipyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(oxetan-3-ylmethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((3-methyloxetan-3-yl)methoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((*S*)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

tert-butyl 3-(3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)ureido)-2-phenyl-4,6-dihydropyrrolo[3,4-c]pyrazole-5(2*H*)-carboxylate;

1-(3-isopropyl-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2*H*-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(1-hydroxy-2-methylpropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(5-oxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-4-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(thiophen-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(methoxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-p-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-m-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-o-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(4-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(2,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-

fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-(1-hydroxy-2-methylpropan-2-yl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-hydroxy-2-methylpropan-2-yl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(4-chlorophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(2,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

methyl 4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-hydroxyethyl)-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(4-(methylthio)phenyl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,3-diphenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-(2-methoxyethoxy)phenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methoxy-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(hydroxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(benzyloxy)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(cyanomethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluoro-phenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-methoxybenzyloxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-

methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(2-cyclohexyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(5-methylpyrazin-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,4-dimethyl-3-(5-methylpyrazin-2-yl)-1*H*-pyrazol-5-yl)urea;

ethyl 5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-4-carboxylate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyrazin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)urea;

1-(5-acetyl-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

(3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-(hydroxymethyl)-3-(methoxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoic acid;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzamide;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)-*N*-methylbenzamide;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)-*N*,*N*-dimethylbenzamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-(hydroxymethyl)phenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(4-(methylsulfonyl)phenyl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1,3-diphenyl-1*H*-pyrazol-5-yl)urea;

2-methoxyethyl 4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-(methylsulfonyl)ethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-(hydroxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2,3-

dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*R*,4*S*)-4-hydroxy-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*R*,4*S*)-4-fluoro-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-phenyl-1-(2-(trifluoromethoxy)ethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-(methylthio)ethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-((*S*)-2-methoxypropyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3,4-*trans*)-4-phenyl-1-(4,4,4-trifluorobutyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3,4-*trans*)-1-(cyanomethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

2-((3*R*,4*S*)-3-phenyl-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)acetamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-hydroxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((*trans*)-1-(3,3,4,4,4-pentafluorobutyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-1-ethyl-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c] pyrazol-3-yl)urea;

1-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((trans)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*3S,4R*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*R*,4*S*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*R*,4*S*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-1-(1,3-difluoropropan-2-yl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

(*trans*)-tert-butyl 3-(3-methoxyphenyl)-4-(3-(2-phenyl-2,4,5,6-

tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidine-1-carboxylate;

1-((*trans)*-4-(3-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((*trans*)-4-(pyridin-2-yl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(4-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(2-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((*trans*)-4-(pyridin-3-yl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-4-(2-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2,2-difluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1H-pyrazol-3-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-(trifluoromethyl)-1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluoro-phenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(1-methyl-1H-pyrazol-5-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-1-(1-methyl-1H-pyrazol-5-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1-methyl-1H-pyrazol-5-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3R,4S)-4-(3,5-difluorophenyl)-1-(1-methyl-1H-pyrazol-5-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-phenylpyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyphenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-fluorophenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(4-fluorophenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methylphenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyphenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-chlorophenyl)-4-

phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-phenyl-1-(2-(trifluoromethoxy)phenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-1-(2,6-difluorophenyl)-4-phenylpyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-4-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-ethoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-(cyanomethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-1H-imidazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((1-methyl-1H-1,2,3-triazol-4-yl)methyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1,3-dimethoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2-(methylamino)ethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-1-((1H-imidazol-2-yl)methyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

methyl 3-methoxy-2-((*trans*)-3-phenyl-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)propanoate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-hydroxy-1-methoxy-3-methylbutan-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)-3-methoxypropanoic acid;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(cyanomethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-

trifluoroethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

(R,S)-1-((2α,3β,4α)–2-methyl-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

(R,S)-1-((3β,4α,5α)-5-methyl-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-hydroxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-methoxypropan-2-yl) pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-((R)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((R)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl) pyrrolidin-3-yl)-3-(3-methyl-4-(methylthio)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2-hydroxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

ethyl 5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxylate;

5-(3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(3-chlorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(5-methyl-1,3,4-oxadiazol-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(3-methyl-1,2,4-oxadiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(3-(trifluoromethyl)-1,2,4-oxadiazol-5-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-

3-(3-(trifluoromethyl)-1,2,4-oxadiazol-5-yl)-1H-pyrazol-5-yl)urea;

5-(3-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2',4,5'-trimethyl-1-phenyl-1H,2'H-[3,3'-bipyrazol]-5-yl)urea;

1-(4-cyclopropyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-isopropyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-ethyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-chlorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(3-chloro-4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1-(3-chloro-2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-chlorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(3-chloro-4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1-(3-chloro-2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(2,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3-cyanophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-cyanophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(p-tolyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4,5-trifluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4 -fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-

diphenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-trans-1-(2-methoxyethyl)-4-(1-methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-(1-methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((trans-1-(2-methoxyethyl)-4-(1,2,3-thiadiazol-4-yl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-(trans-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3R,4S)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-(5-chloropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(5-chloropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-(*trans*-4-(5-fluoropyridin-2-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3-fluoropyridin-4-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-1*H*-1,2,4-triazol-3-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-(3-cyano-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-hydroxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-6-oxo-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-6-oxo-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-*c*]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-3-ethoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-fluoro-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-bromo-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

ethyl 2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetate;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((*R*)-3,3,3-trifluoro-2-hydroxypropoxy)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((*S*)-3,3,3-trifluoro-2-hydroxypropoxy)-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

ethyl 4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-3-carboxylate;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-morpholinoethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-(1,3-dioxoisoindolin-2-yl)ethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

tert-butyl 4-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)piperazine-1-carboxylate;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2H-indazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2H-indazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-(pyrazin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-(pyridazin-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl dimethylcarbamate;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl morpholine-4-carboxylate;

1-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-(tert-butyldimethylsilyloxy)propoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-(tert-butyldimethylsilyloxy)-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((S)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((R)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((R)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(3-methyl-1,2,4-oxadiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(2-cyanopropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-cyanopropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-phenyl-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,3-diphenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-2-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4,5-trifluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(4-methoxybenzyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(4-methoxybenzyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)ethyl acetate;

1-(4-chloro-3-(2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-3-(*cis*-3-hydroxycyclobutyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((1r,3S)-3-hydroxycyclobutyl)-1-phenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxylic acid;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,N,4-trimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N-ethyl-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N-isopropyl-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-(hydroxymethyl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

methyl 2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)ureido)pyrrolidin-1-yl)acetate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3,3,3-trifluoro-2-hydroxypropyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-hydroxypropyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-(2-cyanoethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)ureido)pyrrolidin-1-yl)-N-methylacetamide;

1-(1-cyclohexyl-3,4-dimethyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-hydroxy-2-(hydroxymethyl)propoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-(3-(2,2-difluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-phenyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(5-fluoropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(5-fluoropyridin-3-yl)-4-methyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2',4-dimethyl-1-phenyl-1H,2'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(5-fluoropyridin-3-yl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-(5-methylpyridin-3-yl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(5-chloropyridin-3-yl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-1'-(2,2,2-trifluoro-1-(2,2,2-trifluoroethoxy)ethyl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-1'-(2,2,2-trifluoroethyl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-(cyclopropylmethyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1'-(cyclopropanecarbonyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1'-(methylsulfonyl)-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-isopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyrimidin-5-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',3',4-trimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-cyclopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methylthiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methylpyrimidin-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(2-aminopyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2,4-dimethylthiazol-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2,6-dimethylpyridin-4-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(6-aminopyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(6-oxo-1-(2,2,2-trifluoroethyl)-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-isopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-aminopyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl trifluoromethanesulfonate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxypyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-(dimethylamino)pyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxypyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(2-(dimethylamino)pyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-cyclopropyl-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-cyclopropyl-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2-(piperazin-1-yl)ethoxy)-1*H*-pyrazol-5-yl)urea;

1-(3-(benzyloxy)-4-chloro-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetic acid;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)-*N*-ethylacetamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-ethyl-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(2-aminoethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

N-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)methanesulfonamide;

N-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)acetamide;

1-(3-(2-(4-acetylpiperazin-1-yl)ethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetamide;

N-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-ethoxy-1-phenyl-1*H*-pyrazol-4-yl)-2,2,2-trifluoroacetamide;

1-(4-amino-3-ethoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-(2-hydroxyethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-(4-methylpiperazin-1-yl)ethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-morpholino-2-oxoethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-3-carboxylic acid;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-*N*-methyl-1-phenyl-1*H*-pyrazole-3-carboxamide;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-*N*-methoxy-1-phenyl-1*H*-pyrazole-3-carboxamide;

1-(4-chloro-1'-(2-methoxyethyl)-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-((S)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((R)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,1'-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,1'-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

Tert-butyl 4-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)piperidine-1-carboxylate;

1-(4-chloro-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(3,5-dimethylisoxazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

(R)-tert-butyl 2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

(S)-tert-butyl 2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

1-(4-bromo-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

Tert-butyl 4-(4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)piperidine-1-carboxylate;

1-(4-bromo-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(3,5-dimethylisoxazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

(R)-tert-butyl 2-(4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

tert-butyl 4-((4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)methoxy)piperidine-1-carboxylate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)urea;

1-(4-chloro-1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-chloro-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-chloro-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-(4-bromo-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)urea;

1-(4-chloro-1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(1-(methylsulfonyl)piperidin-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1-acetylpiperidin-4-yl)-4-bromo-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(1-(trifluoromethylsulfonyl)piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((R)-1-(methylsulfonyl)pyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-((R)-1-acetylpyrrolidin-2-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((R)-1-methylpyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((S)-1-methylpyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-3-((1-(methylsulfonyl)piperidin-4-yloxy)methyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-((1-acetylpiperidin-4-yloxy)methyl)-4-bromo-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-isopropyl-5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(4-methyl-5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((trans)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((trans)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((trans)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-(4-cyano-3-methoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-(4-cyano-1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-cyano-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methoxy-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluoro-phenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-ethyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

5-(3-((trans)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((trans)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((*trans*)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazole-4-carboxamide;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)guanidine;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)thiourea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)thiourea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)thiourea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)thiourea;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)urea;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(pyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(pyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-3-phenyl-1-(pyrazin-2-yl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,5-dimethyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,5-dimethyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-isopropyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-isopropyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-3-phenyl-1-(2,2,2-trifluoroethyl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-ethyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-ethyl-3-methyl-5-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-5-phenyl-3-(trifluoromethyl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-5-(trifluoromethyl)-1H-pyrazol-4-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-4-yl)urea; and

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-(trifluoromethyl)-1*H*-pyrazol-4-yl)urea;

and pharmaceutically acceptable salts thereof.


30. A pharmaceutical composition, which comprises a compound of Formula **I** as defined in any one of claims 1 to 29 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

31. A compound of Formula **I** as defined in any one of claims 1 to 29, or a pharmaceutically acceptable salt thereof, for use in the treatment of pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.

32. Use of a compound of Formula **I** as defined in any one of claims 1 to 29, or a pharmaceutically acceptable salt thereof, in the preparation of a medicament for treating pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.


33. A process for the preparation of a compound of claim 1, which comprises:

(a) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **III**



III


in the presence carbonyldiimidazole and a base; or

(b) for a compound of Formula **I** where X is S, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **III**



III


in the presence di(1H-imidazol-2-yl)methanethione and a base; or

(c) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **IV**



IV


where L^1 is a leaving group, in the presence of a base; or

(d) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **V**



V


where L^2 is a leaving group, with a corresponding compound having the formula **III**



III


in the presence of a base; or

(e) for a compound of Formula **I** where X is O, activating a corresponding compound having the formula **VI**



VI


with diphenylphosphoryl azide followed by coupling the activated intermediate with a corresponding compound having the formula **III**



III


in the presence a base; or

(f) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II

with a corresponding compound having the formula **VII**




VII

in the presence of a base; or

(g) for a compound of Formula **I** where R^1 is (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl,


tetrafluoro(2-6C)alkyl, or pentafluoro(2-6C)alkyl, reacting a corresponding compound having the formula **VIII**



VIII

with a corresponding compound having the (trifluoromethoxy)(1-6C)alkyl-L^3, (1-3C sulfanyl)(1-6C)alkyl-L^3, monofluoro(1-6C)alkyl-L^3, difluoro(1-6C)alkyl-L^3, trifluoro(1-6C)alkyl-L^3, tetrafluoro(2-6C)alkyl-L^3, or pentafluoro(2-6C)alkyl-L^3, where L^3 is a leaving atom or a leaving group, in the presence of a base; or

(h) for a compound of Formula **I** where X is O, R^4 is CH_3OCH_2- and R^5 is $OHCH_2$-, treating a corresponding compound having the general formula **IX**




IX

with an inorganic acid; and

optionally removing protecting groups and optionally preparing a pharmaceutically acceptable salt thereof.

34. A compound of claim 1 having the formula



or stereoisomers, tautomers, or pharmaceutically acceptable salts, or solvates thereof, wherein:


the Y-B moiety and the NH-C(=X)-NH moiety are in the *trans* configuration;

X is O;

B is Ar^1,

Y is a bond;

Ring C is



;

R^a, R^b, R^c and R^d are hydrogen;

R^1 is (1-3C alkoxy)(1-6C)alkyl, difluoro(1-6C)alkyl or trifluoro(1-6C)alkyl;

R^2 is hydrogen;

R^3 is Ar^2, $hetAr^2$ or (1-6C)alkyl;

R^4 is $hetAr^4$ or Ar^4;

R^5 is H, halogen, or (1-6C)alkyl;

Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkyl and CN;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

$hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, halogen, CN, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2- (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy), (1-3C)trifluoroalkyl, and methoxybenzyl; or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms; and

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-.

35. The compound of claim 34, wherein:

R^1 is (1-3C alkoxy)(1-6C)alkyl;

R^3 is Ar^2;


R^4 is $hetAr^4$; and


R^5 is (1-6C)alkyl.


36. The compound of claim 35, where Ar^1 is phenyl optionally substituted with one or more halogens.


37. The compound of claim 36, where $hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl.


38. The compound of claim 37 selected from





























































































































































































































or a pharmaceutically acceptable salt thereof.


39. A compound of claim 38, selected from:

























































































































or a pharmaceutically acceptable salt thereof.

40. A pharmaceutical composition, which comprises a compound of Formula **I** as defined in any one of claims 34-39 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

41. Use of a compound as defined in any one of claims 34-39, or a pharmaceutically acceptable salt thereof, in the preparation of a medicament for treating pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.

42. The use according to claim 41, wherein the medicament is for treating pain.

43. The use of claim 42, wherein the pain is chronic pain.

44. The use of claim 42, wherein the pain is acute pain.

45. The use of claim 42, wherein the pain is inflammatory pain.

46. The use of claim 42, wherein the pain is neuropathic pain.

47. The use of claim 42, wherein the pain is associated with cancer.

48. The use of claim 42, wherein the pain is associated with surgery.

49. The use of claim 42, wherein the pain is associated with bone fracture.