




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46

Table 1: SEM morphology of SAM on metal substrates after DBSA rinse with 2 wt. % dodecylbenzene sulfonic acid in 70:30 PGME: PGMEA

Entry	Top down SEM	X-SEM
Cu Reference after rinse with 2% DBSA		
Cu/SML-3 SAM after rinse with 2% DBSA		
W-reference after rinse with 2% DBSA		
W/ SML-3 SAM after rinse with 2% DBSA		

FIG. 47