

1/27




FIG. 1

2/27




FIG. 2




FIG. 3

3/27




FIG. 4




FIG. 5

h [@ CPU USAGE rx b [v90 - v100] { 5 }]

208 213 221

FIG. 6

4/27




FIG. 7

5/27




FIG. 8A

6/27


MEGHA-PROBE DATA IMPORTER - PERFORMANCE DATA IMPORT

FIG. 8B

7/27


MEGHA-PROBE DATA IMPORTER - CONFIGURATION DATA IMPORT

FIG. 8C

8/27


MEGHA-NRDB ACCESS MANAGER

FIG. 9A

9/27




FIG. 9B

10/27





FIG. 10

11/27

MEGHA - QUERY REQUEST PROCESSOR (2)



12/27

resource type $\Rightarrow$ 08142011/ 1204 1205 h/ 1206

1207 1208 1201 1202 1203

resource ID	vm1	vm2	h1
attribute	readlatency	readiop	readlatency
00:00:01	10	100	500
00:01:01	15	200	1000
00:02:01	20	100	1500
00:03:01	25	200	1400
00:04:01	30	100	1600
00:05:01	25	200	1500
00:06:01	30	100	1400
00:07:01	25	200	1600
00:08:01	30	100	1500
00:09:01	25	200	1400
00:10:01	30	100	1500
;	;	;	;

FIG. 12

13/27




FIG. 13

14/27

vm[@readlatency rx b [U20-U1000]{5}]/h[@readlatency rx b [U20-U1000]{5}]/vm[@readiop rx b [U1000-U2000]{5}]

1401 1402 1403

FIG. 14




FIG. 15

16/27




FIG. 16

17/27




FIG. 17

18/27




FIG. 18

19/27




FIG. 19

20/27




FIG. 20

21/27




FIG. 21




FIG. 22

23/27




FIG. 23




FIG. 24

25/27




FIG. 25




FIG. 26

27/27




FIG. 27