



[FIG. 1]




[FIG. 2]




[FIG. 3]

	300	301	302	303	304	305
400	IMAGE ID	IMAGE DATA	ATTRIBUTE RELIABILITY 1	ATTRIBUTE RELIABILITY 2	ATTRIBUTE RELIABILITY 3	...
411	1	Binary	0.9	0.1	0.0	...
412	2	Binary	0.4	0.9	0.9	...
413	3	Binary	0.8	0.8	0.3	...
414	4	Binary	0.7	0.9	0.1	...
	5	Binary	0.6	0.1	0.6	...
	...	...	...	...	...	...


[FIG. 4]




[FIG. 5]




[FIG. 6]




[FIG. 7]




[FIG. 8]




[FIG. 9]



[FIG. 10]



[FIG. 11]



[FIG. 12]

107


300						
301		302	1201	303	1202	1203
IMAGE ID	IMAGE DATA	ATTRIBUTE RELIABILITY 1	FEATURE AMOUNT 1	ATTRIBUTE RELIABILITY 2	FEATURE AMOUNT 2	TRACKING ID
1	Binary	0.9	[39, 223, 192, ...]	0.0	[29, 52, 242, ...]	1
2	Binary	0.4	[19, 226, 17, ...]	0.9	[248, 35, 158, ...]	2
3	Binary	0.8	[29, 231, 207, ...]	0.3	[239, 27, 163, ...]	2
...	...	...	...	...	...	...

400


411

412

[FIG. 13]



[FIG. 14]



[FIG. 15]

