PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International patent classification[7]: A61K 9/19, 31/165, 31/155, 31/40	A1	**(11) International publication number:** WO 00/44354 **(43) International publication date:** 3 August 2000 (03.08.00)

(21) International application number: PCT/EP00/00569

(22) International filing date: 26 January 2000 (26.01.00)

(30) Data relating to the priority:
199 03 275.0 28 January 1999 (28.01.99) DE

(71) Applicant *(for all designated States except US)*: MERCK PATENT GMBH [DE/DE]; Frankfurter Strasse 250, D-64293 Darmstadt (DE)

(72) Inventors; and
(75) Inventors/Applicants *(US only)*: KURZ, Thekla [DE/DE]; Stefan-George-Weg 48, D-64285 Darmstadt (DE). KRÜGER, Ludwig [DE/DE]; Ruhlandstrasse 75, D-63741 Aschaffenburg (DE). HESSE, Brigitte [DE/DE]; Lessingstrasse 32, D-64407 Fränkisch-Crumbach (DE). KARNATZ, Arnd [DE/DE]; Spessartring 71, D-64380 Rossdorf (DE).

(74) Joint Representative: MERCK PATENT GMBH; Frankfurter Strasse 250, D-64293 Darmstadt (DE).

(81) Designated states: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO Patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI Patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With International Search Report.
Before expiry of the term allowed for amendments to the claims; publication is repeated if amendments are received.

(54) Title: LYOPHILISATES HAVING IMPROVED RECONSTITUTABILITY

(57) Abstract

The present invention relates to lyophilisates having an improved dissolution rate and particle-free reconstitution, which is achieved by re-warming the solutions that have already been bottled to between 30°C and 95°C directly at the freeze drier.