


THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A compound of formula (I):



or a pharmaceutically acceptable salt thereof, wherein

R¹ is (C₃-C₆)alkyl or (C₃-C₆)cycloalkyl;

R² is methyl;

R³ is selected from (C₆-C₁₀)branched alkyl, (C₆-C₁₀)branched alkenyl, (C₅-C₈)cycloalkenyl, (C₅-C₈)cycloalkyl, or Het; wherein the (C₅-C₈)cycloalkenyl or (C₅-C₈)cycloalkyl is unsubstituted or is substituted by one, two, three or four substituents R⁴; and wherein Het is substituted by one, two, three or four substituents R⁴;

each R⁴ is independently selected from halo, (C₁-C₄)alkyl, halo(C₁-C₄)alkyl, (C₁-C₄)alkoxy, or halo(C₁-C₄)alkoxy; or

two R⁴ groups, when attached to the same carbon atom, may be taken together with the carbon atom to which they are attached to form a cyclopentyl, tetrahydrofuran or dioxolane ring; wherein Het is a 5 or 6 membered fully saturated or partially saturated heterocyclic ring comprising a) 1 oxygen atom in the 2- or 3- position, or b) 2 oxygen atoms in the 2- and 5-, or 2- and 6- positions, wherein the numbering is relative to the point of attachment; and

(C₅-C₈)cycloalkyl may be a monocyclic ring or a bridged ring system containing 5, 6, 7 or 8 carbon atoms.

2. A compound according to claim 1 or a pharmaceutically acceptable salt thereof, wherein R¹ is iso-propyl, cyclobutyl or cyclohexyl .


3. A compound according to according to claim 1 or claim 2, or a pharmaceutically acceptable salt thereof, wherein R³ is selected from 2,2-dimethylpentyl, 2,2-dimethylpent-2-enyl, cyclopentyl, cyclohexyl, cyclohexenyl, tetrahydropyranyl, dihydropyranyl, dioxanyl, tetrahydrofuranyl, dioxolanyl and bicyclo[2.2.2]octanyl; wherein the cyclopentyl,

cyclohexyl, cyclohexenyl, tetrahydropyranyl, dihydropyranyl, dioxanyl, tetrahydrofuranyl, dioxolanyl or bicyclo[2.2.2]octanyl ring is unsubstituted or is substituted by one, two, three or four substituents R^4 ; and

each R^4 is independently selected from halo, (C_1-C_4) alkyl, halo (C_1-C_4) alkyl, (C_1-C_4) alkoxy, or halo (C_1-C_4) alkoxy; or

two R^4 groups, when attached to the same carbon atom, may be taken together with the carbon atom to which they are attached to form a tetrahydrofuran or dioxolane ring.

4. A compound according to any one of the preceding claims, or a pharmaceutically acceptable salt thereof, wherein R^3 is



and m is 1, 2, 3 or 4.

5. A compound according to any one of the preceding claims, or a pharmaceutically acceptable salt thereof, wherein each R^4 is independently selected from methyl, isopropyl, tert-butyl and methoxy.

6. A compound according to claim 1 which is selected from the group consisting of:
 [N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(4-isopropylcyclohex-1-en-1-yl)-4-methylisoxazole-3-carboxamide];
 N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(6-ethyl-4-methylcyclohex-1-en-1-yl)-4-methylisoxazole-3-carboxamide;
 N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(6,6-dimethylcyclohex-1-en-1-yl)-4-methylisoxazole-3-carboxamide;
 [N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(4-ethylcyclohex-1-en-1-yl)-4-methylisoxazole-3-carboxamide];
 [5-(4-(tert-Butyl)cyclohex-1-en-1-yl)-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide];
 [N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(4-methylcyclohex-1-en-1-yl)isoxazole-3-carboxamide];

5-(Cyclohept-1-en-1-yl)-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

[N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(4-(trifluoromethyl)cyclohex-1-en-1-yl)isoxazole-3-carboxamide];

N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(spiro[4.5]dec-7-en-8-yl)isoxazole-3-carboxamide;

[N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(1-oxaspiro[4.5]dec-7-en-8-yl)isoxazole-3-carboxamide];

N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(4,4-dimethylcyclohex-1-en-1-yl)-4-methylisoxazole-3-carboxamide;

N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(4,4-dimethylcyclopent-1-en-1-yl)-4-methylisoxazole-3-carboxamide;

[N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(2-oxaspiro[4.5]dec-7-en-8-yl)isoxazole-3-carboxamide];

[N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(4-isopropoxycyclohex-1-en-1-yl)-4-methylisoxazole-3-carboxamide];

N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(4,4-dimethylcyclohexyl)-4-methylisoxazole-3-carboxamide;

[N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(3,3-dimethylcyclopentyl)-4-methylisoxazole-3-carboxamide];

N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(3,3-dimethylbutyl)-4-methylisoxazole-3-carboxamide;

(Z)-N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(3,3-dimethylbut-1-en-1-yl)-4-methylisoxazole-3-carboxamide;

(E)-N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(3,3-dimethylbut-1-en-1-yl)-4-methylisoxazole-3-carboxamide;

5-Cyclohexyl-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(1,4-dioxaspiro[4.5]decan-8-yl)isoxazole-3-carboxamide;

5-(6-(tert-butyl)-4-methoxytetrahydro-2H-pyran-2-yl)-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

5-(6-(tert-butyl)-4-methoxytetrahydro-2H-pyran-2-yl)-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

5-(6-(tert-butyl)-4-methoxytetrahydro-2H-pyran-2-yl)-N-(2-cyclobutyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

5-(6-(tert-butyl)tetrahydro-2H-pyran-2-yl)-N-(2-cyclobutyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

5-(6-(tert-butyl)tetrahydro-2H-pyran-2-yl)-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

5-(6-(tert-butyl)tetrahydro-2H-pyran-2-yl)-N-(2-isopropyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(6-isopropyl-3,6-dihydro-2H-pyran-2-yl)-4-methylisoxazole-3-carboxamide;

N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(6-methyl-3,6-dihydro-2H-pyran-2-yl)isoxazole-3-carboxamide;

N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-((2R,3S)-3,5,5-trimethyl-1,4-dioxan-2-yl)isoxazole-3-carboxamide;

[5-(4-Bromo-5-methyltetrahydro-2H-pyran-2-yl)-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide];

N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(5-methyl-3,6-dihydro-2H-pyran-2-yl)isoxazole-3-carboxamide;

N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(5-methyltetrahydro-2H-pyran-2-yl)isoxazole-3-carboxamide;

5-(4-(2-bromopropan-2-yl)tetrahydrofuran-2-yl)-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(4-isopropyltetrahydrofuran-2-yl)-4-methylisoxazole-3-carboxamide;


5-(4-(tert-butyl)-1,3-dioxolan-2-yl)-N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methylisoxazole-3-carboxamide;

N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(5,5-dimethyl-1,3-dioxan-2-yl)-4-methylisoxazole-3-carboxamide;


or a pharmaceutically acceptable salt thereof.

7. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof and one or more pharmaceutically acceptable carriers.

8. A combination comprising a therapeutically effective amount of a compound according to any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof and one or more therapeutically active agents.
9. A compound according to any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof, for use as a medicament.
10. A compound according to any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof, for use in the treatment of a disorder or disease selected from Pulmonary Hypertension, including Pulmonary arterial hypertension (PAH), Fibrosis, Rheumatoid Arthritis, and Fracture healing.
11. Use of a compound according to any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a disorder or disease selected from Pulmonary Hypertension, including Pulmonary arterial hypertension (PAH), Fibrosis, Rheumatoid Arthritis, and Fracture healing.
12. A compound according to any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof, for use in the treatment of a disorder or disease selected from glaucoma, hereditary hemorrhagic telangiectasia (HHT), proteinuria, wound healing, COPD and asthma.
13. Use of a compound according to any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a disorder or disease selected from glaucoma, hereditary hemorrhagic telangiectasia (HHT), proteinuria, wound healing, COPD and asthma.
14. A compound which is N-(2-cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-((2R,3S)-3,5,5-trimethyl-1,4-dioxan-2-yl)isoxazole-3-carboxamide having the following formula:



15. A compound which is N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5-(5,5-dimethyl-1,3-dioxan-2-yl)-4-methylisoxazole-3-carboxamide having the following formula:



16. A compound which is N-(2-Cyclohexyl-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-4-methyl-5-(1,4-dioxaspiro[4.5]decan-8-yl)isoxazole-3-carboxamide having the following formula:

