
What is Claimed:

1. A compound of Formula (I):




(I)

wherein:

R^1 is hydrogen or halo;

ring R^A is a ring of formula (i), (ii), (iii), or (iv):



(i) (ii) (iii) (iv)

where alk is alkyl and each ring of R^A is substituted with R^4 and R^5 independently selected from hydrogen, alkyl, and halo;

R^2 and R^3 are independently selected from hydrogen, alkyl, cycloalkyl, alkoxy, halo, haloalkyl, and haloalkoxy;

ring R^B is cycloalkyl, bridged cycloalkyl, heterocyclyl, or bridged heterocyclyl,

wherein:

(A) cycloalkyl and bridged cycloalkyl of ring R^B are substituted with R^a selected from hydrogen, halo, haloalkyl, and hydroxalkyl;

(B) heterocyclyl of ring R^B is substituted with R^b, R^c, and R^d where R^b and R^c are independently selected from hydrogen, alkyl, alkoxy, hydroxy, cyano, halo, haloalkyl, and haloalkoxy and R^d is hydrogen, alkyl, deuteroalkyl, cycloalkyl (optionally substituted with one or two substituents independently selected from alkyl, halo, hydroxy, and cyano), alkoxy, halo, haloalkyl, haloalkoxy, alkoxycarbonyl, amino, alkylamino, dialkylamino, aryl, aralkyl, heterocyclyl, or heteroaryl; and

(C) bridged heterocyclyl of ring R^B is substituted with R^e, R^f, and R^g where R^e and R^f are independently selected from hydrogen, alkyl, alkoxy, hydroxy, cyano, halo, haloalkyl, and haloalkoxy and R^g is hydrogen, alkyl, deuteroalkyl, cycloalkyl (optionally substituted with one or two substituents independently selected from alkyl, halo, hydroxy, or cyano), alkoxy, halo, haloalkyl, haloalkoxy, alkoxycarbonyl, oxo, amino, alkylamino, dialkylamino, aryl, aralkyl, heterocyclyl, or heteroaryl; or

a pharmaceutically acceptable salt thereof.


2. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein ring R^B is bridged cycloalkyl substituted with R^a.

3. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein ring R^B is cycloalkyl substituted with R^a.

4. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein ring R^B is bridged heterocyclyl substituted with R^e, R^f, and R^g .

5. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein ring R^B is heterocyclyl substituted with R^b, R^c, and R^d.


6. The compound of any one of claims 1 or 2, or a pharmaceutically acceptable salt thereof, wherein the bridged cycloalkyl of ring R^B is selected from:

selected from: 

;

wherein each bridged cycloalkyl is substituted with R^a.

7. The compound of claim 1 or 3, or a pharmaceutically acceptable salt thereof, wherein the cycloalkyl of ring R^B is selected from:



;


wherein each cycloalkyl ring is substituted with R^a.

8. The compound of any one of claims 1 to 3, or a pharmaceutically acceptable salt thereof, wherein R^a is hydrogen, chloro, fluoro, difluoromethyl, trifluoromethyl, or hydroxymethyl.

9. The compound of any one of claims 1, 4, and 5, or a pharmaceutically acceptable salt thereof, wherein R^b is hydrogen, R^c is selected from hydrogen, methyl, fluoro, chloro, difluoromethyl, trifluoromethyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, 3,3,3-trifluoropropyl, hydroxy, and cyano, and R^d is selected from hydrogen, methyl, trideuteromethyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, 3,3,3-trifluoropropyl, amino, dimethylamino, diethylamino, 3,3-difluorocyclobutyl, 4,4-difluorocyclohexyl, 3-hydroxy-3-methylcyclobutyl, 3-cyano-3-methylcyclobutyl, oxetan-3-yl, tetrahydrofuran-2-yl, tetrahydropyran-4-yl, 1,1-dioxidothietan-3-yl, 1,1-dioxidotetrahydro-2H-thiopyran-4-yl, benzyl, phenyl, pyridin-2-yl, pyridin-3-yl, and pyridin-4-yl; and

R^e is hydrogen, R^f is selected from hydrogen, methyl, fluoro, chloro, difluoromethyl, trifluoromethyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, 3,3,3-trifluoropropyl, hydroxy, and cyano, and R^g is selected from hydrogen, methyl, trideuteromethyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, 3,3,3-trifluoropropyl, amino, dimethylamino, diethylamino, 3,3-difluorocyclobutyl, 4,4-difluorocyclohexyl, 3-hydroxy-3-methylcyclobutyl, 3-cyano-3-methylcyclobutyl, oxetan-3-yl, tetrahydrofuran-2-yl, tetrahydropyran-4-yl, 1,1-dioxidothietan-3-yl, 1,1-dioxidotetrahydro-2H-thiopyran-4-yl, benzyl, phenyl, pyridin-2-yl, pyridin-3-yl, and pyridin-4-yl.


10. The compound of any one of claims 1 to 9, or a pharmaceutically acceptable salt thereof, wherein ring R^A is a ring of formula (i) or (ii):



(i) (ii)


where alk is alkyl and each ring R^A is substituted with R^4 and R^5.

11. The compound of any one of claims 1 to 10, or a pharmaceutically acceptable salt thereof, wherein



(a)


is:



(a1) (a2) (a3) (a4) (a5) (a6)

12. The compound of any one of claims 1 to 11, or a pharmaceutically acceptable salt thereof, wherein R^2 and R^3 are independently selected from hydrogen, fluoro, chloro, methyl, ethyl, propyl, cyclopropyl, cyclobutyl, methoxy, ethoxy, propoxy, difluoromethyl, trifluoromethyl, difluoroethyl, trifluoroethyl, difluoromethoxy, and trifluoromethoxy.

13. The compound of any one of claims 1 to 10, or a pharmaceutically acceptable salt thereof, wherein



(a)

is 2,6-difluorophenyl, 2-fluoro-6-trifluoromethylphenyl, 2-chloro-6-trifluoromethyl-phenyl, 2-difluoromethoxy-6-fluoro-phenyl, 2-difluoromethoxy-6-trifluoromethylphenyl, 2-methoxy-6-trifluoromethylphenyl, 2-fluoro-6-methoxyphenyl, 2-difluoromethyl-6-fluoro-phenyl, 2-cyclopropyl-6-fluorophenyl, or 2,6-dichlorophenyl; and R^1 is fluoro.

14. The compound of claim 2, selected from the group consisting of:

N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-((3r,5r,7r)-adamantan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;

N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-fluorobicyclo[1.1.1]pentan-1-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-chlorobicyclo[1.1.1]pentan-1-yl)-5-(2-(((1s,4s)-4-(methylsulfonyl)cyclohexyl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(bicyclo[2.2.1]heptan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(bicyclo[2.2.2]octan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(bicyclo[2.1.1]hexan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
2-fluoro-N-(2-fluoro-3-(2-(3-fluorobicyclo[1.1.1]pentan-1-yl)-5-(2-(((1s,4s)-4-(methylsulfonyl)-cyclohexyl)amino)pyrimidin-4-yl)thiazol-4-yl)phenyl)-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-dichlorobenzenesulfonamide;
N-(3-(2-(bicyclo[2.2.1]heptan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-(hydroxymethyl)-bicyclo[1.1.1]pentan-1-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
2-fluoro-N-(2-fluoro-3-(5-(2-(((1r,4r)-4-(methylsulfonyl)-cyclohexyl)amino)pyrimidin-4-yl)-2-(3-(trifluoromethyl)-bicyclo[1.1.1]pentan-1-yl)thiazol-4-yl)phenyl)-6-(trifluoromethyl)-benzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-(((1r,4r)-4-(methylsulfonyl)cyclohexyl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(trifluoromethyl)-bicyclo[1.1.1]pentan-1-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-cyclopropyl-6-fluorobenzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-(difluoromethyl)-6-fluorobenzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-methoxybenzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-(difluoromethoxy)-6-fluorobenzenesulfonamide;
N-(3-(2-(bicyclo[2.2.1]heptan-1-yl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;

N-(3-(2-((3R,5R,7R)-adamantan-1-yl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-((3R,5R,7R)-adamantan-1-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-fluorobicyclo[1.1.1]pentan-1-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)-benzenesulfonamide;
2-fluoro-N-(2-fluoro-3-(2-(3-fluorobicyclo[1.1.1]pentan-1-yl)-5-(2-(((1s,4s)-4-(methylsulfonyl)cyclohexyl)-amino)pyrimidin-4-yl)thiazol-4-yl)phenyl)-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(trifluoromethyl)bicyclo[1.1.1]pentan-1-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)-benzenesulfonamide;
2-chloro-N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-(trifluoromethyl)bicyclo-[1.1.1]pentan-1-yl)thiazol-4-yl)-2-fluorophenyl)-6-(trifluoromethyl)-benzenesulfonamide;
N-(3-(2-(3-(difluoromethyl)bicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(bicyclo[2.2.1]heptan-1-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-(difluoromethoxy)-6-fluorobenzenesulfonamide;
N-(3-(2-(bicyclo[2.2.2]octan-1-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
2-chloro-N-(2-fluoro-3-(5-(2-(((1s,4s)-4-(methylsulfonyl)-cyclohexyl)amino)pyrimidin-4-yl)-2-(3-(trifluoromethyl)bicyclo-[1.1.1]pentan-1-yl)thiazol-4-yl)phenyl)-6-(trifluoromethyl)-benzenesulfonamide;
N-(3-(2-(bicyclo[2.2.2]octan-1-yl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-(difluoromethoxy)-6-(trifluoromethyl)-benzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-(((1s,4s)-4-(methylsulfonyl)cyclohexyl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(3-(difluoromethyl)bicyclo[1.1.1]pentan-1-yl)-5-(2-(((1r,4r)-4-(methylsulfonyl)cyclohexyl)-amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;

N-(3-(2-(3-chlorobicyclo[1.1.1]pentan-1-yl)-5-(2-(((1s,4s)-4-(methylsulfonyl)cyclohexyl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(3-chlorobicyclo[1.1.1]pentan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-(((3aR,5s,6aS)-2,2-dioxidohexahydro-1H-cyclopenta[c]thiophen-5-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((1-methyl-2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide; and
N-(3-(2-(bicyclo[1.1.1]pentan-1-yl)-5-(2-((1,3-dimethyl-2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;

or a pharmaceutically acceptable salt thereof.

15. The compound of claim 3, selected from the group consisting of:

N-(3-(2-cyclobutyl-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
2-(difluoromethoxy)-N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-6-fluorobenzenesulfonamide;
N-(3-(2-(1-(difluoromethyl)cyclobutyl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(1-(trifluoromethyl)-cyclobutyl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(1-(trifluoromethyl)-cyclopropyl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(1-(trifluoromethyl)-cyclopropyl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-(((1r,4r)-4-(methylsulfonyl)cyclohexyl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;

N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
2-fluoro-N-(2-fluoro-3-(5-(2-(((1r,4r)-4-(methylsulfonyl)-cyclohexyl)amino)pyrimidin-4-yl)-2-(1-(trifluoromethyl)-cyclopropyl)thiazol-4-yl)phenyl)-6-(trifluoromethyl)benzenesulfonamide;
2,6-difluoro-N-(2-fluoro-3-(5-(2-(((1s,4s)-4-(methylsulfonyl)-cyclohexyl)amino)pyrimidin-4-yl)-2-(1-(trifluoromethyl)-cyclopropyl)thiazol-4-yl)phenyl)benzenesulfonamide;
N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)-benzenesulfonamide;
2-(difluoromethoxy)-N-(3-(2-(1-(difluoromethyl)cyclopropyl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-6-fluorobenzene-sulfonamide; and
2-chloro-N-(2-fluoro-3-(5-(2-(((1r,4r)-4-(methylsulfonyl)-cyclohexyl)amino)pyrimidin-4-yl)-2-(1-(trifluoromethyl)-cyclopropyl)thiazol-4-yl)phenyl)-6-(trifluoromethyl)benzene-sulfonamide;

or a pharmaceutically acceptable salt thereof.

16. The compound of claim 4, selected from the group consisting of:

N-(3-(2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(2-oxabicyclo[2.1.1]hexan-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(7-azabicyclo[2.2.1]heptan-7-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3,3-difluoro-8-azabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-oxo-8-azabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(2-azabicyclo[2.2.2]octan-2-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(8-azabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-azabicyclo[3.2.2]nonan-3-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptan-6-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(8-methyl-3,8-diazabicyclo[3.2.1]octan-3-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;

N-(3-(2-(2,2-dimethylpyrrolidin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(dimethylamino)-8-azabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(5-methyl-2,5-diazabicyclo[2.2.2]octan-2-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-hydroxy-3-methyl-8-azabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-cyano-3-methyl-8-azabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(8-(pyridin-2-yl)-3,8-diazabicyclo[3.2.1]octan-3-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-benzyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-phenyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(pyridin-2-yl)-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(tetrahydrofuran-3-yl)-3,8-diazabicyclo-[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluoro-benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(1,1-dioxidothietan-3-yl)-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(3-hydroxy-3-methylcyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3,3-dioxido-3-thia-8-azabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(3-cyano-3-methylcyclobutyl)-3,8-diazabicyclo-[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-(difluoromethyl)-6-fluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)-benzenesulfonamide;
N-(3-(2-(3-cyclobutyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;

N-(3-(2-(1-cyano-7-azabicyclo[2.2.1]heptan-7-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-methoxybenzenesulfonamide;
2-(difluoromethoxy)-N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]-heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-6-fluorobenzenesulfonamide;
N-(3-(5-(2-(((1S,5S)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2-methoxy-6-(trifluoromethyl)-benzenesulfonamide;
2-(difluoromethoxy)-N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-6-(trifluoromethyl)-benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(7-methyl-3-oxa-7,9-diazabicyclo[3.3.1]nonan-9-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-(((1S,5S)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)-benzenesulfonamide;

N-(3-(5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)-benzenesulfonamide;
N-(3-(2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-(2-((3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(3,3-difluoro-8-azabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
2-(difluoromethoxy)-N-(3-(5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-6-fluorobenzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-(difluoromethoxy)-6-fluorobenzenesulfonamide;
N-(3-(2-(3-cyclobutyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzene-sulfonamide;
N-(3-(2-(3-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(3-cyclobutyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-methyl-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(methyl-d3)-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(2,2,2-trifluoroethyl)-3,8-diazabicyclo-[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluoro-benzenesulfonamide;
N-(3-(2-(3-(2,2-difluoroethyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(3,3,3-trifluoropropyl)-3,8-diazabicyclo-[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(3-(oxetan-3-yl)-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;

N-(3-(2-(3-(4,4-difluorocyclohexyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(3-(tetrahydro-2H-pyran-4-yl)-3,8-diazabicyclo[3.2.1]octan-8-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(3-(3,3-difluorocyclobutyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide; and
N-(3-(2-(3-cyano-3-methyl-8-azabicyclo[3.2.1]octan-8-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;

or a pharmaceutically acceptable salt thereof.

17. The compound of claim 5, selected from the group consisting of:

N-(3-(2-((3S,5S)-3,5-dimethylmorpholino)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
tert-butyl 4-(4-(3-((2,6-difluorophenyl)sulfonamido)-2-fluorophenyl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-2-yl)-4-methylpiperidine-1-carboxylate;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)-2-(4-methylpiperidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(1,4-dimethylpiperidin-4-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(2,2-dimethylazetidin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(2,4,6-trimethylpiperazin-1-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-((3R,5R)-3,5-dimethylmorpholino)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-((2R,6R)-2,6-dimethylpiperazin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-((2R,6R)-2,4,6-trimethylpiperazin-1-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-((2R,6R)-4-(3,3-difluorocyclobutyl)-2,6-dimethylpiperazin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluoro-benzenesulfonamide;
N-(3-(2-((2S,6S)-2,6-dimethylpiperazin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-((2S,6S)-2,4,6-trimethylpiperazin-1-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;

N-(3-(2-((2S,6S)-4-(3,3-difluorocyclobutyl)-2,6-dimethylpiperazin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluoro-benzenesulfonamide;
N-(3-(2-(2,5-dimethylpyrrolidin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-(2,2-dimethylazetidin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-((2S,6S)-2,4,6-trimethylpiperazin-1-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(2,4-dimethylazetidin-1-yl)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-((3S,5S)-3,5-dimethylmorpholino)-5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(2,2-dimethylazetidin-1-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-((3S,5S)-3,5-dimethylmorpholino)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;
N-(3-(2-((3S,5S)-3,5-dimethylmorpholino)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(2,2-dimethylazetidin-1-yl)-5-(2-(((1R,5S,6s)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(2-(2,2-dimethylazetidin-1-yl)-5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide;
N-(3-(5-(2-(((1R,5S,6r)-3,3-dioxido-3-thiabicyclo[3.1.0]hexan-6-yl)amino)pyrimidin-4-yl)-2-((2S,6S)-2,4,6-trimethylpiperazin-1-yl)thiazol-4-yl)-2-fluorophenyl)-2-fluoro-6-(trifluoromethyl)benzenesulfonamide; and
N-(3-(5-(2-((2,2-dioxido-2-thiaspiro[3.3]heptan-6-yl)amino)-pyrimidin-4-yl)-2-(2,2,4-trimethylpiperazin-1-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide;

or a pharmaceutically acceptable salt thereof.

18. A pharmaceutical composition comprising a compound of any one of claims 1 to 17, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable excipient.

19. Use of a therapeutically effective amount of a compound of any one of claims 1 to 17, or a pharmaceutically acceptable salt thereof, in a pharmaceutical composition of claim 18 in the manufacture of a medicament for treating cancer in a patient.

20. The use of claim 19, wherein the cancer is lung cancer, skin cancer, bladder cancer, breast cancer, cervical cancer, colorectal cancer, cancer of the small intestine, colon

cancer, rectal cancer, cancer of the anus, endometrial cancer, gastric cancer, head and neck cancer, liver cancer, ovarian cancer, prostate cancer, testicular cancer, uterine cancer, esophageal cancer, gall bladder cancer, pancreatic cancer, stomach cancer, thyroid cancer, or parathyroid cancer.