


What is Claimed:

1. A compound of formula I:



or an enantiomer or diastereomer thereof;

or a pharmaceutically acceptable salt thereof;

wherein

ring A is phenyl, naphthalenyl, pyridyl, quinoliny, isoquinoliny, imidazopyridyl, furanyl, thiazolyl, isoxazolyl, pyrazolyl, imidazothiazolyl, benzimidazolyl, or indazolyl;

R₁ is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, morpholiny, or dialkylamino, wherein phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, or morpholiny is optionally substituted with up to two substituents selected from halo and alkyl;

R₂ is H, alkyl, alkoxy, hydroxyalkylene, or halo;

Z is NH, N-alkyl, or O;

R₅ is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, quinazolinyl, quinoxalinyl, pyrazolyl, thiazolyl, thiadiazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl, optionally substituted with one or two substituents independently selected from the group consisting of alkyl, cyano, alkyl carboxylate, alkoxy, and halo; and

n is 0 or 1.







2. The compound of claim 1, wherein Z is NH.
3. The compound of claim 1, wherein Z is N-alkyl.
4. The compound of claim 3, wherein Z is N-CH₃.








5. The compound of claim 1, wherein Z is O.
6. The compound of any one of claims 1 to 5, wherein ring A is furanyl, thiazolyl, isoxazolyl, pyrazolyl, or imidazothiazolyl.
7. The compound of any one of claims 1 to 5, wherein ring A is phenyl or naphthalenyl.
8. The compound of any one of claims 1 to 5, wherein ring A is pyridyl, quinolinyl, isoquinolinyl, imidazopyridyl, benzimidazolyl, or indazolyl.
9. The compound of any one claims 1 to 8, wherein R₁ is alkyl.
10. The compound of any one of claims 1 to 8, wherein R₁ is alkoxy.
11. The compound of claim 10, wherein alkoxy is haloalkoxy.
12. The compound of any one of claims 1 to 8, wherein R₁ is hydroxyalkylene or OH.
13. The compound of any one of claims 1 to 8, wherein R₁ is halo.
14. The compound of any one of claims 1 to 8, wherein R₁ is phenyl.
15. The compound of claim 14, wherein phenyl is halo-phenyl.
16. The compound of any one of claims 1 to 8, wherein R₁ is triazolyl, oxazolyl, or isoxazolyl.
17. The compound of claim 16, wherein oxazolyl is methyl-oxazolyl.
18. The compound of claim 16, wherein isoxazolyl is methyl-isoxazolyl.
19. The compound of any one of claims 1 to 8, wherein R₁ is pyridyl.
20. The compound of claim 19, wherein pyridyl is methyl-pyridyl.
21. The compound of any one of claims 1 to 8, wherein R₁ is pyrimidinyl, pyrazinyl, or pyridazinyl.
22. The compound of any one of claims 1 to 8, wherein R₁ is piperazinyl, morpholinyl, pyrrolidinyl, or dialkylamino.

23. The compound of any one of claims 1 to 8, wherein R₁ is pyrazolyl, oxadiazolyl, or thiophenyl.
24. The compound of claim 23, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.
25. The compound of claim 23, wherein oxadiazolyl is methyl-oxadiazolyl.
26. The compound of any one of claims 1 to 25, wherein R₂ is H.
27. The compound of any one of claims 1 to 25, wherein R₂ is alkyl.
28. The compound of any one of claims 1 to 25, wherein R₂ is alkoxy.
29. The compound of any one of claims 1 to 25, wherein R₂ is hydroxyalkylene.
30. The compound of any one of claims 1 to 25, wherein R₂ is halo.
31. The compound of any one of the preceding claims, wherein R₅ is pyridyl, pyrimidinyl, pyrazinyl, or pyridazinyl optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.
32. The compound of claim 31, wherein alkyl is trihaloalkyl.
33. The compound of claim 32, wherein R₅ is pyridyl substituted with trifluoromethyl.
34. The compound of claim 32, wherein R₅ is pyrimidinyl substituted with trifluoromethyl.
35. The compound of claim 32, wherein R₅ is pyrazinyl substituted with trifluoromethyl.
36. The compound of claim 32, wherein R₅ is pyridazinyl substituted with trifluoromethyl.
37. The compound of any one of claims 1 to 30, wherein R₅ is quinazolinyl or quinoxalinyl, optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.
38. The compound of claim 37, wherein alkyl is trihaloalkyl.

39. The compound of claim 38, wherein R₅ is quinazoliny substituted with trifluoromethyl.
40. The compound of claim 38, wherein R₅ is quinoxaliny substituted with trifluoromethyl.
41. The compound of any one of claims 1 to 30, wherein R₅ is pyrazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.
42. The compound of claim 41, wherein pyrazolyl is methyl-pyrazolyl.
43. The compound of claim 41, wherein alkyl is trihaloalkyl.
44. The compound of claim 43, wherein R₅ is pyrazolyl substituted with trifluoromethyl.
45. The compound of claim 43, wherein R₅ is benzoxazolyl substituted with trifluoromethyl.
46. The compound of claim 43 wherein R₅ is imidazopyrazinyl substituted with trifluoromethyl.
47. The compound of claim 43, wherein R₅ is triazolopyrazinyl substituted with trifluoromethyl.
48. The compound of any one of the preceding claims, wherein n is 0.
49. The compound of any one of claims 1 to 47, wherein n is 1.
50. A compound selected from the group consisting of

Compound	Compound Name
----------	---------------

	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S*,2R*,4R*)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1R*,2S*,4S*)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1R,2S,4S)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	((1R,2S,4S)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone

	((1R,2S,4S)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
	((1S*,2R*,4R*)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
	((1R*,2S*,4S*)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((3-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((3,6-dimethylpyrazin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone

	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((3-(trifluoromethyl)quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-2-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl(quinolin-8-yl)methanone
	(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl(naphthalen-1-yl)methanone
	(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl(2-methylnaphthalen-1-yl)methanone
	(±)-2-(1H-pyrazol-1-yl)phenyl(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl(3-phenylfuran-2-yl)methanone

	(±)-(2-ethoxynaphthalen-1-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-(2-fluorophenyl)-2-methylthiazol-4-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-fluoro-6-(pyrimidin-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(pyrimidin-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








	(±)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(pyrimidin-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-5-phenylisoxazol-4-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-ethoxynaphthalen-1-yl)methanone








	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-ethoxyphenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
	(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridazin-3-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((2-methylpyridin-3-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((3-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((1-methyl-1H-pyrazol-5-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-4-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-3-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyrazin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyrimidin-4-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methyl-1,2,4-oxadiazol-5-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methyl-1H-pyrazol-1-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrrolidin-1-yl)pyridin-2-yl)methanone







	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)methanone
	(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-(dimethylamino)-6-methylpyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-(2H-1,2,3-triazol-2-yl)quinolin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(7-ethoxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(3,6-dimethylimidazo[1,2-a]pyridin-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(1-methyl-4-phenyl-1H-pyrazol-3-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(1-methyl-3-phenyl-1H-pyrazol-4-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((3,7-dimethylimidazo[1,2-a]pyridin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((7-methylimidazo[1,2-a]pyridin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(1-methyl-4-phenyl-1H-pyrazol-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((6-methylimidazo[1,2-a]pyridin-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(3-ethoxyisoquinolin-4-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(1-methyl-5-phenyl-1H-pyrazol-4-yl)(-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(4-methylpiperazin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(piperazin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-morpholinopyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(7-methoxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(2-ethoxynaphthalen-1-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-methyl-5-phenylthiazol-4-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(4-methyl-1H-pyrazol-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(pyrrolidin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrrolidin-1-yl)pyridin-2-yl)methanone

	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(4-methyl-1H-pyrazol-1-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2,6-dimethoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((3-fluoro-2-methoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methoxy-6-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(5-fluoro-2-(1H-pyrazol-5-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methyl-6-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(5-chloro-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methoxy-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone

	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone







	(±)-(5-chloro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methyl-6-(pyrimidin-2-yl)phenyl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone

	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-(hydroxymethyl)-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone

	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-ethoxy-4-methylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methylimidazo[2,1-b]thiazol-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-bromo-2-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(2-ethoxy-6-methylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(7-hydroxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-ethoxy-5-phenylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(4-bromo-2-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-chloro-4-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2,4-diethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-ethoxyisoquinolin-4-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(2-ethoxyphenyl)((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((pyridin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((4,5-dimethylpyrimidin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((quinoxalin-2-ylamino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((3-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(4-methyloxazol-2-yl)pyridin-2-yl)methanone

	(6-methyl-3-(4-methyloxazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(4-methyloxazol-2-yl)pyridin-2-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methyl-2-(trifluoromethyl)pyrimidin-4-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)(1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1R,2S,4S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-3-(1H-1,2,3-triazol-1-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-((3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-2-(2H-1,2,3-triazol-2-yl)phenyl(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone

	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((6-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-chloropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((6-(trifluoromethyl)pyridazin-3-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-methoxypyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-methylpyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(pyridin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-chlorobenzo[d]oxazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone

	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(±)-(3-fluoro-2-methoxyphenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone

	(±)-((2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((2-((5-fluoropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-((3-fluoro-2-methoxyphenyl)(2-((5-fluoropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(2-ethoxynaphthalen-1-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	isoquinolin-4-yl((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(5-(4-fluorophenyl)-2-methylthiazol-4-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-ethoxyisoquinolin-4-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(4-methoxy-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(1H-benzo[d]imidazol-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(1-methyl-1H-benzo[d]imidazol-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-(difluoromethoxy)-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(6-methylimidazo[2,1-b]thiazol-5-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
	(3-fluoro-2-(pyridazin-3-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyridazin-3-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-2-(pyridazin-4-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrazin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyridin-4-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-bromoimidazo[1,2-a]pyrazin-8-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-(trifluoromethyl)-[1,2,4]triazolo[4,3-a]pyrazin-8-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	methyl 5-(((1S,2R,4R)-7-(3-fluoro-2-(pyrimidin-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)pyrazine-2-carboxylate
	(2-iodo-3-methylphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-iodophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-methylpyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-methyl-5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-ethoxy-6-methylpyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(7-ethoxyquinolin-8-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(1,4-dimethyl-1H-pyrazol-5-yl)-6-methoxyphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1R,2S,4S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-chloro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone






	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone






	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone






	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone

	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-2-(pyridin-2-yl)phenyl)((2S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(4-fluoro-2-((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone)-2H-1,2,3-triazol-2-yl)phenyl
	(5-fluoro-2-((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone)-2H-1,2,3-triazol-2-yl)phenyl
	(2-fluoro-6-((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone)-2H-1,2,3-triazol-2-yl)phenyl
	(5-fluoro-2-((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone)-(pyrimidin-2-yl)phenyl





	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-chloro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-(methyl(5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone

	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(5-fluoropyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-(pyrimidin-2-yl)pyridin-2-yl)methanone

	((1S,2R,4R)-2-((5-(difluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-(difluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	6-(((1S,2R,4R)-7-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
	6-(((1S,2R,4R)-7-(3-methyl-2-(2H-1,2,3-triazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile






	6-(((1S,2R,4R)-7-(3-fluoro-2-(pyrimidin-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
	6-(((1S,2R,4R)-7-(3-methyl-2-(pyrimidin-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
	6-(((1S,2R,4R)-7-(3-methyl-2-(oxazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
	(3-fluoro-2-(pyrimidin-2-yl)phenyl) ((1S,2R,4R)-(2-²H)-(5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)-3-methylphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	[1,1'-biphenyl]-2-yl((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(4-fluoro-2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-chloro-6-methoxypyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((4-(trifluoromethyl)thiazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone





	(R/S)-(2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(1H-1,2,3-triazol-1-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(R/S)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(R/S)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(4-fluoro-2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(2-fluoro-6-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(R/S)-(2-(5-fluoropyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-methyl-2-(oxazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(oxazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)- (2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-2-((5-bromopyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone

	(R/S)-2-((5-bromopyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-(quinoxalin-2-yloxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-2-((5-bromo-2-chloropyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone

	(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone

	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(5-fluoropyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(pyrimidin-2-yl)phenyl)methanone

	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)methanone

	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone

	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone

	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]-(3-²H,²H)-heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-(2-²H)-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]-(3-²H,²H)-heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone

	(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-3-(1H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone


51. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of the preceding claims and at least one pharmaceutically acceptable excipient.

52. The use of a compound according to any one of claims 1 to 50 in the manufacture of a medicament for the treatment of a disease, disorder, or medical condition mediated by orexin receptor activity.


53. The use according to claim 52, wherein the disease, disorder, or medical condition mediated by orexin receptor activity is a disorder of the sleep-wake cycle, insomnia, restless legs syndrome, jet-lag, disturbed sleep, a sleep disorder secondary to neurological disorders, mania, depression, manic depression, schizophrenia, a pain syndromes, fibromyalgia, neuropathic pain, catatonia, Parkinson's disease, Tourette's syndrome, anxiety, delirium, dementia, overweight, obesity or a condition related to overweight or obesity, insulin resistance, type II diabetes, hyperlipidemia, gallstones, angina, hypertension, breathlessness, tachycardia, infertility, sleep apnea, back and joint pain, varicose veins, osteoarthritis, hypertension, tachycardia, arrhythmias, angina pectoris, acute heart failure, ulcers, irritable bowel syndrome, diarrhea, gastroesophageal reflux, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.

54. The use according to claim 53 wherein the disease, disorder, or medical condition is mood disorders, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.

55. A compound of Formula IA:



wherein ring A is



wherein

X is CR₆, N, or NR₆;

Y is CR₇, N, or NR₇;

R₆ is H, alkyl, alkoxy, OH, halo, triazolyl, oxazolyl, oxadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrazolyl, or thiophenyl, wherein triazolyl, oxazolyl, oxadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrazolyl, or thiophenyl is optionally substituted with up to two substituents selected from halo and alkyl;

R₇ is H, alkyl, alkoxy, or halo;

R₃ is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino, wherein phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, or morpholinyl is optionally substituted with up to two substituents selected from halo and alkyl;

R₄ is H, alkyl, alkoxy, or halo;

or

R₆ and R₇, together with the atoms to which they are attached, form a 5- or 6-membered heteroaryl ring optionally substituted with alkyl; or

R₃ and R₄, together with the atoms to which they are attached, form a 6-membered aryl or 6-membered heteroaryl ring; or

R₇ and R₄, together with the atoms to which they are attached, form a 6-membered aryl or 6-membered heteroaryl ring;

Z is NH, N-alkyl, or O;

R₅ is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, quinazolinyl, quinoxalinyl, pyrazolyl, thiazolyl, thiadiazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl, optionally substituted with one or two substituents independently selected from the group consisting of alkyl, cyano, alkyl carboxylate, alkoxy, and halo; and

n is 0 or 1.

56. The compound of claim 54, wherein X is CR₆ and Y is CR₇.




57. The compound of claim 54, wherein X is CR₆ and Y is N.
58. The compound of claim 54, wherein X is N and Y is CR₇.
59. The compound of any one of claims 55 to 57, wherein R₆ is H.
60. The compound of any one of claims 55 to 57, wherein R₆ is alkyl, alkoxy, OH, or halo.
61. The compound of any one of claims 55 to 57, wherein R₆ is triazolyl, oxazolyl, oxadiazolyl, pyrazolyl, or thiophenyl.
62. The compound of claim 61, wherein oxazolyl is methyl-oxazolyl.
63. The compound of claim 61, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.
64. The compound of claim 61, wherein oxadiazolyl is methyl-oxadiazolyl.
65. The compound of any one of claims 54 to 57, wherein R₆ is pyridyl.
66. The compound of claim 65, wherein pyridyl is methyl-pyridyl.
67. The compound of any one of claims 55 to 57, wherein R₆ is pyrimidinyl, pyrazinyl, or pyridazinyl.
68. The compound of any one of claims 55, 56, or 58, wherein R₇ is H.
69. The compound of any one of claims 55, 56, or 58, wherein R₇ is alkyl, alkoxy, or halo.
70. The compound of claim 69, wherein alkoxy is haloalkoxy.
71. The compound of claim 55, wherein X is NR₆ and Y is CR₇.
72. The compound of claim 55, wherein X is CR₆ and Y is NR₇.
73. The compound of claim 47 or 48, wherein R₆ and R₇, together with the atoms to which they are attached, form a 5-membered heteroaryl ring optionally substituted with alkyl.

74. The compound of claim 71 or 72, wherein R₆ and R₇, together with the atoms to which they are attached, form a 6-membered heteroaryl ring optionally substituted with alkyl.
75. The compound of any one of claims 55, 56 or 58 to 67, wherein R₇ and R₄, together with the atoms to which they are attached, form a 6-membered aryl ring.
76. The compound of any one of claims 55, 56, or 58 to 67, wherein R₇ and R₄, together with the atoms to which they are attached, form a 6-membered heteroaryl ring.
77. The compound according to any one of claims 55 to 76, wherein R₃ is H.
78. The compound according to any one of claims 55 to 76, wherein R₃ is alkyl, alkoxy, hydroxyalkylene, OH, halo, or phenyl.
79. The compound of claim 78, wherein alkoxy is haloalkoxy.
80. The compound according to any one of claims 55 to 76, wherein R₃ is triazolyl, oxazolyl, isoxazolyl, oxadiazolyl, pyridyl, or pyrazolyl.
81. The compound of claim 80, wherein oxazolyl is methyl-oxazolyl.
82. The compound of claim 80, wherein isoxazolyl is methyl-isoxazolyl.
83. The compound of claim 80, wherein pyridyl is methyl-pyridyl.
84. The compound of claim 80, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.
85. The compound of claim 80, wherein oxadiazolyl is methyl-oxadiazolyl.
86. The compound according to any one of claims 55 to 76, wherein R₃ is pyrimidinyl, pyrazinyl, or pyridazinyl.
87. The compound according to any one of claims 55 to 76, wherein R₃ is piperazinyl, pyrazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino.
88. The compound of any one of claims 55 to 87, wherein R₄ is H.
89. The compound of any one of claims 55 to 87, wherein R₄ is alkyl, alkoxy, or halo.

90. The compound according to any one of claims 55 to 74, wherein R₃ and R₄, together with the atoms to which they are attached, form a 6-membered aryl ring.

91. The compound according to any one of claims 55 to 74, wherein R₃ and R₄, together with the atoms to which they are attached, form a 6-membered heteroaryl ring.

92. A compound of claim 55 selected from the following

Compound	Compound Name
	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)methanone

	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-4-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-4-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-5-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-5-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone


93. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 55 to 92 and at least one pharmaceutically acceptable excipient.

94. The use of a compound according to any one of claims 55 to 92 in the manufacture of a medicament for the treatment of a disease, disorder, or medical condition mediated by orexin receptor activity.

95. The use according to claim 94, wherein the disease, disorder, or medical condition mediated by orexin receptor activity is a disorder of the sleep-wake cycle, insomnia, restless legs syndrome, jet-lag, disturbed sleep, a sleep disorder secondary to neurological disorders, mania, depression, manic depression, schizophrenia, a pain syndromes, fibromyalgia, neuropathic pain, catatonia, Parkinson's disease, Tourette's syndrome, anxiety, delirium, dementia, overweight, obesity or a condition related to overweight or obesity, insulin resistance, type II diabetes, hyperlipidemia, gallstones, angina, hypertension, breathlessness, tachycardia, infertility, sleep apnea, back and joint pain, varicose veins, osteoarthritis, hypertension, tachycardia, arrhythmias, angina pectoris, acute heart failure, ulcers, irritable bowel syndrome, diarrhea, gastroesophageal reflux, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.

96. The use according to claim 94 wherein the disease, disorder, or medical condition is mood disorders, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.

1. A compound of formula I:



or an enantiomer or diastereomer, tautomer or isotopic variant thereof;

or a pharmaceutically acceptable salt or solvate thereof;

wherein

ring A is phenyl, naphthalenyl, pyridyl, quinoliny, isoquinoliny, imidazopyridyl, furanyl, thiazolyl, isoxazolyl, pyrazolyl, imidazothiazolyl, benzimidazolyl, or indazolyl;

R₁ is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino, wherein phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, or morpholinyl is optionally substituted with up to two substituents selected from the group consisting of halo and alkyl;

R₂ is H, alkyl, alkoxy, hydroxyalkylene, or halo;


Z is NH, N-alkyl, or O;

R₅ is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, quinazolinyl, quinoxalinyl, pyrazolyl, thiazolyl, thiadiazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl, optionally substituted with one or two substituents independently selected from the group consisting of alkyl, cyano, alkyl carboxylate, alkoxy, and halo; and

n is 0 or 1;

wherein "alkyl" is optionally substituted with one or more halogen atoms.


2. A compound of Formula IA:



or an enantiomer or diastereomer, tautomer or isotopic variant thereof;

or a pharmaceutically acceptable salt or solvate thereof;

wherein ring A is



wherein

X is CR₆, N, or NR₆;

Y is CR₇, N, or NR₇;

R₆ is H, alkyl, alkoxy, OH, halo, triazolyl, oxazolyl, oxadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrazolyl, or thiophenyl, wherein triazolyl, oxazolyl, oxadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrazolyl, or thiophenyl is optionally substituted with up to two substituents selected from the group consisting of halo and alkyl;

R₇ is H, alkyl, alkoxy, or halo;

R₃ is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkyl)amino, wherein phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, or morpholinyl is optionally substituted with up to two substituents selected from the group consisting of halo and alkyl;

R₄ is H, alkyl, alkoxy, or halo;

or

R₆ and R₇, together with the atoms to which they are attached, form a 5- or 6-membered heteroaryl ring, wherein said heteroaryl ring is optionally substituted with alkyl; or

R₃ and R₄, together with the atoms to which they are attached, form a 6-membered aryl or 6-membered heteroaryl ring; or

R₇ and R₄, together with the atoms to which they are attached, form a 6-membered aryl or 6-membered heteroaryl ring;

Z is NH, N-alkyl, or O;

R₅ is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, quinazolinyl, quinoxalinyl, pyrazolyl, thiazolyl, thiadiazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl, optionally substituted with one or two substituents independently selected from the group consisting of alkyl, cyano, alkyl carboxylate, alkoxy, and halo; and

n is 0 or 1;

wherein "alkyl" is optionally substituted with one or more halogen atoms.






3. The compound of claim 1, wherein ring A is phenyl or naphthalenyl.
4. The compound of claim 1 or 3, wherein R₁ is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, morpholinyl, pyrrolidinyl, di-alkylamino, pyrazolyl, oxadiazolyl, or thiophenyl.
5. The compound of any one of claims 1,3, or 4, wherein R₂ is H or halo.
6. The compound of any one of claims 1 to 5, wherein Z is NH or N-alkyl, for example N-CH₃.
7. The compound of any one of the preceding claims, wherein R₅ is pyridyl, pyrimidinyl, pyrazinyl, or pyridazinyl optionally substituted with one or two substituents independently selected from the group consisting of alkyl, alkoxy, and halo.
8. The compound of claim 7, wherein alkyl is trihaloalkyl.
9. The compound of claim 8, wherein R₅ is:
 - (i) pyridyl substituted with trifluoromethyl;
 - (ii) pyrimidinyl substituted with trifluoromethyl;



- (iii)pyrazinyl substituted with trifluoromethyl; or
- (iv)pyridazinyl substituted with trifluoromethyl.

10. The compound of any one of claims 1 to 9, wherein n is 1.
11. The compound of claim 2, wherein X is CR₆ and Y is CR₇.
12. The compound of claim 2 or 11, wherein R₆ is H, alkyl, alkoxy, OH, or halo.
13. The compound of any one of claims 2, 11, or 12, wherein R₇ is H.
14. The compound of any one of claims 2, 11, or 12, wherein R₇ is alkyl, alkoxy, or halo.
15. The compound according to any one of claims 2 or 11 to 14, wherein R₃ is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, pyrimidinyl, pyrazinyl, or pyridazinyl.
16. The compound of any one of claims 2 or 11 to 15, wherein R₄ is H.
17. The compound of any one of claims 2 or 11 to 15, wherein R₄ is alkyl, alkoxy, or halo.
18. A compound selected from the group consisting of


	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone


	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-4-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-4-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-5-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
and	
	(3-fluoro-5-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone


19. A compound of claim 18 which is

	(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone.
---	--


20. A compound of claim 18 which is

	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
---	--


21. A compound of claim 18 which is

	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone.
---	--

22. A compound of claim 18 which is

	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone.
---	--

23. A compound of claim 18 which is

	(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone.
---	---

24. An enantiomer, diastereomer, tautomer, isotopic variant, or a pharmaceutically acceptable salt or solvate of a compound of any one of claims 19 to 23.

25. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 1 to 21 and at least one pharmaceutically acceptable excipient.

26. Use of a compound of any one of claims 1 to 23 in the preparation of a medicament useful for treating a disease or disorder which is a sleep disorder, a metabolic disorder, a neurological disorder, arrhythmia, acute heart failure, an ulcer, irritable

bowel syndrome, diarrhea, gastroesophageal reflux, a mood disorder, post-traumatic stress disorder, a panic disorder, attention deficit disorders, a cognitive deficiency , or substance abuse.

27. The use of claim 25, wherein the disease or disorder is a mood disorder, a post-traumatic stress disorder, a panic disorder, attention deficit disorder, a cognitive deficiency, or substance abuse.
28. The use of claim 26, wherein the sleep disorder is a sleep-wake transition disorder, insomnia, restless legs syndrome, jet-lag, disturbed sleep, or a sleep disorder secondary to neurological disorders.
29. The use of claim 26, wherein the metabolic disorder is overweight, obesity, insulin resistance, type II diabetes, hyperlipidemia, gallstones, angina, hypertension, breathlessness, tachycardia, infertility, sleep apnea, back and joint pain, varicose veins, or osteoarthritis.
30. The use of claim 26, wherein the neurological disorder is Parkinson's disease, Alzheimer's disease, Tourette's syndrome, catatonia, anxiety, delirium, or dementias.