

FIG.1




FIG.2





FIG.3






FIG. 4

FIG.5




FIG.7




FIG.8

OPERATION OF INCORPORATING BLOOD COLLECTION TUBE




FIG.9


OPERATION OF INCORPORATING WASHING SOLUTION CONTAINER

FIG.10

(a) TRANSITION OF pH AND AVAILABLE CHLORINE CONCENTRATION IN EXAMPLE 1

45°C PRESERVATION PERIOD	INITIAL VALUE	6 DAYS	13 DAYS	26 DAYS	39 DAYS
IN TERMS OF 30°C PRESERVATION	O	2 WEEKS	1 MONTHS	2 MONTHS	3 MONTHS
pH	12.17	12.10	12.07	11.98	11.93
AVAILABLE CHLORINE CONCENTRATION(%)	4.98	4.55	4.10	3.61	3.33

(b) TRANSITION OF pH AND AVAILABLE CHLORINE CONCENTRATION IN EXAMPLE 2

45°C PRESERVATION PERIOD	INITIAL VALUE	26 DAYS	37 DAYS	52 DAYS	78 DAYS	91 DAYS
IN TERMS OF 30°C PRESERVATION	O	2 MONTHS	2. 8 MONTHS	4 MONTHS	6 MONTHS	7 MONTHS
pH	Lot1	12.15	12.09	12.12	12.05	11.69
	Lot2	12.19	12.18	12.13	12.08	11.89
AVAILABLE CHLORINE CONCENTRATION (%)	Lot1	5.09	3.48	3.25	2.69	2.09
	Lot2	5.03	3.54	3.22	2.75	2.17

FIG.11

