




[Fig. 1A]




[Fig. 1B]



[Fig. 2A]



[Fig. 2B]



RBD binding domain(Nb36) – IL-2Rβ binding domain(Vhh2b)



RBD binding domain(Nb21) – IL-2Rγ binding domain(Vhh2g)




RBD-IL2RA or PDL 1




[Fig. 3]

IL-2R signal induction in RBD+ HEK-Blue IL-2 Cells




A

IL-2R signal induction in PDL1+ HEK-Blue IL-2 Cells





B


[Fig. 4]




[Fig. 5]




[Fig. 6A]




[Fig. 6B]



[Fig. 7]




A




B

[Fig. 8]


IL-2R signal induction
by Vhh2b-Nb36/Nb21-Vhh2g Fc fusion protein




IL-2R signal induction by recombinant human IL-2




[Fig. 9A]




[Fig. 9B]




[Fig. 9C]




[Fig. 10]



[Fig. 11]




A




B


[Fig. 12]





[Fig. 13]




[Fig. 14]




[Fig. 15]



[Fig. 16]




A




B

[Fig. 17]




A




B


[Fig. 18]




[Fig. 19]




[Fig. 20]




[Fig. 21]



A




B




C

[Fig. 22]


Wnt receptor activation in HEK293 STF cells




[Fig. 23]



[Fig. 24]



[Fig. 25]



[Fig. 26]

