



Figure 1

Relationship of Peak Melting Temperature T_m and Density of Examples,
Commercially Available LDPE and Comparative Polymers




2/7

Figure 2

 ^{13}C NMR Spectrum of LDPE Showing Location of Peaks Characteristic of Different Branch Types

C53 refers to the 3rd carbon in a 5-carbon branch, with the methyl counted as carbon 1.

Figure 3

 ^{13}C NMR Spectrum of LDPE Showing an Example of Quantification of C5 Branches/1000C

3/7

Figure 4



 ^{13}C NMR Spectrum of LDPE Containing C1 Branches

Figure 5

 ^{13}C NMR Spectrum of a HDPE Containing C3 (Propyl) Branches from a Pentene Comonomer

4/7

Figure 6

^{13}C NMR Spectrum of a Representative Inventive PIB-LDPE Polymer Showing the Characteristic Peaks of PIB





Figure 7

Molecular Weight Distribution of Examples and Comparative Examples



5/7

Figure 8
DMS Overlay of Examples and Comparative Examples




Figure 9

Relationship of Peak Melting Temperature T_m and Density of Examples, Commercially Available LDPE and Comparative Polymers




Figure 10
Relationship of Heat of Fusion and Density of Examples, Commercially Available LDPE and Comparative Polymers

