
CLAIMS

1. A compound of Formula **(I)**:



(I)

or a pharmaceutically acceptable salt thereof,

wherein:

X^1	is CH or N;
p	is 0, 1 or 2;
where:	
each **R^1**	is a substituent on any C atom and is independently selected from F, Cl, C_{1-3}alkyl and C_{1-3}alkoxy, wherein said C_{1-3}alkyl and C_{1-3}alkoxy may be independently optionally substituted by one or more F;
R^N	is selected from H and Me;
n	is 0, 1 or 2;
m	is 0 or 1;
Q^1	is CH or N;
when **n** & **m** are both other than 0, **Q^2**	is CH or N;
when **n** & **m** are both 0, **Q^2** is	CH;
when n is 0 or 1, **Q^3**	is CH;
when n is 2 and **Q^2** is N, **Q^3**	is CH;
when n is 2 and **Q^2** is CH, **Q^3** is	CH or O;
R^{2a} and **R^{2b}**	are substituents on the same or different C atoms other than at **Q^1** or **Q^2**, each independently selected from H, F and C_{1-3}alkyl, or **R^{2a}** & **R^{2b}** together form a -$(CH_2)_r$- group where **r** is 1, 2 or 3;
Q^4	is a single bond or -N**R^4**C(=O);
R^4	is H or Me;
0, 1 or 2 of **Y^1**, **Y^2**, **Y^3**, **Y^4** & **Y^5**	is/are N, and are otherwise C;
each **R^3**	is a substituent on any C atom at **Y^1**, **Y^2**, **Y^3**, **Y^4** & **Y^5**, and is independently selected from F, Cl, CN, C_{1-3}alkyl and C_{1-3}alkoxy, wherein said C_{1-3}alkyl and C_{1-3}alkoxy may be independently optionally substituted by one or more F;

q	is 0, 1 or 2;

wherein **Linker** is attached at any available C atom at $\mathbf{Y^4}$ & $\mathbf{Y^5}$;

Linker	is a saturated or a partially or fully unsaturated framework comprising C and H atoms and at least one heteroatom, wherein said framework has end points of attachment 'a' and 'b' and a length of from 5 to 26 atoms between 'a' and 'b'; wherein said framework may include one or more straight and/or branched chains and/or rings and is optionally substituted on any available C atom(s) by one or more F; and
W	is an E3 ubiquitin ligase cereblon binder unit.

2. The compound of **Formula (I)**, or pharmaceutically acceptable salt thereof, according to claim 1 or claim 2 wherein the **Linker** is a saturated or partially unsaturated framework and**:**

(a) comprises C and H atoms and at least two heteroatoms; or

(b) comprises C and H atoms and at least one nitrogen heteroatom in the form of a secondary or tertiary amine; or

(c) includes at least one nitrogen-containing saturated or partially unsaturated heterocyclic group having from 4 to 12 ring atoms, or a $\mathbf{A^1}$-CH_2-CH_2-$\mathbf{A^2}$ unit where $\mathbf{A^1}$ and $\mathbf{A^2}$ are each independently selected from N and O.

3. The compound of **Formula (I)**, or pharmaceutically acceptable salt thereof, according to either claim 1 or claim 2 wherein the **Linker** has the **Formula**:

'a' -$\mathbf{Q^A}$-$\mathbf{Q^B}$-$\mathbf{Q^C}$- 'b'

wherein:

'**a**' and '**b**' represent the end points of attachment;

$\mathbf{Q^A}$ is -**G**-$\mathbf{Q^H}$- or -**G**-($C_{1\text{-}5}$alkylene)-;

$\mathbf{Q^B}$ is a direct bond, -$\mathbf{Q^{B1}}$-$\mathbf{Q^{B2}}$-$\mathbf{Q^{B3}}$- or $C_{1\text{-}3}$alkylene optionally substituted by one or more F (e.g. 1 or 2); where:

$\mathbf{Q^{B1}}$ & $\mathbf{Q^{B3}}$ each independently represent a direct bond or $C_{1\text{-}2}$alkylene;

$\mathbf{Q^{B2}}$ is $\mathbf{Q^H}$, -O-CH_2CH_2-O-, -O- or -N($\mathbf{R^J}$)- where $\mathbf{R^J}$ is H or $C_{1\text{-}3}$alkyl;

$\mathbf{Q^C}$ is -$\mathbf{Q^H}$-**G**- or -($C_{1\text{-}5}$alkylene)-**G**-;

each **G** is independently a direct bond, -CH_2-, -O-, -C(=O)- or -N($\mathbf{R^G}$)- where $\mathbf{R^G}$ is H or $C_{1\text{-}3}$alkyl;

each $\mathbf{Q^H}$ is independently a 4-12-membered nitrogen-containing saturated or partially unsaturated heterocyclic group;

where the values of $\mathbf{Q^A}$, $\mathbf{Q^B}$ and $\mathbf{Q^C}$ are selected so that the **Linker** does not contain any N-N or N-O bonds.


4. The compound of **Formula (I)**, or pharmaceutically acceptable salt thereof, according to claim 3 wherein:

(a) $\mathbf{Q^B}$ is a direct bond, -CH_2- or -CH_2CH_2-; and/or

(b) $\mathbf{Q^C}$ is -$\mathbf{Q^H}$-**G**- or -($C_{1\text{-}2}$alkylene)-**G**-; and/or

(c) each $\mathbf{Q^H}$ is independently selected from piperazin-1,4-diyl, azetidin-1,3-diyl, piperidin-1,4-diyl, 1,4-diazepan-1,4-diyl, 12-oxa-3,9-diazaspiro[5.6]dodecan-3,9-diyl, pyrrolidin-1,3-diyl, 3,9-diazaspiro[5.5]undecan-3,9-diyl, 2,5-diazabicyclo[2.2.1]heptan-2,5-diyl, 1,3,3a,4,6,6a-hexahydropyrrolo[3,4-*c*]pyrrol-2,5-diyl, 3,6-dihydro-2*H*-pyridin-1,4-diyl, morpholin-2,3-diyl, 2-azaspiro[3.5]nonan-2,7-diyl and 9-azaspiro[5.5]undecan-3,9-diyl.


5. A PROTAC compound or a pharmaceutically acceptable salt thereof, containing an E3 ubiquitin ligase cereblon binder unit and an AR binding unit of **Formula (Ia)**:




(Ia)

where $\mathbf{R^1}$, **p**, $\mathbf{X^1}$, $\mathbf{R^N}$, **n**, **m**, $\mathbf{R^{2a}}$, $\mathbf{R^{2b}}$, $\mathbf{Q^1}$, $\mathbf{Q^2}$, $\mathbf{Q^3}$, $\mathbf{Q^4}$, $\mathbf{Y^1}$, $\mathbf{Y^2}$, $\mathbf{Y^3}$, $\mathbf{Y^4}$, $\mathbf{Y^5}$, $\mathbf{R^3}$ and **q** are as defined in claim 1.

6. The compound of **Formula (I)**, or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 4, wherein **W** is **W2** which is



$\mathbf{Z^A}$ is:



wherein:


------	represents a single covalent bond or a double covalent bond;
1 of $\mathbf{X^{A2}}$, $\mathbf{X^{B2}}$, $\mathbf{X^{C2}}$ & $\mathbf{X^{D2}}$	is C and covalently bound to $\mathbf{Y^N}$;
0, 1 or 2 of $\mathbf{X^{A2}}$, $\mathbf{X^{B2}}$, $\mathbf{X^{C2}}$, $\mathbf{X^{D2}}$, $\mathbf{X^{E2}}$ & $\mathbf{X^{F2}}$	is/are N,where $\mathbf{X^{E2}}$ & $\mathbf{X^{F2}}$ are not both N, and are otherwise C;

1 or 2 of $\mathbf{X^{G2}}$, $\mathbf{X^{H2}}$ & $\mathbf{X^{J2}}$	is/are N; and are otherwise C;
each $\mathbf{R^{AA}}$	is a substituent on any available C or N atom of **Z** – in each case independently selected from $\mathbf{R^{AA1}}$ optionally substituted by one or more $\mathbf{R^{AA2}}$; where $\mathbf{R^{AA}}$ is further selected from $\mathbf{R^{AA2}}$ when $\mathbf{R^{AA}}$ is a substituent on an available C atom of $\mathbf{Z^A}$;
each $\mathbf{R^{AA1}}$	is independently C_{1-4}alkyl, C_{2-3}alkenyl, C_{2-3}alkynyl, C_{1-3}alkoxyC_{1-3}alkyl, carboxyC_{1-3}alkyl, C_{5-7}carbocyclyl or a 4-6 membered heterocyclyl;
each $\mathbf{R^{AA2}}$	is independently selected from F, Cl, Br, CN, NH_2, C_{1-3}alkyl, $O(C_{1-3}alkyl)$, $NH(C_{1-3}alkyl)$ and $N(C_{1-3}alkyl)_2$; wherein said C_{1-3}alkyls are optionally substituted by one or more F;
v	is 0, 1 or 2;
$\mathbf{Y^N}$	is 2,4-dioxohexahydropyrimidin-1-yl.

7. The compound or pharmaceutically acceptable salt thereof according to claim 6, wherein

1 of $\mathbf{X^{A2}}$ & $\mathbf{X^{B2}}$	is C and covalently bound to **Y** and the other of $\mathbf{X^{A2}}$ & $\mathbf{X^{B2}}$ is C;
0 or 1 of $\mathbf{X^{C2}}$ & $\mathbf{X^{D2}}$	is N and is/are otherwise C;
1 of $\mathbf{X^{G2}}$ & $\mathbf{X^{J2}}$	is N and the other of $\mathbf{X^{G2}}$ & $\mathbf{X^{J2}}$ is C; and
$\mathbf{X^{H2}}$, $\mathbf{X^{E2}}$ & $\mathbf{X^{F2}}$	are all C.

8. The compound or pharmaceutically acceptable salt thereof according to claim 6, wherein **W** is **W2-1**




wherein:

$\mathbf{X^K}$ and $\mathbf{X^L}$	are either N-linker and CH, N-linker and CMe or NMe and C-linker respectively;
1 of $\mathbf{X^M}$ and $\mathbf{X^O}$	is C-2,4-dioxohexahydropyrimidin-1-yl ($\mathbf{Y^N}$);
0 or 1 of $\mathbf{X^M}$ and $\mathbf{X^N}$	is C-F;
$\mathbf{X^N}$	may be N if $\mathbf{X^M}$ is not C-F;
the remainder of $\mathbf{X^N}$, $\mathbf{X^M}$ and $\mathbf{X^O}$	are CH; and
$\mathbf{X^P}$	is CH or CMe.

9. The compound of **Formula (I)**, or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 4, wherein **W** is **W1** which is: $-\mathbf{Z}-(\mathbf{R^A})_\mathbf{h}$

where **Z** is:




wherein:

═══	represents a single covalent bond or a double covalent bond;
0, 1 or 2 of $\mathbf{X^A}$, $\mathbf{X^B}$, $\mathbf{X^C}$, $\mathbf{X^D}$, $\mathbf{X^E}$ & $\mathbf{X^F}$	is/are N, where $\mathbf{X^E}$ & $\mathbf{X^F}$ are not both N, and are otherwise C;
1 of $\mathbf{X^G}$, $\mathbf{X^H}$ & $\mathbf{X^J}$	is C(O);
1 of $\mathbf{X^G}$, $\mathbf{X^H}$ & $\mathbf{X^J}$	is N–(2,6-dioxopiperidin-3-yl) (**Y**); and
1 of $\mathbf{X^G}$, $\mathbf{X^H}$ & $\mathbf{X^J}$	is selected from $C(\mathbf{R^T})_2$, $-CH_2CH_2-$, C(O), $N(C_{1-3}alkyl)$, -O- and -N=, wherein each $\mathbf{R^T}$ is selected from H, F, Me or together with the carbon of $C(\mathbf{R^T})_2$ forms a cycloprop-1,1-diyl group; where $\mathbf{X^G}$, $\mathbf{X^H}$ & $\mathbf{X^J}$ are selected such that there are not two C(O) groups present at adjacent positions, and that the N-(2,6-dioxopiperidin-3-yl) is not at an adjacent position to either $N(C_{1-3}alkyl)$ or O;
each $\mathbf{R^A}$	is independently a substituent on any available C atom at $\mathbf{X^A}$, $\mathbf{X^B}$, $\mathbf{X^C}$ or $\mathbf{X^D}$ selected from F, Cl, $C_{1-3}alkyl$, $C_{1-3}alkoxy$ wherein said $C_{1-3}alkyl$ and $C_{1-3}alkoxy$ is independently optionally substituted by one or more F;
h	is 0, 1 or 2; and
wherein the **Linker**	is attached to any C atom at $\mathbf{X^A}$, $\mathbf{X^B}$, $\mathbf{X^C}$ or $\mathbf{X^D}$.

10. The compound of **Formula (I)**, or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 4, wherein **W** is **W3** which is: $-\mathbf{Z^B}$

where $\mathbf{Z^B}$ is:



$\mathbf{X^{E3}}$	is selected from C(=O) and $CR^{E1}R^{E2}$, where R^{E1} and R^{E2} are independendently selected from the group consisting of H and C_{1-3} alkyl, or R^{E1} and R^{E2} taken together with the carbons to be they are attached form a C_{3-6} cycloalkane ring;
Y	is N–(2,6-dioxopiperidin-3-yl);
All of $\mathbf{X^{A3}}$, $\mathbf{X^{B3}}$, $\mathbf{X^{C3}}$ and $\mathbf{X^{D3}}$	are C;
one pair of $\mathbf{X^{A3}}$ and $\mathbf{X^{B3}}$, $\mathbf{X^{B3}}$ and $\mathbf{X^{C3}}$ and $\mathbf{X^{C3}}$ and $\mathbf{X^{D3}}$	form a five or six membered fully unsaturated or partially unsaturated N containg heterocylic ring, which is attached to the 'b' end of the **Linker** via a N atom**;**
the others of $\mathbf{X^{A3}}$, $\mathbf{X^{B3}}$, $\mathbf{X^{C3}}$ and $\mathbf{X^{D3}}$	bear a group $\mathbf{R^B}$, where each $\mathbf{R^B}$ is selected from H, F, Cl, C_{1-3} alkyl and C_{1-3} alkoxy.

11. The compound or pharmaceutically acceptable salt thereof, according to any preceding claim wherein $\mathbf{R^N}$ is H, and **p** is 0 or 1, $\mathbf{R^1}$ is selected from Cl, F and Me, and $\mathbf{R^1}$, if present, is bound para to $\mathbf{Q^1}$.

12. The compound or pharmaceutically acceptable salt thereof, according to any preceding claim wherein $\mathbf{X^1}$ is N.

13. The compound or pharmaceutically acceptable salt thereof, according to any one of claims 1 to 37 wherein $\mathbf{Q^1}$ is N, $\mathbf{Q^2}$ is CH and $\mathbf{Q^3}$ is CH, and **n** and **m** are 1 and 1 or 2 and 0 respectively.

14. The compound or pharmaceutically acceptable salt thereof, according to any preceding claim wherein $\mathbf{R^{2a}}$ and $\mathbf{R^{2b}}$ are both H.

15. The compound or pharmaceutically acceptable salt thereof, according to any preceding claim wherein:

(a) $\mathbf{Q^4}$ is a single bond; or

(b) $\mathbf{Q^4}$ is a $N\mathbf{R^4}C(=O)$ and $\mathbf{R^4}$ is H.

16. The compound or pharmaceutically acceptable salt thereof according to any preceding claim wherein $\mathbf{Y^1}$, $\mathbf{Y^2}$, $\mathbf{Y^3}$, $\mathbf{Y^4}$ & $\mathbf{Y^5}$ are all C.

17. The compound or pharmaceutically acceptable salt thereof according to any preceding claim wherein **q** is 0 or 1 and $\mathbf{R^3}$ (when present) is a substituent on any C atom at $\mathbf{Y^1}$, $\mathbf{Y^2}$, $\mathbf{Y^3}$, $\mathbf{Y^4}$ & $\mathbf{Y^5}$ which is F.

18. The compound or pharmaceutically acceptable salt thereof according to any preceding claim wherein **Linker** is attached at $\mathbf{Y^5}$.

19. The compound or pharmaceutically acceptable salt thereof according to any one of claims 1 to 34, wherein:

$\mathbf{X^1}$ is N;

p is 1;

$\mathbf{R^N}$ is H;

n is 2;

m is 0;

$\mathbf{R^{2a}}$ and $\mathbf{R^{2b}}$ are both H;

Q^4 is a single bond;

$\mathbf{Y^1}$, $\mathbf{Y^2}$, $\mathbf{Y^3}$ and $\mathbf{Y^4}$ are all CH;

$\mathbf{Y^5}$ is C and has the **Linker** attached; and

q is 0.

20. The compound according to claim 1, selected from:

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-methyl-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indazole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indazole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indazole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-methyl-1*H*-indole-3-carbonitrile;

4-Chloro-7-[4-(4-{4-[(4-{2-[(3*R**)-2,6-dioxopiperidin-3-yl]-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[4-(4-{4-[(4-{2-[(3*S**)-2,6-dioxopiperidin-3-yl]-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[4-(4-{4-[(4-{2-[(3*R* *)-2,6-dioxopiperidin-3-yl]-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[4-(4-{4-[(4-{2-[(3*S* *)-2,6-dioxopiperidin-3-yl]-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R*)-3-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({1-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperidin-4-yl}methyl)piperazin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

7-[(3*S*)-3-{4-[4-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-4-fluoro-1*H*-indole-3-carbonitrile;

7-[(3*S*)-3-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R*)-3-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indazole-3-carbonitrile;

4-Chloro-7-[(3*R*)-3-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-methyl-1H-indole-3-carbonitrile;

7-{4-[4-(4-{4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-methyl-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

4-Chloro-7-{4-[4-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-[4-(4-{4-[(4-{2-[(3*R**)-2,6-dioxopiperidin-3-yl]-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[4-(4-{4-[(4-{2-[(3*S**)-2,6-dioxopiperidin-3-yl]-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-(4-{4-[(4-{2-[(3*R**)-2,6-dioxopiperidin-3-yl]-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-(4-{4-[(4-{2-[(3*S**)-2,6-dioxopiperidin-3-yl]-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]-2-fluorophenyl}piperidin-1-yl)-4-methyl-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-fluorophenyl}piperidin-1-yl)-4-methyl-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-7-methoxy-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]-2-fluorophenyl}piperidin-1-yl)-4-methyl-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-{4-[4-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

4-Chloro-7-{4-[4-(4-{4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}butoxy)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R*)-3-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-7-methoxy-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-7-methoxy-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R*)-3-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}butoxy)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridin-2-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridin-2-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{5-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridin-2-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{6-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridazin-3-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{6-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridazin-3-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R**)-3-{5-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridin-2-yl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S**)-3-{5-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridin-2-yl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{5-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyrazin-2-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyrazin-2-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-[4-(4-{4-[(4-{[1-(2,6-Dioxopiperidin-3-yl)-3-methyl-2-oxo-2,3-dihydro-1*H*-benzimidazol-4-yl]methyl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-4-methyl-1*H*-indole-3-carbonitrile;

4-Chloro-7-[4-(4-{4-[(4-{[1-(2,6-dioxopiperidin-3-yl)-3-methyl-2-oxo-2,3-dihydro-1*H*-benzimidazol-4-yl]methyl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

7-[4-(4-{4-[(4-{[1-(2,6-Dioxopiperidin-3-yl)-3-methyl-2-oxo-2,3-dihydro-1*H*-benzimidazol-4-yl]methyl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[1-(2,6-dioxopiperidin-3-yl)-3-methyl-2-oxo-2,3-dihydro-1*H*-benzimidazol-4-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-(4-{4-[(4-{[1-(2,6-dioxopiperidin-3-yl)-3-methyl-2-oxo-2,3-dihydro-1*H*-benzimidazol-4-yl]methyl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

7-[(3*S*)-3-(4-{4-[(4-{[1-(2,6-Dioxopiperidin-3-yl)-3-methyl-2-oxo-2,3-dihydro-1*H*-benzimidazol-4-yl]methyl}piperazin-1-yl)methyl]piperidin-1-yl}phenyl)piperidin-1-yl]-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-{4-[4-(4-{[6-(2,6-dioxopiperidin-3-yl)-5,7-dioxo-3,5,6,7-tetrahydropyrrolo[3,4-f]isoindol-2(1*H*)-yl]methyl}piperidin-1-yl)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

4-Chloro-7-{(3*S*)-3-[4-(4-{[6-(2,6-dioxopiperidin-3-yl)-5,7-dioxo-3,5,6,7-tetrahydropyrrolo[3,4-f]isoindol-2(1*H*)-yl]methyl}piperidin-1-yl)phenyl]piperidin-1-yl}-1*H*-indazole-3-carbonitrile;

4-Chloro-7-{(3*S*)-3-[4-(4-{[6-(2,6-dioxopiperidin-3-yl)-5,7-dioxo-3,5,6,7-tetrahydropyrrolo[3,4-f]isoindol-2(1*H*)-yl]methyl}piperidin-1-yl)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

7-{(3*R**)-1-[4-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-3-yl}-4-methyl-1*H*-indole-3-carbonitrile;

7-{(3*S**)-1-[4-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-3-yl}-4-methyl-1*H*-indole-3-carbonitrile;

7-{(3*R**)-1-[3-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-3-yl}-4-methyl-1*H*-indole-3-carbonitrile;

7-{(3*S**)-1-[3-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-3-yl}-4-methyl-1*H*-indole-3-carbonitrile;

7-[(3*R**)-1-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-3-yl]-4-methyl-1*H*-indole-3-carbonitrile;

7-[(3*S**)-1-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-3-yl]-4-methyl-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidine-1-carbonyl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-{4-[4-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}piperidin-1-yl)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-(2-{4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}ethyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-(3-{4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}propyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-(4-{4-[4-({4-[5-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[5-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R**)-1-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-3-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S**)-1-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-3-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R**)-1-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-3-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S**)-1-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-3-yl]-1*H*-indole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperazin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R**)-1-{4-[1-({1-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperidin-4-yl}methyl)piperidin-4-yl]phenyl}piperidin-3-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S**)-1-{4-[1-({1-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperidin-4-yl}methyl)piperidin-4-yl]phenyl}piperidin-3-yl]-1H-indole-3-carbonitrile;

4-Chloro-7-[(3*R**)-1-{4-[1-({1-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperidin-4-yl}methyl)piperidin-4-yl]phenyl}piperidin-3-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S**)-1-{4-[1-({1-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperidin-4-yl}methyl)piperidin-4-yl]phenyl}piperidin-3-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidine-1-carbonyl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-[4-(4-{[1-({1-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperidin-4-yl}methyl)piperidin-4-yl]oxy}phenyl)piperidin-1-yl]-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[5-(2,4-dioxo-1,3-diazinan-1-yl)-7-methyl-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-1-methyl-1*H*-pyrrolo[3,2-b]pyridin-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-{4-[(1-{4-[(3*S*)-1-(4-chloro-3-cyano-1*H*-indol-7-yl)piperidin-3-yl]phenyl}piperidin-4-yl)methyl]piperazin-1-yl}-*N*-(2,6-dioxopiperidin-3-yl)-2-fluorobenzamide;

4-{4-[(1-{4-[1-(3-Cyano-4-fluoro-1*H*-indol-7-yl)piperidin-4-yl]phenyl}piperidin-4-yl)methyl]piperazin-1-yl}-*N*-(2,6-dioxopiperidin-3-yl)-2-fluorobenzamide;

4-{4-[(1-{4-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]phenyl}piperidin-4-yl)methyl]piperazin-1-yl}-*N*-(2,6-dioxopiperidin-3-yl)-2-fluorobenzamide;

7-[4-(4-{[4-({1-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperidin-4-yl}methyl)piperazin-1-yl]methyl}phenyl)piperidin-1-yl]-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{6-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridin-3-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{6-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridin-3-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-{4-[4-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}piperidin-1-yl)phenyl]piperidin-1-yl}-1*H*-indole-3-carbonitrile;

4-Chloro-7-[4-(4-{4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl][1,4'-bipiperidin]-1'-yl}phenyl)piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1H-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1-methyl-1H-indole-3-carbonitrile;

4-Chloro-7-(4-{3-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-2-methyl-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S**)-3-{6-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridin-3-yl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R**)-3-{6-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridin-3-yl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(2*S**)-2-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}morpholin-4-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(2*R**)-2-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}morpholin-4-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(2*S**)-2-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}morpholin-4-yl]-1*H*-indazole-3-carbonitrile;

4-Chloro-7-[(2*R**)-2-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}morpholin-4-yl]-1*H*-indazole-3-carbonitrile;

4-Chloro-7-[(3*R**)-3-{6-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridazin-3-yl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S**)-3-{6-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridazin-3-yl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-2-methyl-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{2-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyrimidin-5-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{2-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyrimidin-5-yl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-(4-{4-[(2*R*)-2-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)morpholin-4-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[(2*R*)-2-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)morpholin-4-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

7-(4-{4-[7-({4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)-2-azaspiro[3.5]nonan-2-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[7-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)-2-azaspiro[3.5]nonan-2-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[7-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)-2-azaspiro[3.5]nonan-2-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[7-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)-2-azaspiro[3.5]nonan-2-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R*)-3-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indazole-3-carbonitrile;

7-[(3*S*)-3-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-4-fluoro-1*H*-indazole-3-carbonitrile;

7-[(3*S*)-3-{4-[4-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-4-fluoro-1*H*-indazole-3-carbonitrile;

7-(4-{4-[7-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)-2-azaspiro[3.5]nonan-2-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R*)-3-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-5-fluoro-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-5-fluoro-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indole-3-carbonitrile;

4-Chloro-7-[(3*R*)-3-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-5-fluoro-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indazole-3-carbonitrile;

4-Chloro-7-[(3*S*)-3-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-5-fluoro-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indazole-3-carbonitrile;

7-(4-{4-[4-({4-[6-(2,4-Dioxo-1,3-diazinan-1-yl)-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indazole-3-carbonitrile;

7-(4-{4-[4-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-2-methyl-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[7-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)-2-azaspiro[3.5]nonan-2-yl]phenyl}piperidin-1-yl)-1*H*-indole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indazole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1*H*-pyrrolo[3,4-c]pyridin-6-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indazole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indazole-3-carbonitrile;

4-Chloro-7-(4-{4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-1*H*-indazole-3-carbonitrile;

7-(4-{4-[4-({4-[4-(2,4-Dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-fluoro-1*H*-indazole-3-carbonitrile;

7-{4-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]piperidin-1-yl}-4-methyl-1*H*-indazole-3-carbonitrile;

7-(4-{4-[4-({4-[2-(2,6-Dioxopiperidin-3-yl)-7-methoxy-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl)-4-methyl-1*H*-indazole-3-carbonitrile;

7-{(3*S**)-3-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]pyrrolidin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

7-{(3*R**)-3-[4-(4-{4-[2-(2,6-Dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}butoxy)phenyl]pyrrolidin-1-yl}-4-methyl-1*H*-indole-3-carbonitrile;

N-[1-(4-Chloro-3-cyano-1*H*-indazol-7-yl)piperidin-4-yl]-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[5-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-chloro-3-cyano-1~{H}-indol-7-yl)-4-piperidyl]-4-[4-[[4-[4-[(2,6-dioxo-3-piperidyl)carbamoyl]-3-fluoro-phenyl]piperazin-1-yl]methyl]-1-piperidyl]-2-fluoro-benzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-(4-{[6-(2,6-dioxopiperidin-3-yl)-5,7-dioxo-3,5,6,7-tetrahydropyrrolo[3,4-f]isoindol-2(1*H*)-yl]methyl}piperidin-1-yl)-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-5-fluoro-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[1-(2,6-dioxopiperidin-3-yl)-3-methyl-2-oxo-2,3-dihydro-1*H*-benzimidazol-4-yl]piperazin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-2-cyano-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]benzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-fluoro-6-methylbenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-3-methylbenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-3-cyano-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]benzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-5-(4-{4-[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}piperidin-1-yl)pyridine-2-carboxamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-5-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridine-2-carboxamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridine-2-carboxamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridine-2-carboxamide;

N-[1-(4-Chloro-3-cyano-1*H*-indazol-7-yl)piperidin-4-yl]-5-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridine-2-carboxamide;

N-[1-(3-Cyano-4-methyl-1*H*-indol-7-yl)piperidin-4-yl]-5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridine-2-carboxamide;

N-[1-(3-Cyano-4-methyl-1*H*-indol-7-yl)piperidin-4-yl]-5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridine-2-carboxamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]benzamide;

N-[4-(4-Chloro-3-cyano-1*H*-indol-7-yl)cyclohexyl]-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-fluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2,6-difluorobenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-5-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyrazine-2-carboxamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-5-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyrimidine-2-carboxamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-4-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]-2-methylbenzamide;

N-[1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-4-yl]-6-[4-({4-[4-(2,4-dioxo-1,3-diazinan-1-yl)-1*H*-indol-1-yl]piperidin-1-yl}methyl)piperidin-1-yl]pyridazine-3-carboxamide;

N-[(3*R**)-1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-3-yl]-5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridine-2-carboxamide; and

N-[(3*S**)-1-(4-Chloro-3-cyano-1*H*-indol-7-yl)piperidin-3-yl]-5-[4-({4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1*H*-isoindol-5-yl]piperazin-1-yl}methyl)piperidin-1-yl]pyridine-2-carboxamide;

or pharmaceutically acceptable salts thereof.

21. A pharmaceutical composition, which comprises a compound of **Formula (I)** or PROTAC of **Formula (Ia)**, or a pharmaceutically acceptable salt thereof according to one of claims 1-20, in association with a pharmaceutically acceptable excipient.


22. The compound of **Formula (I)** or PROTAC of **Formula (Ia)**, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-20, for use in therapy.

23. A compound of **Formula (I)** or PROTAC of **Formula (Ia)**, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-20, for use as an anti-invasive agent in the containment and/or treatment of solid tumour disease.

24. Use of a compound of **Formula (I)** or PROTAC of **Formula (Ia)**, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-20, in the manufacture of a medicament for the containment and/or treatment of solid tumour disease, wherein the compound of **Formula (I)** or PROTAC of **Formula (Ia)**, or a pharmaceutically acceptable salt thereof is to be used as an anti-invasive agent.

25. Use of a compound of **Formula (I)** or PROTAC of **Formula (Ia)**, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-20, in the manufacture of a medicament for the containment and/or treatment of solid tumour disease, in a warm-blooded animal, such as man, in need of such effect, wherein an effective amount of the compound of **Formula (I)** or PROTAC of **Formula (Ia)**, or a pharmaceutically acceptable salt thereof is to be administered to said animal, and the compound of **Formula (I)** or PROTAC of **Formula (Ia)**, or a pharmaceutically acceptable salt thereof is capable of producing an anti-invasive effect.

26. A compound **4-Chloro-7-[(3*S*)-3-{4-[4-({4-[6-(2,4-dioxo-1,3-diazinan-1-yl)-1-methyl-1*H*-indol-2-yl]piperidin-1-yl}methyl)piperidin-1-yl]phenyl}piperidin-1-yl]-1*H*-indazole-3-carbonitrile**



or a pharmaceutically acceptable salt thereof.