

DLL3 BINDING PROTEINS AND METHODS OF USE**CROSS-REFERENCE**

[0001] This application claims the benefit of U.S. Provisional Application Nos. 62/736,368 filed on September 25, 2018; 62/736,358 filed on September 25, 2018; and 62/877,227 filed July 22, 2019 each of which is incorporated by reference herein in its entirety.

SEQUENCE LISTING

[0002] The instant application contains a Sequence Listing which has been submitted electronically in ASCII format and is hereby incorporated by reference in its entirety. Said ASCII copy, created on September 25, 2019, is named 47517-733_601_SL.txt and is 951,519 bytes in size.

BACKGROUND OF THE INVENTION

The selective destruction of an individual cell or a specific cell type is often desirable in a variety of clinical settings. For example, it is a primary goal of cancer therapy to specifically destroy tumor cells, while leaving healthy cells and tissues intact and undamaged. One such method is by inducing an immune response against the tumor, to make immune effector cells such as natural killer (NK) cells or cytotoxic T lymphocytes (CTLs) attack and destroy tumor cells.

SUMMARY OF THE INVENTION

[0003] There is still a need for having available further options for the treatment of tumorous diseases related to the overexpression of DLL3, such as neuroendocrine tumors. The present disclosure provides, in certain embodiments, single domain proteins which specifically bind to DLL3 on the surface of tumor target cells and multispecific proteins, such as trispecific proteins containing DLL3 binding domain as described herein. In some embodiments, the present disclosure provides Delta Like Ligand 3 (DLL3) binding proteins, or multispecific proteins as mentioned above, which can be used for diagnosing and treating indications correlated to the expression of DLL3.

[0004] One embodiment provides a DLL3 targeting trispecific protein, wherein said protein comprises (a) a first domain (A) which is a single chain variable fragment that specifically binds to a human CD3; (b) a second domain (B) which is a single domain antibody that specifically binds to a human serum albumin protein; and (c) a third domain (C) which is a single domain antibody that specifically binds to a DLL3 protein.

[0005] In some embodiments, the domains are linked in the order H2N-(A)-(B)-(C)-COOH, H2N-(A)-(C)-(B)-COOH, H2N-(B)-(A)-(C)-COOH, H2N-(B)-(C)-(A)-COOH, H2N-(C)-(B)-(A)-COOH, or H2N-(C)-(A)-(B)-COOH, or by linkers L1 and L2, in the order H2N-(A)-L1-(B)-

L2-(C)-COOH, H2N-(A)-L1-(C)-L2-(B)-COOH, H2N-(B)-L1-(A)-L2-(C)-COOH, H2N-(B)-L1-(C)-L2-(A)-COOH, H2N-(C)-L1-(B)-L2-(A)-COOH, or H2N-(C)-L1-(A)-L2-(B)-COOH.

[0006] In some embodiments, the third domain (C) comprises an affinity matured binding molecule. In some embodiments, the affinity matured binding molecule is derived from a parental molecule that specifically binds to the DLL3 protein. In some embodiments, wherein the affinity matured binding DLL3 binding molecule has a binding affinity toward the DLL3 protein that is about 2-fold about 50-fold greater than the binding affinity of the parental molecule toward the DLL3 protein. In some embodiments, the third domain (C) comprises a sequence that is at least 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886. In some embodiments, the third domain (C) comprises a sequence that is at least 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-52. In some embodiments, the third domain (C) comprises a CDR1, a CDR2, and a CDR3, wherein the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887, wherein the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888, and wherein the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889. In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 495-528. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 937-970. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1379-1412. In some embodiments, the third domain (C) comprises a sequence that is at least 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 53-86. In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 529-809. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 971 to 1251. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1379-1412. In some embodiments, the third domain (C) comprises a sequence that is at least 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 87-367. In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 810-884. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 1252 to 1326. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1692 to 1768. In some embodiments, The DLL3 targeting trispecific protein of claim 1, wherein the third domain (C) comprises a sequence that is at least 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 368-442.

[0007] One embodiment provides a DLL3 targeting trispecific protein, wherein said protein comprises (a) a first domain (A) which is a single chain variable fragment that specifically binds

to a human CD3; (b) a second domain (B) which is a single domain antibody that specifically binds to a human serum albumin protein; and (c) a third domain (C) which is a single domain antibody that specifically binds to DLL3, wherein the third domain comprises the sequence of SEQ ID No.68 or SEQ ID No. 75, or is derived from SEQ ID No.68 or SEQ ID No. 75.

[0008] In some embodiments, the third domain (C) is derived from SEQ ID No. 75. In some embodiments, the third domain comprises a CDR1, a CDR2, and a CDR3, wherein the CDR1 comprises the following sequence: X₁X₂X₃X₄X₅X₆X₇SX₈A, the CDR2 comprises the following sequence: GJ₁SJ₂J₃GJ₄J₅J₆YJ₇J₈SVKG (SEQ ID No. 1894), and the CDR3 comprises the following sequence: Z₁Z₂Z₃Z₄Z₅Z₆Z₇Z₈Z₉.

[0009] In some embodiments:

X₁ is A, D, E, F, G, H, K, L, M, N, Q, R, S, V, W, or Y;

X₂ is D, E, H, K, M, P, R, S, T, or Y;

X₃ is A, D, G, H, K, N, P, Q, R, S, T, V, or Y;

X₄ is K, S, or V;

X₅ is A, F, G, H, K, L, M, N, Q, R, S, T, V, W, or Y;

X₆ is D, F, H, I, K, L, M, N, Q, R, S, V, or Y;

X₇ is L, or M; and

X₈ is I, L, M, S, T, or V.

[0010] In some embodiments:

J₁ is I, or V;

J₂ is A, D, E, G, H, I, K, L, N, P, Q, R, S, T, V, or Y;

J₃ is A, D, E, G, H, N, R, or T;

J₄ is H, P, R, or S;

J₅ is A, H, I, K, M, N, Q, R, T, or V;

J₆ is A, D, G, H, I, L, M, N, S, T, V, or Y;

J₇ is A, F, I, L, M, R, S, T, V, or Y;

J₈ is A, D, E, G, H, K, L, N, R, S, or V;

[0011] In some embodiments:

Z₁ is L, or Y;

Z₂ is D, E, G, H, K, N, Q, R, S, T, V, or Y;

Z₃ is Q, or W;

Z₄ is A, D, E, G, H, I, K, L, M, P, R, S, T, or V;

Z₅ is A, D, E, G, N, R, S, T, or Y;

Z₆ is A, P, R, or S;


Z₇ is A, D, F, G, H, L, M, N, Q, R, S, T, V, or Y;

Z₈ is A, G, I, K, P, Q, R, S, or T; and

Z₉ is F, H, or Y.

[0012] In some embodiments, the linkers L1 and L2 are each independently selected from (GS)_n (SEQ ID No.1809), (GGS)_n (SEQ ID No.1810), (GGGS)_n (SEQ ID No.1811), (GGSG)_n (SEQ ID No.1812), (GGSGG)_n (SEQ ID No.1813), or (GGGGS)_n (SEQ ID No.1814), wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10, or GGGGSGGGGS (SEQ ID No. 1808). In some embodiments, the domains are linked in the order H2N-(A)-(B)-(C)-COOH or by linkers L1 and L2 in the order of H2N-(A)-L1-(B)-L2-(C)-COOH.

[0013] One embodiment provides a DLL3 binding protein comprising the following formula:



wherein, r1 is a complementarity determining region 1 (CDR1) and is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887; r2 is a CDR2 and is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888; and r3 is a CDR3 and identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889; and wherein f1, f2, f3 and f4 are framework residues.

[0014] One embodiment provides a method for the treatment or amelioration of a proliferative disease, or a tumorous disease, comprising the administration of the DLL3 targeting trispecific protein according to this disclosure, to a subject in need thereof.

[0015] One embodiment provides a DLL3 targeting trispecific protein, wherein said protein comprises (a) a first domain (A) which specifically binds to human CD3; (b) a second domain (B) which is a half-life extension domain; and (c) a third domain (C) which specifically binds to a DLL3 protein. In some embodiments, the domains are linked in the order H2N-(A)-(B)-(C)-COOH, H2N-(A)-(C)-(B)-COOH, H2N-(B)-(A)-(C)-COOH, H2N-(B)-(C)-(A)-COOH, H2N-(C)-(B)-(A)-COOH, or H2N-(C)-(A)-(B)-COOH. In some embodiments, the third domain (C) comprises an affinity matured binding molecule. In some embodiments, the affinity matured binding molecule is derived from a parental molecule that specifically binds to the DLL3 protein. In some embodiments, the affinity matured binding molecule is derived from the parental molecule that specifically binds to DLL3, after a round of affinity maturation. In some embodiments, the round of affinity maturation comprises panning a phage display library against the DLL3 protein. In some embodiments, the phage display library is generated by mutating one or more residues of the parental molecule. In some embodiments, the phage display library expresses one or more molecules derived from the parental molecule. In some embodiments,

affinity matured binding molecule is selected from the one or more molecules derived from the parental molecule. In some embodiments, the affinity matured DLL3 binding molecule has a greater binding affinity toward the DLL3 protein than a binding affinity of the parental molecule toward the DLL3 protein. In some embodiments, the affinity matured binding DLL3 binding molecule has a binding affinity toward the DLL3 protein that is about 2-fold about 50-fold greater than the binding affinity of the parental molecule toward the DLL3 protein. In some embodiments, the affinity matured binding DLL3 binding molecule has a binding affinity toward the DLL3 protein that is about 3-fold greater than the binding affinity of the parental molecule toward the DLL3 protein. In some embodiments, the third domain (C) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886. In some embodiments, the third domain (C) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-52. In some embodiments, the third domain (C) comprises a CDR1, a CDR2, and a CDR3.

[0016] In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889, or one or more substitutions relative to a sequence selected from SEQ ID Nos. 1327-1768 and 1889. In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 495-528, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 495-528. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 937-970, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 937-970. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1379-1412, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1379 to 1412.

[0017] In some embodiments, the third domain (C) comprises a sequence that is at least about 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 53-86. In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 529-809, or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 529-809. In some embodiments, the CDR2 comprises a sequence that has one or more amino acid substitutions relative to a sequence selected from the group

consisting of SEQ ID Nos. 971 to 1251. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1379-1412, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1379 to 1412. In some embodiments, the third domain (C) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 87-367. In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 810-884, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 810 to 884. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 1252 to 1326, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1252 to 1326. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1692 to 1768, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1692 to 1768. In some embodiments, the third domain (C) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 368-442.

[0018] One embodiment provides a DLL3 targeting trispecific protein, wherein said protein comprises (a) a first domain (A) which specifically binds to human CD3; (b) a second domain (B) which is a half-life extension domain; and (c) a third domain (C) which specifically binds to DLL3, wherein the third domain comprises the sequence of SEQ ID No.68 or is derived from SEQ ID No.68. In some embodiments, the third domain (C) is derived from SEQ ID No.68. In some embodiments, SEQ ID No.68 comprises a CDR1, a CDR2, and a CDR3. In some embodiments, the CDR1 comprises the following sequence: GX₁X₂X₃X₄X₅NX₆X₇X₈. In some embodiments, the CDR2 comprises the following sequence: GJ₁SJ₂J₃J₄J₅J₆J₇J₈J₉J₁₀SJ₁₁KJ₁₂ (SEQ ID No. 1895).

[0019] In some embodiments, the CDR3 comprises the following sequence:

Z₁Z₂Z₃Z₄Z₅Z₆Z₇Z₈Z₉Z₁₀Z₁₁. In some embodiments:

X₁ is A, E, F, G, I, K, L, N, Q, R, S, T, V, or Y;

X₂ is A, G, I, K, P, R, S, T, or V;

X₃ is A, D, F, K, L, N, P, Q, R, S, T, or Y;

X₄ is A, D, F, H, I, K, L, M, N, P, R, S, T, V, or Y;

X₅ is F, I, K, L, M, N, R, S, T, or V;

X₆ is A, or G;

X₇ is F, I, L, M, T, V, or Y; and

X₈ is A, or G.

[0020] In some embodiments:

J₁ is I, or V;
 J₂ is A, K, P, R, or S;
 J₃ is D, or N;
 J₄ is D, E, G, K, N, Q, R, S, T, or Y;
 J₅ is S, or T;
 J₆ is A, E, F, H, I, K, L, N, Q, R, S, T, V, or Y;
 J₇ is A, I, L, M, V, or Y;
 J₈ is D, F, H, I, L, N, S, T, V, or Y;
 J₉ is A, D, E, F, G, I, K, L, N, Q, R, S, T, V, or Y;
 J₁₀ is A, D, E, G, K, Q, S, or V;
 J₁₁ is A, or V; and
 J₁₂ is G, or V.

[0021] In some embodiments:

Z₁ is F, or Y;
 Z₂ is G, H, I, K, N, R, S, or T;
 Z₃ is A, F, H, I, K, L, M, N, P, Q, R, S, T, or Y;
 Z₄ is A, E, F, G, H, I, K, L, M, N, Q, R, S, T, V, or Y;
 Z₅ is A, C, D, E, G, H, I, K, L, N, P, Q, R, S, T, W, or Y;
 Z₆ is G, K, L, R, or T;
 Z₇ is A, G, H, L, Q, R, S, T, V, or Y;
 Z₈ is A, D, E, G, H, P, Q, S, T, W, or Y;
 Z₉ is A, G, I, K, L, M, N, Q, R, S, T, V, or Y;
 Z₁₀ is A, G, K, P, R, S, T, or V; and
 Z₁₁ is A, F, S, or Y.

[0022] One embodiment provides a DLL3 targeting trispecific protein, wherein said protein comprises (a) a first domain (A) which specifically binds to human CD3; (b) a second domain (B) which is a half-life extension domain; and (c) a third domain (C) which specifically binds to DLL3, wherein the third domain comprises the sequence of SEQ ID No.75 or is derived from SEQ ID No.75. In some embodiments, SEQ ID No.75 comprises a CDR1, a CDR2, and a CDR3, wherein the CDR1 comprises the following sequence: X₁X₂X₃X₄X₅X₆X₇SX₈A, the CDR2 comprises the following sequence: GJ₁SJ₂J₃GJ₄J₅J₆YJ₇J₈SVKG (SEQ ID No. 1894), and the CDR3 comprises the following sequence: Z₁Z₂Z₃Z₄Z₅Z₆Z₇Z₈Z₉.

[0023] In some embodiments:

X₁ is A, D, E, F, G, H, K, L, M, N, Q, R, S, V, W, or Y;
 X₂ is D, E, H, K, M, P, R, S, T, or Y;

X₃ is A, D, G, H, K, N, P, Q, R, S, T, V, or Y;

X₄ is K, S, or V;

X₅ is A, F, G, H, K, L, M, N, Q, R, S, T, V, W, or Y;

X₆ is D, F, H, I, K, L, M, N, Q, R, S, V, or Y;

X₇ is L, or M; and

X₈ is I, L, M, S, T, or V.

[0024] In some embodiments:

J₁ is I, or V;

J₂ is A, D, E, G, H, I, K, L, N, P, Q, R, S, T, V, or Y;

J₃ is A, D, E, G, H, N, R, or T;

J₄ is H, P, R, or S;

J₅ is A, H, I, K, M, N, Q, R, T, or V;

J₆ is A, D, G, H, I, L, M, N, S, T, V, or Y;

J₇ is A, F, I, L, M, R, S, T, V, or Y;

J₈ is A, D, E, G, H, K, L, N, R, S, or V;

[0025] In some embodiments:

Z₁ is L, or Y;

Z₂ is D, E, G, H, K, N, Q, R, S, T, V, or Y;

Z₃ is Q, or W;

Z₄ is A, D, E, G, H, I, K, L, M, P, R, S, T, or V;

Z₅ is A, D, E, G, N, R, S, T, or Y;

Z₆ is A, P, R, or S;

Z₇ is A, D, F, G, H, L, M, N, Q, R, S, T, V, or Y;

Z₈ is A, G, I, K, P, Q, R, S, or T; and

Z₉ is F, H, or Y.

[0026] In some embodiments, the third domain (C) comprises a humanized antibody or an antigen binding fragment thereof. In some embodiments, the third domain (C) comprises a single domain antibody, a VHH domain, a scFv, a VH domain, a VL domain, a Fab, a Fab', a non-Ig domain, a ligand, a knottin, or a small molecule entity that specifically binds to DLL3. In some embodiments, the third domain (C) comprises the single domain antibody. In some embodiments, the second domain (B) binds a bulk serum protein. In some embodiments, the second domain (B) comprises a single domain antibody, a VHH domain, a scFv, a VH domain, a VL domain, a Fab, a Fab', a non-Ig domain, a ligand, a knottin, or a small molecule entity that specifically binds to the bulk serum protein. In some embodiments, the second domain (B) comprises the single domain antibody that specifically binds to the bulk serum protein. In some

embodiments, the bulk serum protein comprises albumin, transferrin, IgG1, IgG2, IgG4, IgG3, IgA monomer, Factor XIII, Fibrinogen, IgE, pentameric IgM, or Igκ free light chain. In some embodiments, the bulk serum protein comprises the albumin. In some embodiments, the second domain (B) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1769-1778. In some embodiments, the second domain (B) comprises a sequence that is at least about 75% identical to SEQ ID No. 1774.

[0027] In some embodiments, the first domain (A) comprises a single domain antibody, a VHH domain, a scFv, a VH domain, a VL domain, a Fab, a Fab', a non-Ig domain, a ligand, a knottin, or a small molecule entity that specifically binds to CD3. In some embodiments, the first domain (A) comprises a sequence selected from the group consisting of SEQ ID Nos. 1793-1807. In some embodiments, the third domain (C) comprises the following formula:

$$f1-r1-f2-r2-f3-r3-f4$$

wherein, r1 is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887; r2 is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888; and r3 is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889; and wherein f1, f2, f3 and f4 are framework residues. In some embodiments, the third domain (C) comprises a sequence that is at least 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886. In some embodiments, the domains C and B are connected by linker L1 and domains B and A are connected by linker L2. In some embodiments, the linkers L1 and L2 are each independently selected from (GS)_n (SEQ ID No. 1809), (GGS)_n (SEQ ID No. 1810), (GGGS)_n (SEQ ID No. 1811), (GGSG)_n (SEQ ID No. 1812), (GGSGG)_n (SEQ ID No. 1813), or (GGGGS)_n (SEQ ID No. 1814), wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10. In some embodiments, the linkers L1 and L2 are each independently (GGGGS)₄ (SEQ ID No. 1817) or (GGGGS)₃ (SEQ ID No. 1818). In some embodiments, the protein binds to DLL3 with a binding affinity (K_d) of about 0.1 nM to about 50 nM. In some embodiments, the protein binds to human DLL3, cynomolgus DLL3, or both human and cynomolgus DLL3. In some embodiments, the protein is less than about 80 kDa. In some embodiments, the protein is about 50 to about 75 kDa. In some embodiments, the protein is less than about 60 kDa. In some embodiments, the protein has an elimination half-time of at least about 50 hours. In some embodiments, the protein has an elimination half-time of at least about 100 hours. In some embodiments, the protein has increased tissue penetration as compared to an IgG to the same DLL3. In some embodiments, the domains are linked in the order H2N-(A)-(B)-(C)-COOH.

[0028] One embodiment provides a pharmaceutical composition comprising (i) the DLL3 targeting trispecific protein according to any one of above embodiments or a DLL3 binding protein according to this disclosure, and (ii) a pharmaceutically acceptable carrier. One embodiment provides a method for preparing a DLL3 targeting trispecific binding protein according to any one of above embodiments, the method comprising: i) providing a DLL3 protein or a fragment thereof; ii) exposing a recombinant library of DLL3 binding proteins to the DLL3 protein or a fragment thereof; iii) selecting from the library a DLL3 binding protein which specifically binds to said oligomer or derivative thereof; and (iv) preparing the DLL3 targeting trispecific protein using the DLL3 binding protein identified in step (iii). In some embodiments, the recombinant library of DLL3 binding proteins is exposed to the DLL3 protein in vitro by screening the recombinant library with said DLL3 protein. In some embodiments, the recombinant library is expressed on the surface of a bacteriophage. In some embodiments, the recombinant library is expressed on the surface of yeast cells. In some embodiments, the recombinant library is expressed on the surface of bacterial cells. In some embodiments, the recombinant library is expressed as RNA-protein fusions. In some embodiments, the recombinant library is an scFv library or an Fab library. In some embodiments, the recombinant antibody library is a single domain library.

[0029] One embodiment provides a process for the production of a DLL3 targeting trispecific protein according to any one of above embodiments, said process comprising culturing a host transformed or transfected with a vector comprising a nucleic acid sequence encoding the DLL3 trispecific protein according to any one of above embodiments under conditions allowing the expression of the DLL3 targeting trispecific protein and recovering and purifying the produced protein from the culture.

[0030] One embodiment provides a DLL3 binding protein comprising the following formula:

$$f1-r1-f2-r2-f3-r3-f4$$

wherein, r1 is a complementarity determining region 1 (CDR1) and is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887; r2 is a CDR2 and is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888; and r3 is a CDR3 and identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889; and wherein f1, f2, f3 and f4 are framework residues. In some embodiments, the DLL3 binding protein comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886. In some embodiments, the DLL3 binding protein comprises a sequence that is at least

about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-52. In some embodiments, the DLL3 binding protein comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 53-86. In some embodiments, the DLL3 binding protein comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 87-367. In some embodiments, the DLL3 binding protein comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 368-442. One embodiment provides a DLL3 binding protein that is derived from a parental DLL3 binding protein comprising the sequence of SEQ ID No. 68. One embodiment provides a DLL3 binding protein that is derived from a parental DLL3 binding protein comprising the sequence of SEQ ID No. 75 or comprises the sequence of SEQ ID No. 75.

[0031] One embodiment provides a method for preparing a DLL3 binding protein according to this disclosure, the method comprising: i) providing a DLL3 protein or a fragment thereof; ii) exposing a recombinant library of DLL3 binding proteins to the DLL3 protein or a fragment thereof; iii) selecting from the library a DLL3 binding protein which specifically binds to said oligomer or derivative thereof. In some embodiments, the recombinant library of DLL3 binding proteins is exposed to the DLL3 protein *in vitro* by screening the recombinant library with said DLL3 protein. In some embodiments, the recombinant library is expressed on the surface of a bacteriophage. In some embodiments, the recombinant library is expressed on the surface of yeast cells. In some embodiments, the recombinant library is expressed on the surface of bacterial cells. In some embodiments, the recombinant library is expressed as RNA-protein fusions. In some embodiments, the recombinant library is an scFv library or an Fab library. In some embodiments, the recombinant antibody library is a single domain library.

[0032] One embodiment provides a process for the production of a DLL3 binding protein according to this disclosure, said process comprising culturing a host transformed or transfected with a vector comprising a nucleic acid sequence encoding the DLL3 binding protein according to this disclosure under conditions allowing the expression of the DLL3 binding protein and recovering and purifying the produced protein from the culture.

[0033] One embodiment provides a method for the treatment or amelioration of a proliferative disease, or a tumorous disease, comprising the administration of the DLL3 targeting trispecific protein according to any one of above embodiments, a DLL3 binding protein according to this disclosure, or a pharmaceutical composition as provided herein, to a subject in need thereof. In some embodiments, the subject is human. In some embodiments, the method further comprises administration of an agent in combination with the DLL3 targeting trispecific protein according to any one of above embodiments, the DLL3 binding protein according to this disclosure, or the

pharmaceutical composition as provided herein. In some embodiments, the DLL3 targeting trispecific protein or the DLL3 binding protein selectively binds to tumor cells expressing DLL3. In some embodiments, the DLL3 targeting trispecific protein mediates T cell killing of tumor cells expressing DLL3. In some embodiments, the tumorous disease comprises a solid tumor disease. In some embodiments, the solid tumor disease comprises lung cancer, gastric cancer, ovarian cancer, or triple negative breast cancer. In some embodiments, in the solid tumor disease is metastatic.

[0034] One embodiment provides a method for the treatment or amelioration of a proliferative disease, or a tumorous disease, comprising administration of a DLL3 targeting trispecific protein comprising a DLL3 binding domain comprising sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886, or a DLL3 binding protein comprising a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886. In some embodiments, the DLL3 targeting trispecific protein or the DLL3 binding protein selectively binds to tumor cells expressing DLL3. In some embodiments, the DLL3 targeting trispecific protein directs T cell killing of tumor cells expressing DLL3. In some embodiments, the tumorous disease comprises a solid tumor disease. In some embodiments, the solid tumor disease comprises lung cancer, gastric cancer, ovarian cancer, or triple negative breast cancer. In some embodiments, the solid tumor disease is metastatic.

[0035] One embodiment provides a method for the treatment or amelioration of a proliferative disease, or a tumorous disease, comprising administration of a DLL3 binding domain comprising a sequence as set forth in SEQ ID No. 68 or 75 or a DLL3 binding protein comprising a sequence as set forth in SEQ ID No. 68 or 75. In some embodiments, the DLL3 targeting trispecific protein or the DLL3 binding protein at a dose of up to 10 mg/kg. In some embodiments, the protein is administered at least once a week. In some embodiments, the protein is administered twice per week. In some embodiments, the protein is administered every other week. In some embodiments, the protein is administered every three weeks.

[0036] In one embodiment is provided a DLL3 binding protein comprising an amino acid sequence as set forth in SEQ ID No. 1890 or SEQ ID No. 1891.

[0037] One embodiment provides a DLL3 targeting trispecific protein, wherein said protein comprises

- (a) a first domain (A) which is a single chain variable fragment that specifically binds to a human CD3;
- (b) a second domain (B) which is a single domain antibody that specifically binds to a human serum albumin protein; and
- (c) a third domain (C) which is a single domain antibody that specifically binds to a DLL3

protein, wherein the third domain (C) comprises a sequence that is at least 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886.

[0038] In some embodiments, the domains are linked in the order H2N-(A)-(B)-(C)-COOH, H2N-(A)-(C)-(B)-COOH, H2N-(B)-(A)-(C)-COOH, H2N-(B)-(C)-(A)-COOH, H2N-(C)-(B)-(A)-COOH, or H2N-(C)-(A)-(B)-COOH, or by linkers L1 and L2, in the order H2N-(A)-L1-(B)-L2-(C)-COOH, H2N-(A)-L1-(C)-L2-(B)-COOH, H2N-(B)-L1-(A)-L2-(C)-COOH, H2N-(B)-L1-(C)-L2-(A)-COOH, H2N-(C)-L1-(B)-L2-(A)-COOH, or H2N-(C)-L1-(A)-L2-(B)-COOH.

[0039] In some embodiments, the third domain (C) is an affinity matured binding molecule derived from a parental molecule that specifically binds to the DLL3 protein. In some embodiments, the affinity matured binding DLL3 binding molecule has a binding affinity toward the DLL3 protein that is about 2-fold about 50-fold greater than the binding affinity of the parental molecule toward the DLL3 protein.

[0040] In some embodiments, the third domain (C) comprises a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886. In some embodiments, the third domain (C) comprises a sequence that is selected from the group consisting of SEQ ID Nos. 1-52. In some embodiments, the third domain (C) comprises a CDR1, a CDR2, and a CDR3, wherein the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887, wherein the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888, and wherein the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889. In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 495-528. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 937-970. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1379-1412. In some embodiments, the third domain (C) comprises a sequence selected from the group consisting of SEQ ID Nos. 53-86.

[0041] In some embodiments, the third domain (C) comprises a CDR1, a CDR2, and a CDR3, and wherein the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 529-809. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 971 to 1251. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1379-1412. In some embodiments, the third domain (C) comprises a sequence selected from the group consisting of SEQ ID Nos. 87-367. In some embodiments, the third domain (C) comprises a CDR1, a CDR2, and a CDR3, and wherein the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 810-884. In some embodiments, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 1252 to 1326. In some embodiments, the CDR3 comprises a sequence selected from the

group consisting of SEQ ID Nos. 1692 to 1768. In some embodiments, the third domain (C) comprises a sequence selected from the group consisting of SEQ ID Nos. 368-442. In some embodiments, the first domain (A) comprises a sequence selected from the group consisting of SEQ ID Nos. 1793 to 1807 and 1897-1898.

[0042] In some embodiments, the second domain (B) comprises a sequence selected from the group consisting of SEQ ID Nos. 1769-1778. In some embodiments, the linkers L1 and L2 are each independently selected from (GS)_n (SEQ ID No.1809), (GGS)_n (SEQ ID No.1810), (GGGS)_n (SEQ ID No.1811), (GGSG)_n (SEQ ID No.1812), (GGSGG)_n (SEQ ID No.1813), or (GGGGS)_n (SEQ ID No.1814), wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10. In some embodiments, the domains are linked in the order H2N-(A)-(B)-(C)-COOH or by linkers L1 and L2 in the order of H2N-(A)-L1-(B)-L2-(C)-COOH. In some embodiments, the linkers L1 and L2 independently comprise the sequence of GGGGSGGGGS (SEQ ID No. 1808). In some embodiments, the DLL3 targeting trispecific protein comprises the sequence of SEQ ID No. 1890 or SEQ ID No. 1891.

[0043] One embodiment provides a DLL3 targeting trispecific protein, wherein said protein comprises (a) a first domain (A) which is a single chain variable fragment that specifically binds to a human CD3; (b) a second domain (B) which is a single domain antibody that specifically binds to a human serum albumin protein; and (c) a third domain (C) which is a single domain antibody that specifically binds to DLL3, wherein the third domain comprises the sequence of SEQ ID No.68 or SEQ ID No. 75, or is derived from SEQ ID No.68 or SEQ ID No. 75. In some embodiments, the third domain (C) is derived from SEQ ID No. 68 or from SEQ ID No. 75. In some embodiments, the third domain (C) comprises the sequence of SEQ ID No. 68 or the sequence of SEQ ID No. 75.

[0044] One embodiment provides a DLL3 binding protein comprising the following formula:

$$f1-r1-f2-r2-f3-r3-f4$$

wherein, r1 is a complementarity determining region 1 (CDR1) and is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887; r2 is a CDR2 and is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888; and r3 is a CDR3 and identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889; and wherein f1, f2, f3 and f4 are framework residues. In some embodiments, the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887, the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888, and the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889.

[0045] One embodiment provides, a DLL3 targeting trispecific protein, wherein said protein comprises

- (a) a first domain (A) which is a single chain variable fragment that specifically binds to a human CD3;
- (b) a second domain (B) which is a single domain antibody that specifically binds to a human serum albumin protein; and
- (c) a third domain (C) which is a single domain antibody that specifically binds to a DLL3 protein, wherein the third domain (C) comprises a CDR1 that has the amino acid sequence of SEQ ID No. 874, a CDR2 that has the amino acid sequence of SEQ ID No. 1316, and a CDR3 that has the amino acid sequence of SEQ ID No. 1758.

[0046] One embodiment provides, a DLL3 targeting trispecific protein, wherein said protein comprises

- (a) a first domain (A) which is a single chain variable fragment that specifically binds to a human CD3;
- (b) a second domain (B) which is a single domain antibody that specifically binds to a human serum albumin protein; and
- (c) a third domain (C) which is a single domain antibody that specifically binds to DLL3, wherein the third domain comprises a CDR1 that has an amino acid sequence selected from the group consisting of SEQ ID Nos. 851, 867, 871, 872, 873, 874, and 1887; a CDR2 that has an amino acid sequence selected from the group consisting of SEQ ID Nos. 1293, 1309, 1313, 1314, 1315, 1316 and 1888; and a CDR3 that has an amino acid sequence selected from the group consisting of SEQ ID Nos. 1735, 1751, 1755, 1756, 1757, 1758, and 1889. In some embodiment, the third domain (C) comprises a sequence that is at least 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 408, 425, 432, 430, 431, and 1886. In some embodiments, the third domain (C) comprises a sequence selected from the group consisting of SEQ ID Nos. 408, 425, 432, 430, 431, and 1886.

[0047] In some embodiments, the domains are linked in the order H2N-(A)-(B)-(C)-COOH, H2N-(A)-(C)-(B)-COOH, H2N-(B)-(A)-(C)-COOH, H2N-(B)-(C)-(A)-COOH, H2N-(C)-(B)-(A)-COOH, or H2N-(C)-(A)-(B)-COOH, or by linkers L1 and L2, in the order H2N-(A)-L1-(B)-L2-(C)-COOH, H2N-(A)-L1-(C)-L2-(B)-COOH, H2N-(B)-L1-(A)-L2-(C)-COOH, H2N-(B)-L1-(C)-L2-(A)-COOH, H2N-(C)-L1-(B)-L2-(A)-COOH, or H2N-(C)-L1-(A)-L2-(B)-COOH.

[0048] In some embodiments, the domains are linked in the order H2N-(A)-(B)-(C)-COOH or by linkers L1 and L2 in the order of H2N-(A)-L1-(B)-L2-(C)-COOH. In some embodiments, the domains are linked in the order H2N-(C)-(B)-(A)-COOH or by linkers L1 and L2 in the order of H2N-(C)-L1-(B)-L2-(A)-COOH. In some embodiments, the third domain (C) is an affinity

matured binding molecule derived from a parental molecule that specifically binds to the DLL3 protein.

[0049] In some embodiments, the affinity matured binding DLL3 binding molecule has a binding affinity toward the DLL3 protein that is about 2-fold about 50-fold greater than the binding affinity of the parental molecule toward the DLL3 protein. In some embodiments, the parental molecule comprises the amino acid sequence of SEQ ID No. 68 or SEQ ID No. 75.

[0050] In some embodiments, the linkers L1 and L2 are each independently selected from the group consisting of (GS)_n (SEQ ID No.1809), (GGS)_n (SEQ ID No.1810), (GGGS)_n (SEQ ID No.1811), (GGSG)_n (SEQ ID No.1812), (GGSGG)_n (SEQ ID No.1813), or (GGGGS)_n (SEQ ID No.1814), wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10. In some embodiments, the linkers L1 and L2 independently comprises the sequence of GGGGSGGGGS (SEQ ID No. 1808).

[0051] In some embodiments, the second domain (B) comprises an amino acid sequence selected from the group consisting of SEQ ID Nos. 1769-1778. In some embodiments, the first domain (A) comprises an amino acid sequence selected from the group consisting of SEQ ID Nos. 1793-1802 and 1897-1898. In some embodiments, the DLL3 targeting trispecific protein comprises the sequence of SEQ ID No. 1890 or SEQ ID No. 1891. In some embodiments, the ird domain (C) binds to a human DLL3 protein comprising the sequence of SEQ ID No. 1893.

[0052] One embodiment provides a DLL3 binding protein comprising a CDR1 that has the amino acid sequence of SEQ ID No. 874, a CDR2 that has the amino acid sequence of SEQ ID No. 1316, and a CDR3 that has the amino acid sequence of SEQ ID No. 1758. In some embodiments, the DLL3 binding protein comprises a sequence that is at least 80% identical to the amino acid sequence of SEQ ID No. 432.

[0053] One embodiment provides a DLL3 binding protein comprising a CDR1 that has an amino acid sequence selected from the group consisting of SEQ ID Nos. 851, 867, 871, 872, 873, 874, and 1887; a CDR2 that has an amino acid sequence selected from the group consisting of SEQ ID Nos. 1293, 1309, 1313, 1314, 1315, 1316 and 1888; and a CDR3 that has an amino acid sequence selected from the group consisting of SEQ ID Nos. 1735, 1751, 1755, 1756, 1757, 1758, and 1889. In some embodiments, the DLL3 binding protein comprises a sequence that is at least 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 408, 425, 432, 430, 431, and 1886.

[0054] One embodiment provides a method of treating or ameliorating a disease, comprising administering an effective amount of a DLL3 targeting trispecific protein according to any one of the above embodiments.

INCORPORATION BY REFERENCE

[0055] All publications, patents, and patent applications mentioned in this specification are herein incorporated by reference to the same extent as if each individual publication, patent, or patent application was specifically and individually indicated to be incorporated by reference.

BRIEF DESCRIPTION OF THE DRAWINGS

[0056] The novel features of the invention are set forth with particularity in the appended claims. A better understanding of the features and advantages of the present invention will be obtained by reference to the following detailed description that sets forth illustrative embodiments, in which the principles of the invention are utilized, and the accompanying drawings of which:

[0057] **Fig. 1** illustrates the various domains of an exemplary DLL3 targeting trispecific protein of this disclosure.

[0058] **Fig. 2** illustrates results of a T cell dependent cellular cytotoxicity (TDCC) assay on DMS-153 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domains of this disclosure, DH18, DH11, DH67, and DH56.

[0059] **Fig. 3** illustrates results of a TDCC assay on DMS-153 cells, using exemplary DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure DH2, DH43, DH10, and DH6.

[0060] **Fig. 4** illustrates results of a TDCC assay on DMS-153 cells, using exemplary DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure DH82, DH23, DH89, and DH17.

[0061] **Fig. 5** illustrates results of a TDCC assay on DMS-153 cells, using exemplary DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure DH83, DH12, DH61, and DH29.

[0062] **Fig. 6** illustrates results of a TDCC assay on DMS-153 cells, using exemplary DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure DH58, and DH70, and a control trispecific protein.

[0063] **Fig. 7** illustrates results of a TDCC assay on DMS-153 cells, using exemplary affinity matured DLL3 targeting trispecific proteins containing exemplary DLL3 targeting domains of this disclosure 1A011, 2E05, 1H012, 2E02, and 1C03.

[0064] **Fig. 8** illustrates results of a TDCC assay on DMS-153 cells, using exemplary affinity matured DLL3 binding trispecific proteins containing exemplary DLL3 targeting domains of this disclosure 2E010, 2E01, 2H02, 2A04, and 2F11.

[0065] Fig. 9 illustrates results of a TDCC assay on DMS-153 cells, using exemplary affinity matured DLL3 binding trispecific proteins containing exemplary DLL3 targeting domains of this disclosure 2E011, 3C04, 4H04, 4H011, and 4D09.

[0066] Fig. 10 illustrates results of a TDCC assay on DMS-153 cells, using exemplary affinity matured DLL3 binding trispecific proteins containing exemplary DLL3 targeting domains of this disclosure 4B07, 4E02, 4C06, 3H011, and 3D07.

[0067] Fig. 11 illustrates results of a TDCC assay on DMS-153 cells, using exemplary affinity matured DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure 3H06, and 4B011, and parental DLL binder domains DH43, DH6, and a control trispecific protein.

[0068] Fig. 12 illustrates results of a TDCC assay on DMS-153 cells, using exemplary purified affinity matured CHO expressed DLL3 binding trispecific proteins containing exemplary DLL3 targeting domains of this disclosure 2E05-M106Y, 2E05-M106Q, 4D09-M34L, and 4H11-M34L.

[0069] Fig. 13 illustrates results of a TDCC assay on DMS-153 cells, using exemplary purified affinity matured CHO expressed DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure 1A011 (labelled as 1A11 on Fig. 13), 1H012 (labelled as 1H12 on Fig. 13), 2E02, and 2E05.

[0070] Fig. 14 illustrates results of a TDCC assay on DMS-153 cells, using exemplary purified affinity matured CHO expressed DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure 2H02, 3C04, 4D09, and 4H11.

[0071] Fig. 15 illustrates results of a TDCC assay on DMS-153 cells, using exemplary purified DLL3 targeting trispecific proteins containing parental exemplary DLL3 binding domains DH43 and DH6, and a control trispecific protein that targets GFP.

[0072] Fig. 16 illustrates results of a TDCC assay DMS-153 cells, using exemplary DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure from second round of affinity maturation.

[0073] Fig. 17 illustrates an image of a 10-20% TRIS Glycine SDS-PAGE loaded with 2.4 micrograms of non-reduced protein per lane and stained with Coomassie. The lane numbers are indicated by the numbers at the top of the gel image and the migration of molecular weight standards are indicated by the number on the right side of the gel image (in kilodaltons). Gel loading: Lane 1 empty, lane 2 molecular weight standard, lane 3 empty, lane 4 anti-DLL3 trispecific containing DLL3 binding domain 51G2, lane 5 anti-DLL3 trispecific containing DLL3 binding domain 51G10, lane 6 anti-DLL3 trispecific containing DLL3 binding domain 51H5, lane 7 anti-DLL3 trispecific containing DLL3 binding domain 51X5, lane 8 anti-DLL3 trispecific

containing DLL3 binding domain 52B1, lane 9 anti-DLL3 trispecific containing DLL3 binding domain 52C4, lane 10 anti-DLL3 trispecific containing DLL3 binding domain 52D4, lane 11 anti-DLL3 trispecific containing DLL3 binding domain 51A2, lane 12 containing DLL3 binding domain anti-DLL3 trispecific 51A5, lane 13 anti-DLL3 trispecific containing DLL3 binding domain 51F3, lane 14 empty, and lane 15 empty.

[0074] Fig. 18 illustrates results of a TDCC assay on DMS-53 cells, using exemplary purified affinity matured CHO expressed DLL3 targeting trispecific proteins containing exemplary DLL3 binding domains of this disclosure 51G2, 51G10, 51H5, 51X5, 52B1, 52C4, 52D4, 51A2, and parental DLL3 binder domain DH6, and a control trispecific protein.

[0075] Fig. 19 illustrates results of a TDCC assay on DMS-153 cells, using exemplary purified affinity matured CHO expressed DLL3 targeting trispecific proteins of this disclosure, containing exemplary DLL3 binding domains of this disclosure 51G2, 51G10, 51H5, 51X5, 52B1, 52C4, 52D4, 51A2, and parental DLL3 binder domain DH6, and a control binding trispecific protein that targets GFP.

[0076] Fig. 20 provides a schematic illustration of a DLL3 targeting trispecific protein containing an exemplary DLL3 binding protein of this disclosure (DLL3 binder), a CD3 binding domain (anti-CD3 epsilon scFv), and an albumin binding (anti-ALB) domain, in an anti-DLL3: anti-ALB: anti-CD3 orientation (TAC orientation).

[0077] Fig. 21 provides a schematic illustration of a DLL3 targeting trispecific protein containing an exemplary DLL3 binding protein of this disclosure (DLL3 binder), a CD3 binding domain (anti-CD3 epsilon scFv), and an albumin binding (anti-ALB) domain, in an anti-CD3: anti-ALB: anti-DLL3 orientation (CAT orientation).

[0078] Fig. 22 illustrates results of a T cell dependent cellular cytotoxicity (TDCC) assay on NCI-H2171 cells, using exemplary DLL3 trispecific proteins containing a DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration or in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA) or bovine serum albumin (BSA).

[0079] Fig. 23 illustrates results of a T cell dependent cellular cytotoxicity (TDCC) assay on DMS-79 cells, using exemplary DLL3 targeting trispecific proteins containing a DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration or in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence or absence of human serum albumin (HSA).

[0080] Fig. 24 illustrates results of a T cell dependent cellular cytotoxicity (TDCC) assay on SHP77 cells, using exemplary DLL3 trispecific proteins containing a DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration or in an anti-

DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA) or bovine serum albumin (BSA).

[0081] Fig. 25 illustrates results of a T cell dependent cellular cytotoxicity (TDCC) assay on WM2664 cells, using exemplary DLL3 trispecific proteins containing a DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration or in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA) or bovine serum albumin (BSA).

[0082] Fig. 26 depicts binding of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration to human T cells from four different donors as compared to that of a controls with secondary antibody alone or cells without any antibody or trispecific molecule.

[0083] Fig. 27 depicts binding of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration to human T cells from four different donors as compared to that of a controls with secondary antibody alone or cells without any antibody or trispecific molecule.

[0084] Fig. 28 depicts binding of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration to human DLL3 expressing cell lines NCI-H82 (top left), SHP77 (top right), DMS53 (bottom left) or NCI-H2171 (bottom right) compared to a trispecific molecules with an GFP binding domain.

[0085] Fig. 29 depicts binding of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration to human DLL3 expressing cell lines NCI-H82 (top left), SHP77 (top right), DMS53 (bottom left) or NCI-H2171 (bottom right) compared to a trispecific molecules with an GFP binding domain.

[0086] Fig. 30 illustrates the results of a TDCC assay on NCI-H82 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0087] Fig. 31 illustrates the results of a TDCC assay on SHP77 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0088] Fig. 32 illustrates the results of a TDCC assay on DMS53 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an

anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0089] Fig. 33 illustrates the results of a TDCC assay on NCI-H2171 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0090] Fig. 34 illustrates the results of a TDCC assay on NCI-H82 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0091] Fig. 35 illustrates the results of a TDCC assay on SHP77 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0092] Fig. 36 illustrates the results of a TDCC assay on DMS53 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0093] Fig. 37 illustrates the results of a TDCC assay on NCI-H2171 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0094] Fig. 38 illustrates the results of a flow cytometry measurements of CD69 expression on T cells co-cultured with NCI-H82 cells with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0095] Fig. 39 illustrates the results of a flow cytometry measurements of CD25 expression on T cells co-cultured with NCI-H82 cells with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0096] Fig. 40 illustrates the results of a flow cytometry measurements of CD69 expression on T cells co-cultured with DMS53 cells with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-

ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0097] Fig. 41 illustrates the results of a flow cytometry measurements of CD25 expression on T cells co-cultured with DMS53 cells with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA).

[0098] Fig. 42 illustrates the results of a flow cytometry measurements of CD69 expression on T cells co-cultured with NCI-H82 cells with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[0099] Fig. 43 illustrates the results of a flow cytometry measurements of CD25 expression on T cells co-cultured with NCI-H82 cells with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[00100] Fig. 44 illustrates the results of a flow cytometry measurements of CD69 expression on T cells co-cultured with DMS53 cells with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

[00101] Fig. 45 illustrates the results of a flow cytometry measurements of CD25 expression on T cells co-cultured with DMS53 cells with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA).

[00102] Fig. 46 illustrates the results of IFN γ measurements in conditioned media from co-cultures of T cells and NCI-H82 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA).

[00103] Fig. 47 illustrates the results of IFN γ measurements in conditioned media from co-cultures of T cells and SHP77 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-

DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA).

[00104] **Fig. 48** illustrates the results of IL-2 measurements in conditioned media from co-cultures of T cells and NCI-H82 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA).

[00105] **Fig. 49** illustrates the results of IL-2 measurements in conditioned media from co-cultures of T cells and SHP77 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA).

[00106] **Fig. 50** illustrates the results of TNF α measurements in conditioned media from co-cultures of T cells and NCI-H82 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA).

[00107] **Fig. 51** illustrates the results of TNF α measurements in conditioned media from co-cultures of T cells and SHP77 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA).

[00108] **Fig. 52** illustrates the results of IFN γ measurements in conditioned media from co-cultures of T cells and NCI-H82 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA).

[00109] **Fig. 53** illustrates the results of IFN γ measurements in conditioned media from co-cultures of T cells and SHP77 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA).

[00110] **Fig. 54** illustrates the results of IL-2 measurements in conditioned media from co-cultures of T cells and NCI-H82 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-

CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA).

[00111] **Fig. 55** illustrates the results of IL-2 measurements in conditioned media from co-cultures of T cells and SHP77 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA).

[00112] **Fig. 56** illustrates the results of TNF α measurements in conditioned media from co-cultures of T cells and NCI-H82 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA).

[00113] **Fig. 57** illustrates the results of TNF α measurements in conditioned media from co-cultures of T cells and SHP77 cells incubated with a titration of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA).

[00114] **Fig. 58** depicts that an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration or an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, was able to inhibit tumor growth in mice injected with a mixture of human T cells and NCI-H82 small cell lung cancer cells at dosages 20 μ g/kg, 100 μ g/kg or 500 μ g/kg.

[00115] **Fig. 59** depicts that an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, was able to eliminate NCI-H82 xenograft tumors growth in mice injected with human T cells at dosages of 10 μ g/kg and 100 μ g/kg.

[00116] **Fig. 60** depicts that an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, was able to inhibit tumor growth in mice injected with a mixture of human T cells and SHP77 small cell lung cancer cells at dosages 10 μ g/kg and 100 μ g/kg.

[00117] **Fig. 61** depicts pharmacokinetic profile of exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration (ID numbers 1 and 2) or an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration (ID numbers 3 and 4). Serum levels of the DLL3 targeting trispecific

proteins at various time points following injection into cynomolgus monkeys, at 0.3 mg/kg, are shown in the plot.

[00118] **Fig. 62** depicts pharmacokinetic profile of an exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, at various time points following injection into cynomolgus monkeys, at 1 mg/kg or 10 mg/kg, are shown in the plot.

[00119] **Fig. 63** depicts transient cytokine increase after first dosing of an exemplary DLL3 binding TriTAC molecule of this disclosure at 1 mg/kg and 10 mg/kg or a vehicle control. The top panel shows transient increase of IFN γ , the second panel shows transient increase of IL-6, and third panel show transient increase in IL-10.

[00120] **Fig. 64** illustrates the results of a TDCC assay on DMS53 cells, using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, using freshly thawed protein, or using protein present in a serum sample from a cynomolgus monkey collected 168 h after dosing with 10 mg/kg DLL3 targeting trispecific protein, measured in the presence of 8.4% cynomolgus monkey serum.

DETAILED DESCRIPTION OF THE INVENTION

[00121] Described herein, in some embodiments, are proteins that specifically bind delta-like ligand 3 (DLL3) and multispecific (*e.g.*, trispecific) containing the same, pharmaceutical compositions thereof, as well as nucleic acids, recombinant expression vectors and host cells for making such proteins thereof. Also provided are methods of using at least one of: the disclosed DLL3 binding proteins, or DLL3 targeting trispecific proteins containing the same, in the prevention, and/or treatment of diseases, conditions and disorders. The DLL3 targeting trispecific proteins are capable of specifically binding to DLL3 as well as CD3 and have a half-life extension domain, such as a domain that is capable of specifically binding to human albumin (ALB). **Fig. 1** depicts one non-limiting example of a trispecific DLL3-binding protein. In some embodiments, the DLL3 targeting trispecific protein comprises an antibody, such as a trispecific antibody.

Certain definitions

[00122] An “antibody” typically refers to a Y-shaped tetrameric protein comprising two heavy (H) and two light (L) polypeptide chains held together by covalent disulfide bonds and non-covalent interactions. Human light chains comprise a variable domain (VL) and a constant domain (CL) wherein the constant domain may be readily classified as kappa or lambda based on amino acid sequence and gene loci. Each heavy chain comprises one variable domain (VH) and a

constant region, which in the case of IgG, IgA, and IgD, comprises three domains termed CH1, CH2, and CH3 (IgM and IgE have a fourth domain, CH4). In IgG, IgA, and IgD classes the CH1 and CH2 domains are separated by a flexible hinge region, which is a proline and cysteine rich segment of variable length (generally from about 10 to about 60 amino acids in IgG). The variable domains in both the light and heavy chains are joined to the constant domains by a “J” region of about 12 or more amino acids and the heavy chain also has a “D” region of about 10 additional amino acids. Each class of antibody further comprises inter-chain and intra-chain disulfide bonds formed by paired cysteine residues. There are two types of native disulfide bridges or bonds in immunoglobulin molecules: interchain and intrachain disulfide bonds. The location and number of interchain disulfide bonds vary according to the immunoglobulin class and species. Interchain disulfide bonds are located on the surface of the immunoglobulin, are accessible to solvent and are usually relatively easily reduced. In the human IgG1 isotype there are four interchain disulfide bonds, one from each heavy chain to the light chain and two between the heavy chains. The interchain disulfide bonds are not required for chain association. As is well known the cysteine rich IgG1 hinge region of the heavy chain has generally been held to consist of three parts: an upper hinge, a core hinge, and a lower hinge. Those skilled in the art will appreciate that that the IgG1 hinge region contain the cysteines in the heavy chain that comprise the interchain disulfide bonds (two heavy/heavy, two heavy/light), which provide structural flexibility that facilitates Fab movements. The interchain disulfide bond between the light and heavy chain of IgG1 are formed between C214 of the kappa or lambda light chain and C220 in the upper hinge region of the heavy chain. The interchain disulfide bonds between the heavy chains are at positions C226 and C229 (all numbered per the EU index according to Kabat, et al., *infra*.)

[00123] As used herein the term “antibody” includes polyclonal antibodies, multiclonal antibodies, monoclonal antibodies, chimeric antibodies, humanized and primatized antibodies, CDR grafted antibodies, human antibodies, recombinantly produced antibodies, intrabodies, multispecific antibodies, bispecific antibodies, monovalent antibodies, multivalent antibodies, anti-idiotypic antibodies, synthetic antibodies, including muteins and variants thereof, immunospecific antibody fragments such as Fd, Fab, F(ab')₂, F(ab') fragments, single-chain fragments (*e.g.*, ScFv and ScFvFc), disulfide-linked Fvs (sdFv), a Fd fragment consisting of the VH and CH1 domains, linear antibodies, single domain antibodies such as sdAb (VH, VL, or VHH domains); and derivatives thereof including Fc fusions and other modifications, and any other immunoreactive molecule so long as it comprises a domain having a binding site for preferential association or binding with a DLL3 protein. Moreover, unless dictated otherwise by contextual constraints the term further comprises all classes of antibodies (*i.e.* IgA, IgD, IgE,

IgG, and IgM) and all subclasses (*i.e.*, IgG1, IgG2, IgG3, IgG4, IgA1, and IgA2). Heavy-chain constant domains that correspond to the different classes of antibodies are typically denoted by the corresponding lower case Greek letter alpha, delta, epsilon, gamma, and mu, respectively. Light chains of the antibodies from any vertebrate species can be assigned to one of two clearly distinct types, called kappa (kappa) and lambda (lambda), based on the amino acid sequences of their constant domains.

[00124] In some embodiments, the DLL3 binding domain of the DLL3 targeting trispecific proteins of this disclosure comprise a heavy chain only antibody, such as a VH or a VHH domain. In some cases, the DLL3 binding proteins comprise a heavy chain only antibody that is an engineered human VH domain. In some examples, the engineered human VH domain is produced by panning of phage display libraries. In some embodiments, the DLL3 binding domain of the DLL3 targeting trispecific proteins of this disclosure comprise a VHH. The term “VHH,” as used herein, refers to single chain antibody binding domain devoid of light chain. In some cases, a VHH is derived from an antibody of the type that can be found in Camelidae or cartilaginous fish which are naturally devoid of light chains or to a synthetic and non-immunized VHH which can be constructed accordingly. Each heavy chain comprises a variable region encoded by V-, D- and J exons. A VHH, in some cases, is a natural VHH, such as a Camelid-derived VHH, or a recombinant protein comprising a heavy chain variable domain. In some embodiments, the VHH is derived from a species selected from the group consisting of camels, llamas, vicuñas, guanacos, and cartilaginous fish (such as, but not limited to, sharks). In another embodiment, the VHH is derived from an alpaca (such as, but not limited to, a Huacaya Alpaca or a Suri alpaca).

[00125] As used herein, “Variable region” or “variable domain” refers to the fact that certain portions of the variable domains differ extensively in sequence among antibodies and are used in the binding and specificity of each particular antibody for its particular antigen. However, the variability is not evenly distributed throughout the variable domains of antibodies. It is concentrated in three segments called complementarity-determining regions (CDRs) or hypervariable regions both in the light-chain (VL) and the heavy-chain (VH) variable domains. The more highly conserved portions of variable domains are called the framework (FR). The variable domains of native heavy and light chains each comprise four FR regions, largely adopting a β -sheet configuration, connected by three CDRs, which form loops connecting, and in some cases forming part of, the β sheet structure. The CDRs in each chain are held together in close proximity by the FR regions and, with the CDRs from the other chain, contribute to the formation of the antigen-binding site of antibodies (see Kabat et al., Sequences of Proteins of Immunological Interest, Fifth Edition, National Institute of Health, Bethesda, Md. (1991)). The

constant domains are not involved directly in binding an antibody to an antigen, but exhibit various effector functions, such as participation of the antibody in antibody-dependent cellular toxicity. ScFv fragments (for single chain fragment variable), which in some cases are obtained by genetic engineering, associates in a single polypeptide chain, the VH and the VL region of an antibody, separated by a peptide linker.

[00126] In some embodiments of this disclosure, the DLL3 binding domain, such as the DLL3 binding domain of the DLL3 targeting trispecific proteins comprise a single domain antibody, such as heavy chain only antibodies, such as VH or VHH domains, and comprise three CDRs. Such heavy chain only antibodies, in some embodiments, bind DLL3 as a monomer with no dependency on dimerisation with a VL (light chain variable) region for optimal binding affinity. In some embodiments of this disclosure, the CD3 binding domain of the DLL3 targeting trispecific proteins comprises an scFv. In some embodiments of this disclosure, the albumin binding domain of the DLL3 targeting trispecific proteins comprise a heavy chain only antibody, such as a single domain antibody comprising a VH domain or a VHH domain.

[00127] The assignment of amino acids to each domain, framework region and CDR is, in some embodiments, in accordance with one of the numbering schemes provided by Kabat *et al.* (1991) Sequences of Proteins of Immunological Interest (5th Ed.), US Dept. of Health and Human Services, PHS, NIH, NIH Publication no. 91-3242; Chothia et al., 1987, PMID: 3681981; Chothia et al., 1989, PMID: 2687698; MacCallum et al., 1996, PMID: 8876650; or Dubel, Ed. (2007) Handbook of Therapeutic Antibodies, 3rd Ed., Wiley-VCH Verlag GmbH and Co or AbM (Oxford Molecular/MSI Pharmacopia) unless otherwise noted. It is not intended that CDRs of the present disclosure necessarily correspond to the Kabat numbering convention. In some embodiments of this disclosure, the DLL3 binding proteins comprise single domain antibodies, such as heavy chain only antibodies, such as VH or VHH domains, and comprise three CDRs. Such heavy chain only antibodies, in some embodiments, bind DLL3 as a monomer with no dependency on dimerisation with a VL (light chain variable) region for optimal binding affinity.

[00128] “Variable domain residue numbering as in Kabat” or “amino acid position numbering as in Kabat,” and variations thereof, refers to the numbering system used for heavy chain variable domains or light chain variable domains of the compilation of antibodies in Kabat *et al.*, Sequences of Proteins of Immunological Interest, 5th Ed. Public Health Service, National Institutes of Health, Bethesda, Md. (1991). Using this numbering system, the actual linear amino acid sequence may contain fewer or additional amino acids corresponding to a shortening of, or insertion into, a FR or CDR of the variable domain. For example, a heavy chain variable domain may include a single amino acid insert (residue 52a according to Kabat) after residue 52 of H2 and inserted residues (*e.g.*, residues 82a, 82b, and 82c, etc according to Kabat) after heavy chain

FR residue 82. The Kabat numbering of residues may be determined for a given antibody by alignment at regions of homology of the sequence of the antibody with a “standard” Kabat numbered sequence.

[00129] The term “Framework” or “FR” residues (or regions) refer to variable domain residues other than the CDR or hypervariable region residues as herein defined. A “human consensus framework” is a framework which represents the most commonly occurring amino acid residue in a selection of human immunoglobulin VL or VH framework sequences.

[00130] As used herein, the term “Percent (%) amino acid sequence identity” with respect to a sequence is defined as the percentage of amino acid residues in a candidate sequence that are identical with the amino acid residues in the specific sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer softwares such as EMBOSS MATCHER, EMBOSS WATER, EMBOSS STRETCHER, EMBOSS NEEDLE, EMBOSS LALIGN, BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared.

[00131] As used herein, “elimination half-time” is used in its ordinary sense, as is described in Goodman and Gillman's *The Pharmaceutical Basis of Therapeutics* 21-25 (Alfred Goodman Gilman, Louis S. Goodman, and Alfred Gilman, eds., 6th ed. 1980). Briefly, the term is meant to encompass a quantitative measure of the time course of drug elimination. The elimination of most drugs is exponential (i.e., follows first-order kinetics), since drug concentrations usually do not approach those required for saturation of the elimination process. The rate of an exponential process may be expressed by its rate constant, k , which expresses the fractional change per unit of time, or by its half-time, $t_{1/2}$ the time required for 50% completion of the process. The units of these two constants are time^{-1} and time, respectively. A first-order rate constant and the half-time of the reaction are simply related ($k \times t_{1/2} = 0.693$) and may be interchanged accordingly. Since first-order elimination kinetics dictates that a constant fraction of drug is lost per unit time, a plot of the log of drug concentration versus time is linear at all times following the initial distribution phase (i.e. after drug absorption and distribution are complete). The half-time for drug elimination can be accurately determined from such a graph.

[00132] As used herein, the term “binding affinity” refers to the affinity of the proteins described in the disclosure to their binding targets, and is expressed numerically using “ K_d ”

values. If two or more proteins are indicated to have comparable binding affinities towards their binding targets, then the K_d values for binding of the respective proteins towards their binding targets, are within ± 2 -fold of each other. If two or more proteins are indicated to have comparable binding affinities towards single binding target, then the K_d values for binding of the respective proteins towards said single binding target, are within ± 2 -fold of each other. If a protein is indicated to bind two or more targets with comparable binding affinities, then the K_d values for binding of said protein to the two or more targets are within ± 2 -fold of each other. In general, a higher K_d value corresponds to a weaker binding. In some embodiments, the “ K_d ” is measured by a radiolabeled antigen binding assay (RIA) or surface plasmon resonance assays using a BIAcore™-2000 or a BIAcore™-3000 (BIAcore, Inc., Piscataway, N.J.). In certain embodiments, an “on-rate” or “rate of association” or “association rate” or “kon” and an “off-rate” or “rate of dissociation” or “dissociation rate” or “koff” are also determined with the surface plasmon resonance technique using a BIAcore™-2000 or a BIAcore™-3000 (BIAcore, Inc., Piscataway, N.J.). In additional embodiments, the “ K_d ”, “kon”, and “koff” are measured using the OCTET® Systems (Pall Life Sciences). In an exemplary method for measuring binding affinity using the OCTET® Systems, the ligand, *e.g.*, biotinylated human or cynomolgus DLL3, is immobilized on the OCTET® streptavidin capillary sensor tip surface which streptavidin tips are then activated according to manufacturer's instructions using about 20-50 $\mu\text{g/ml}$ human or cynomolgus DLL3 protein. A solution of PBS/Casein is also introduced as a blocking agent. For association kinetic measurements, DLL3 binding protein variants are introduced at a concentration ranging from about 10 ng/mL to about 100 $\mu\text{g/mL}$, about 50 ng/mL to about 5 $\mu\text{g/mL}$, or about 2 ng/mL to about 20 $\mu\text{g/mL}$. In some embodiments, the DLL3 binding single domain proteins are used at a concentration ranging from about 2 ng/mL to about 20 $\mu\text{g/mL}$. Complete dissociation is observed in case of the negative control, assay buffer without the binding proteins. The kinetic parameters of the binding reactions are then determined using an appropriate tool, *e.g.*, ForteBio software.

[00133] One embodiment provides a DLL3 binding protein (also referred to herein as an DLL3 binding domain, such as the DLL3 binding domain of a DLL3 trispecific antibody of this disclosure) that comprises a single domain antibody, comprising a CDR1 sequence comprising a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887, a CDR2 sequence comprising a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888, and a CDR3 sequence comprising a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889. It is contemplated that in some embodiments the DLL3 binding protein of this disclosure is fairly small and no more than 25 kD, no more than 20 kDa,

no more than 15 kDa, or no more than 10 kDa in some embodiments. In certain instances, the EGFR binding is 5 kDa or less if it is a peptide or a small molecule entity.

[00134] In one aspect, the DLL3 targeting trispecific protein (also referred to herein as a DLL3 binding trispecific protein, a DLL3 trispecific protein, or a DLL3 TriTAC™) comprises (a) a first domain (A) which specifically binds to human CD3; (b) a second domain (B) which is a half-life extension domain; and (c) a third domain (C) which specifically binds to DLL3. The three domains in DLL3 targeting trispecific proteins are arranged in any order. Thus, it is contemplated that the domain order of the DLL3 targeting trispecific proteins are:

H₂N-(A)-(B)-(C)-COOH,
H₂N-(A)-(C)-(B)-COOH,
H₂N-(B)-(A)-(C)-COOH,
H₂N-(B)-(C)-(A)-COOH,
H₂N-(C)-(B)-(A)-COOH, or
H₂N-(C)-(A)-(B)-COOH.

[00135] In some embodiments, the DLL3 targeting trispecific proteins have a domain order of H₂N-(A)-(B)-(C)-COOH. In some embodiments, the DLL3 targeting trispecific proteins have a domain order of H₂N-(A)-(C)-(B)-COOH. In some embodiments, the DLL3 targeting trispecific proteins have a domain order of H₂N-(B)-(A)-(C)-COOH. In some embodiments, the DLL3 targeting trispecific proteins have a domain order of H₂N-(B)-(C)-(A)-COOH. In some embodiments, the DLL3 targeting trispecific proteins have a domain order of H₂N-(C)-(B)-(A)-COOH. In some embodiments, the DLL3 targeting trispecific proteins have a domain order of H₂N-(C)-(A)-(B)-COOH.

[00136] In some embodiments, the DLL3 targeting trispecific proteins have the HSA (also referred to herein as ALB) binding domain as the middle domain, such that the domain order is H₂N-(A)-(B)-(C)-COOH or H₂N-(C)-(B)-(A)-COOH. It is contemplated that in such embodiments where the HSA binding domain as the middle domain, the CD3 and DLL3 binding domains are afforded additional flexibility to bind to their respective targets.

[00137] In some embodiments, the trispecific binding protein comprises a third domain that specifically binds DLL3, which third domain is in some cases a DLL3 binding single domain antibody, which binds to DLL3 with equivalent or better affinity as that of a reference DLL3 binding parental molecule. The third domain in some embodiments comprises an affinity matured DLL3 binding molecule (*e.g.*, an affinity matured DLL3 binding single domain antibody), and is derived from the DLL3 binding parental molecule, comprising one or more amino acid mutations (*e.g.*, a stabilizing mutation, a destabilizing mutation) with respect to the DLL3 binding parental molecule. In some embodiments, the affinity matured DLL3 binding

molecule has superior stability with respect to selected destabilizing agents, as that of a reference DLL3 binding parental molecule. In some embodiments, the affinity matured DLL3 binding molecule is identified in a process comprising panning of one or more pre-candidate DLL3 binding molecules derived from one or more DLL3 binding parental molecule, expressed in a phage display library, against a DLL3 protein, such as a human DLL3 protein. The pre-candidate DLL3 binding molecule comprises, in some embodiments, amino acid substitutions in the variable regions, CDRs, or framework residues, relative to a parental molecule.

[00138] As used herein, “Phage display” refers to a technique by which variant polypeptides are displayed as fusion proteins to at least a portion of a coat protein on the surface of phage, filamentous phage, particles. A utility of phage display lies in the fact that large libraries of randomized protein variants can be rapidly and efficiently selected for those sequences that bind to a target molecule with high affinity. Display of peptide and protein libraries on phage has been used for screening millions of polypeptides for ones with specific binding properties. Polyvalent phage display methods have been used for displaying small random peptides and small proteins through fusions to either gene III or gene VIII of filamentous phage. Wells and Lowman, *Curr. Opin. Struct. Biol.*, 3:355-362 (1992), and references cited therein. In monovalent phage display, a protein or peptide library is fused to a gene III or a portion thereof, and expressed at low levels in the presence of wild type gene III protein so that phage particles display one copy or none of the fusion proteins. Avidity effects are reduced relative to polyvalent phage so that selection is on the basis of intrinsic ligand affinity, and phagemid vectors are used, which simplify DNA manipulations. Lowman and Wells, *Methods: A companion to Methods in Enzymology*, 3:205-0216 (1991).

[00139] In some embodiments, the panning comprises using varying binding times and concentrations to identify DLL3 binding molecules with increased or decreased on-rates, from pre-candidate DLL3 binding molecules. In some embodiments, the panning comprises using varying wash times to identify DLL3 binding molecules with increased or decreased off-rates, from pre-candidate DLL3 molecules. In some embodiments, the panning comprises using both varying binding times and varying wash times. In some embodiments, one or more stabilizing mutations are combined to increase the stability of the affinity matured DLL3 binding molecule, for example, by shuffling to create a second-stage combinatorial library from such mutants and conducting a second round of panning followed by a binding selection.

[00140] In some embodiments, the affinity matured DLL3 binding molecule comprises an equivalent or better affinity to a DLL3 protein (such as human DLL3 protein) as that of a DLL3 binding parental molecule, but that has reduced cross reactivity, or in some embodiments, increased cross reactivity, with selected substances, such as ligands, proteins, antigens, or the

like, other than the DLL3 epitope for which the DLL3 binding parental molecule is specific, or is designed to be specific for. In regard to the latter, an affinity matured DLL3 binding molecule, in some embodiments, is more successfully tested in animal models if the affinity matured DLL3 binding molecule is reacted with both human DLL3 and the corresponding target of the animal model, mouse DLL3 or cynomolgus DLL3. In some embodiments, the parental DLL3 binding molecule binds to human DLL3 with an affinity of about 10 nM or less, and to cynomolgus DLL3 with an affinity of about 15 nM or less. In some embodiments, the affinity matured DLL3 binding molecule, identified after one round of panning, binds to human DLL3 with an affinity of about 5 nM or less, and to cynomolgus DLL3 with an affinity of about 7.5 nM or less. In some embodiments, the affinity matured DLL3 binding molecule, identified after two rounds of panning, binds to human DLL3 with an affinity of about 2.5 nM or less, and to cynomolgus DLL3 with an affinity of about 3.5 nM or less.

[00141] In some embodiments, domain A, domain B, and domain C of the trispecific binding protein of this disclosure, are independently antigen-specific binding domain polypeptides that specifically bind to targets, such as targets on diseased cells, or targets on other cells that support the diseased state, such as targets on stromal cells that support tumor growth or targets on immune cells that support disease-mediated immunosuppression. In some examples, the antigen-specific binding domains include antibodies, heavy chain only antibodies, including single chain antibodies, Fabs, Fv, T-cell receptor binding domains, ligand binding domains, receptor binding domains, domain antibodies, single domain antibodies, minibodies, nanobodies, peptibodies, or various other antibody mimics (such as affimers, affitins, alphabodies, atrimers, CTLA4-based molecules, adnectins, anticalins, Kunitz domain-based proteins, avimers, knottins, fynomers, darpins, affibodies, affilins, monobodies and armadillo repeat protein-based proteins).

[00142] In some embodiments, the DLL3 targeting trispecific proteins described herein comprise a DLL binding polypeptide having a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886, subsequences thereof, and variants thereof. In some embodiments, the trispecific antigen binding protein comprises a DLL3 binding polypeptide (*i.e.*, the third domain (C)) having at least 70%-95% or more homology to a sequence selected from SEQ ID Nos. 1-442 and 1886, subsequences thereof, and variants thereof. In some embodiments, the trispecific antigen binding protein comprises a DLL3 binding polypeptide (*i.e.*, the third domain (C)) having at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or more homology to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886, subsequences thereof, and variants thereof. In some embodiments, the trispecific antigen binding protein comprises a DLL3 binding polypeptide (*i.e.*, the third domain (C)) having at least 70%-95% or more identity to a sequence selected from SEQ ID Nos. 1-442 and 1886,

subsequences thereof, and variants thereof. In some embodiments, the trispecific antigen binding protein comprises a DLL3 binding polypeptide (*i.e.*, the third domain (C)) having at least 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more identity to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886, subsequences thereof, and variants thereof.

[00143] The DLL3 targeting trispecific proteins described herein are designed to allow specific targeting of cells expressing DLL3 by recruiting cytotoxic T cells. In some embodiments, this improves efficacy compared to ADCC (antibody dependent cell-mediated cytotoxicity), which is using full length antibodies directed to a sole antigen and is not capable of directly recruiting cytotoxic T cells. In contrast, by engaging CD3 molecules expressed specifically on these cells, the DLL3 targeting trispecific proteins can crosslink cytotoxic T cells with cells expressing DLL3 in a highly specific fashion, thereby directing the cytotoxic potential of the T cell towards the target cell. The DLL3 targeting trispecific proteins described herein engage cytotoxic T cells via binding to the surface-expressed CD3 proteins, which form part of the TCR. Simultaneous binding of several DLL3 trispecific antigen-binding protein to CD3 and to DLL3 expressed on the surface of particular cells causes T cell activation and mediates the subsequent lysis of the particular DLL3 expressing cell. Thus, DLL3 targeting trispecific proteins are contemplated to display strong, specific and efficient target cell killing. In some embodiments, the DLL3 targeting trispecific proteins described herein stimulate target cell killing by cytotoxic T cells to eliminate pathogenic cells (*e.g.*, tumor cells expressing DLL3). In some of such embodiments, cells are eliminated selectively, thereby reducing the potential for toxic side effects.

[00144] The DLL3 targeting trispecific proteins described herein confer further therapeutic advantages over traditional monoclonal antibodies and other smaller bispecific molecules. Generally, the effectiveness of recombinant protein pharmaceuticals depends heavily on the intrinsic pharmacokinetics of the protein itself. One such benefit here is that the DLL3 targeting trispecific proteins described herein have extended pharmacokinetic elimination half-time due to having a half-life extension domain such as a domain that specifically binds to a serum albumin protein (*e.g.*, a human serum albumin protein, HSA). In this respect, the DLL3 targeting trispecific proteins described herein have an extended serum elimination half-time of about two, three, about five, about seven, about 10, about 12, or about 14 days in some embodiments. This contrasts to other binding proteins such as BiTE or DART molecules which have relatively much shorter elimination half-times. For example, the BiTE CD19×CD3 bispecific scFv-scFv fusion molecule requires continuous intravenous infusion (*i.v.*) drug delivery due to its short elimination half-time. The longer intrinsic half-times of the DLL3 targeting trispecific proteins solve this

issue thereby allowing for increased therapeutic potential such as low-dose pharmaceutical formulations, decreased periodic administration and/or novel pharmaceutical compositions.

[00145] The DLL3 targeting trispecific proteins described herein also have an optimal size for enhanced tissue penetration and tissue distribution. Larger sizes limit or prevent penetration or distribution of the protein in the target tissues. The DLL3 targeting trispecific proteins described herein avoid this by having a small size that allows enhanced tissue penetration and distribution. Accordingly, the DLL3 targeting trispecific proteins described herein, in some embodiments have a size of about 50 kDa to about 80 kDa, about 50 kDa to about 75 kDa, about 50 kDa to about 70 kDa, or about 50 kDa to about 65 kDa. In some embodiments, the size of the DLL3 targeting trispecific protein is smaller than about 60 kDa. Thus, the size of the DLL3 targeting trispecific proteins is advantageous over IgG antibodies which are about 150 kDa and the BiTE and DART diabody molecules which are about 55 kDa but are not half-life extended and therefore cleared quickly through the kidney.

[00146] In further embodiments, the DLL3 targeting trispecific proteins described herein have an optimal size for enhanced tissue penetration and distribution. In these embodiments, the DLL3 targeting trispecific proteins are constructed to be as small as possible, while retaining specificity toward its targets. Accordingly, in these embodiments, the DLL3 targeting trispecific proteins described herein have a size of about 20 kDa to about 40 kDa or about 25 kDa to about 35 kDa to about 40 kDa, to about 45 kDa, to about 50 kDa, to about 55 kDa, to about 60 kDa, to about 65 kDa. In some embodiments, the DLL3 targeting trispecific proteins described herein have a size of about 50kDa, 49, kDa, 48 kDa, 47 kDa, 46 kDa, 45 kDa, 44 kDa, 43 kDa, 42 kDa, 41 kDa, 40 kDa, about 39 kDa, about 38 kDa, about 37 kDa, about 36 kDa, about 35 kDa, about 34 kDa, about 33 kDa, about 32 kDa, about 31 kDa, about 30 kDa, about 29 kDa, about 28 kDa, about 27 kDa, about 26 kDa, about 25 kDa, about 24 kDa, about 23 kDa, about 22 kDa, about 21 kDa, or about 20 kDa. An exemplary approach to the small size is through the use of single domain antibody (sdAb) fragments for each of the domains. For example, a particular DLL3 trispecific antigen-binding protein has an anti-CD3 sdAb, anti-ALB sdAb and an sdAb for DLL3. This reduces the size of the exemplary DLL3 trispecific antigen-binding protein to under 60 kDa. Thus in some embodiments, the domains of the DLL3 targeting trispecific proteins are all single domain antibody (sdAb) fragments. It is contemplated that in some embodiments the DLL3 binding protein is fairly small and no more than 25 kDa, no more than 20 kDa, no more than 15 kDa, or no more than 10 kDa in some embodiments. In certain instances, the DLL3 binding protein is 5 kDa or less if it is a peptide or small molecule entity.

[00147] In other embodiments, the DLL3 targeting trispecific proteins described herein comprise small molecule entity (SME) binders for ALB, DLL3, CD3, or all. SME binders are

small molecules averaging about 500 to 2000 Da in size and are attached to the DLL3 targeting trispecific proteins by known methods, such as sortase ligation or conjugation. In these instances, one of the domains of DLL3 trispecific antigen-binding protein is a sortase recognition sequence, LPETG (SEQ ID No: 1896). To attach a SME binder to DLL3 trispecific antigen-binding protein with a sortase recognition sequence, the protein is incubated with a sortase and a SME binder whereby the sortase attaches the SME binder to the recognition sequence. In yet other embodiments, the domain which binds to DLL3 of DLL3 targeting trispecific proteins described herein comprise a knottin peptide for binding DLL3. Knottins are disulfide-stabilized peptides with a cysteine knot scaffold and have average sizes about 3.5 kDa. Knottins have been contemplated for binding to certain tumor molecules such as DLL3. In further embodiments, the third domain which binds to DLL3 of DLL3 targeting trispecific proteins described herein comprise a natural DLL3 ligand.

[00148] Another feature of the DLL3 targeting trispecific proteins described herein is that they are of a single-polypeptide design with flexible linkage of their domains. This allows for facile production and manufacturing of the DLL3 targeting trispecific proteins as they can be encoded by single cDNA molecule to be easily incorporated into a vector. Further, because the DLL3 targeting trispecific proteins described herein are a monomeric single polypeptide chain, there are no chain pairing issues or a requirement for dimerization. It is contemplated that the DLL3 targeting trispecific proteins described herein have a reduced tendency to aggregate unlike other reported molecules such as bispecific proteins with Fc-gamma immunoglobulin domains.

[00149] In the DLL3 targeting trispecific proteins described herein, the domains are, in some embodiments, linked by internal linkers L1 and L2, where L1 links the first and second domain of the DLL3 targeting trispecific proteins and L2 links the second and third domains of the DLL3 targeting trispecific proteins. Linkers L1 and L2 have an optimized length and/or amino acid composition. In some embodiments, linkers L1 and L2 are the same length and amino acid composition. In other embodiments, L1 and L2 are different. In certain embodiments, internal linkers L1 and/or L2 are “short,” *i.e.*, consist of 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 or 12 amino acid residues. Thus, in certain instances, the internal linkers consist of about 12 or less amino acid residues. In the case of 0 amino acid residues, the internal linker is a peptide bond. In certain embodiments, internal linkers L1 and/or L2 are “long,” *i.e.*, consist of 15, 20 or 25 amino acid residues. In some embodiments, these internal linkers consist of about 3 to about 15, for example 8, 9 or 10 contiguous amino acid residues. Regarding the amino acid composition of the internal linkers L1 and L2, peptides are selected with properties that confer flexibility to the DLL3 targeting trispecific proteins, do not interfere with the binding domains as well as resist cleavage from proteases. For example, glycine and serine residues generally

provide protease resistance. Examples of internal linkers suitable for linking the domains in the DLL3 targeting trisppecific proteins include but are not limited to (GS)_n (SEQ ID No. 1809), (GGS)_n (SEQ ID No. 1810), (GGGS)_n (SEQ ID No. 1811), (GGSG)_n (SEQ ID No. 1812), (GGSGG)_n (SEQ ID No. 1813), (GGGGS)_n (SEQ ID No. 1814), (GGGGG)_n (SEQ ID No. 1815), or (GGG)_n (SEQ ID No. 1816), wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10. In one embodiment, internal linker L1 and/or L2 is (GGGGS)₄ (SEQ ID No. 1817) or (GGGGS)₃ (SEQ ID No. 1818). In another embodiment, internal linker L1 and/or L2 is GGGGSGGGGS (SEQ ID No. 1808).

[00150] In some cases, the domains within the DLL3 targeting trisppecific protein are conjugated using an enzymatic site-specific conjugation method which involves the use of a mammalian or bacterial transglutaminase enzyme. Microbial transglutaminases (mTGs) are versatile tools in modern research and biotechnology. The availability of large quantities of relatively pure enzymes, ease of use, and lack of regulation by calcium and guanosine-5'-triphosphate (GTP) has propelled mTG to be the main cross-linking enzyme used in both the food industry and biotechnology. Currently, mTGs are used in many applications to attach proteins and peptides to small molecules, polymers, surfaces, DNA, as well as to other proteins. See, , Pavel Strp, Veracity of microbial transglutaminase, Bioconjugate Chem. 25, 5, 855-862).

[00151] In some examples are provided DLL3 targeting trisppecific protein wherein one of the domains comprises an acceptor glutamine in a constant region, which can then be conjugated to another domain *via* a lysine-based linker (*e.g.*, any primary amine chain which is a substrate for TGase, comprising an alkylamine, oxoamine) wherein the conjugation occurs exclusively on one or more acceptor glutamine residues present in the targeting moiety outside of the antigen combining site (*e.g.*, outside a variable region, in a constant region). Conjugation thus does not occur on a glutamine, an at least partly surface exposed glutamine, within the variable region. The trisppecific protein, in some examples, is formed by reacting one of the domains with a lysine-based linker in the presence of a TGase.

[00152] In some embodiments, where one or more domains within the DLL3 targeting trisppecific binding protein are directly joined, a hybrid vector is made where the DNA encoding the directly joined domains are themselves directly ligated to each other. In some embodiments, where linkers are used, a hybrid vector is made where the DNA encoding a first domain out of the three domains is ligated to the DNA encoding one end of a first linker moiety and the DNA encoding a second domain out of the three domains is ligated to the other end of the first linker moiety; further, the DNA encoding the second domain out of the three domains is linked to one end of a second linker moiety and the DNA encoding a third domain out of the three domains is linked to the other end of the second linker moiety, wherein the first domain, the second domain, and the third domain are distinct and wherein the first domain, the second domain, and the third

domain are independently selected from domain A, domain B, and domain C. Such ligation is performed, for example, either in series, or as a three way ligation.

CD3 binding domain

[00153] The specificity of the response of T cells is mediated by the recognition of antigen (displayed in context of a major histocompatibility complex, MHC) by the TCR. As part of the TCR, CD3 is a protein complex that includes a CD3 γ (gamma) chain, a CD3 δ (delta) chain, and two CD3 ϵ (epsilon) chains which are present on the cell surface. CD3 associates with the α (alpha) and β (beta) chains of the TCR as well as CD3 ζ (zeta) altogether to comprise the complete TCR. Clustering of CD3 on T cells, such as by immobilized anti-CD3 antibodies leads to T cell activation similar to the engagement of the T cell receptor but independent of its clone-typical specificity.

[00154] In one aspect, the DLL3 targeting trispecific proteins described herein comprise a domain which specifically binds to CD3. In one aspect, the DLL3 targeting trispecific proteins described herein comprise a domain which specifically binds to human CD3. In some embodiments, the DLL3 targeting trispecific proteins described herein comprise a domain which specifically binds to CD3 γ . In some embodiments, the DLL3 targeting trispecific proteins described herein comprise a domain which specifically binds to CD3 δ . In some embodiments, the DLL3 targeting trispecific proteins described herein comprise a domain which specifically binds to CD3 ϵ .

[00155] In further embodiments, the DLL3 targeting trispecific proteins described herein comprise a domain which specifically binds to the TCR. In certain instances, the DLL3 targeting trispecific proteins described herein comprise a domain which specifically binds the α chain of the TCR. In certain instances, the DLL3 targeting trispecific proteins described herein comprise a domain which specifically binds the β chain of the TCR.

[00156] In certain embodiments, the CD3 binding domain of the DLL3 targeting trispecific proteins described herein exhibit not only potent CD3 binding affinities with human CD3, but show also excellent cross reactivity with the respective cynomolgus monkey CD3 proteins.

[00157] In some embodiments, the CD3 binding domain of the DLL3 trispecific antigen-binding protein can be any domain that binds to CD3 including but not limited to domains from a monoclonal antibody, a polyclonal antibody, a recombinant antibody, a human antibody, a humanized antibody. In some instances, it is beneficial for the CD3 binding domain to be derived from the same species in which the DLL3 trispecific antigen-binding protein will ultimately be used in. For example, for use in humans, it may be beneficial for the CD3 binding

domain of the DLL3 trispecific antigen-binding protein to comprise human or humanized residues from the antigen binding domain of an antibody or antibody fragment.

[00158] Thus, in one aspect, the antigen-binding domain comprises a humanized or human antibody or an antibody fragment, or a murine antibody or antibody fragment. In one embodiment, the humanized or human anti-CD3 binding domain comprises one or more (*e.g.*, all three) light chain complementary determining region 1 (LC CDR1), light chain complementary determining region 2 (LC CDR2), and light chain complementary determining region 3 (LC CDR3) of a humanized or human anti-CD3 binding domain described herein, and/or one or more (*e.g.*, all three) heavy chain complementary determining region 1 (HC CDR1), heavy chain complementary determining region 2 (HC CDR2), and heavy chain complementary determining region 3 (HC CDR3) of a humanized or human anti-CD3 binding domain described herein, , a humanized or human anti-CD3 binding domain comprising one or more, , all three, LC CDRs and one or more, all three, HC CDRs.

[00159] In some embodiments, the humanized or human anti-CD3 binding domain comprises a humanized or human light chain variable region specific to CD3 where the light chain variable region specific to CD3 comprises human or non-human light chain CDRs in a human light chain framework region. In certain instances, the light chain framework region is a λ (lamda) light chain framework. In other instances, the light chain framework region is a κ (kappa) light chain framework.

[00160] In some embodiments, the humanized or human anti-CD3 binding domain comprises a humanized or human heavy chain variable region specific to CD3 where the heavy chain variable region specific to CD3 comprises human or non-human heavy chain CDRs in a human heavy chain framework region.

[00161] In certain instances, the complementary determining regions of the heavy chain and/or the light chain are derived from known anti-CD3 antibodies, such as, for example, muromonab-CD3 (OKT3), oteixizumab (TRX4), teplizumab (MGA031), visilizumab (Nuvion), SP34, TR-66 or X35-3, VIT3, BMA030 (BW264/56), CLB-T3/3, CRIS7, YTH12.5, F111-409, CLB-T3.4.2, TR-66, WT32, SPv-T3b, 11D8, XIII-141, XIII-46, XIII-87, 12F6, T3/RW2-8C8, T3/RW2-4B6, OKT3D, M-T301, SMC2, F101.01, UCHT-1 and WT-31.

[00162] In one embodiment, the anti-CD3 binding domain is a single chain variable fragment (scFv) comprising a light chain and a heavy chain of an amino acid sequence provided herein. As used herein, "single chain variable fragment" or "scFv" refers to an antibody fragment comprising a variable region of a light chain and at least one antibody fragment comprising a variable region of a heavy chain, wherein the light and heavy chain variable regions are contiguously linked via a short flexible polypeptide linker, and capable of being expressed as a

single polypeptide chain, and wherein the scFv retains the specificity of the intact antibody from which it is derived. In an embodiment, the anti-CD3 binding domain comprises: a light chain variable region comprising an amino acid sequence having at least one, two or three modifications (*e.g.*, substitutions) but not more than 30, 20 or 10 modifications (*e.g.*, substitutions) of an amino acid sequence of a light chain variable region provided herein, or a sequence with 95-99% identity with an amino acid sequence provided herein; and/or a heavy chain variable region comprising an amino acid sequence having at least one, two or three modifications (*e.g.*, substitutions) but not more than 30, 20 or 10 modifications (*e.g.*, substitutions) of an amino acid sequence of a heavy chain variable region provided herein, or a sequence with 95-99% identity to an amino acid sequence provided herein. In some examples, the anti-CD3 binding domain comprises a sequence selected from SEQ ID Nos. 1793-1807, or a sequence that is at least about 60%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or about 100% identity to a sequence selected from SEQ ID Nos. 1793-1807. In some examples, the anti-CD3 binding domain comprises three heavy chain CDRs (HC CDR1, HC CDR2, and HC CDR3), and three light chain CDRs. The heavy chain CDR1 (HC CDR1) of the CD3 binding domain comprises a sequence selected from SEQ ID Nos. 1820-1831, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1820-1831, or at least about 80% to about 99%. The heavy chain CDR2 (HC CDR2) of the CD3 binding domain comprises a sequence selected from SEQ ID Nos. 1832-1841, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1832-1841. The heavy chain CDR3 (HC CDR3) of the CD3 binding domain comprises a sequence selected from SEQ ID Nos. 1842-1853, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1842-1853. The light chain CDR1 (LC CDR1) of the CD3 binding domain comprises a sequence selected from SEQ ID Nos. 1852-1864, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1852-1864. The light chain CDR2 (LC CDR2) of the CD3 binding domain comprises a sequence selected from SEQ ID Nos. 1865-1877, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1865-1877. The light chain CDR3 (LC CDR3) of the CD3 binding domain comprises a sequence selected from SEQ ID Nos. 1878-1884, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1878-1884. In one embodiment, the humanized or human anti-CD3 binding domain is a scFv, and a light chain variable region comprising an amino acid sequence described herein, is attached to a heavy chain variable region comprising an amino acid sequence described herein, via a scFv linker. The light chain variable

region and heavy chain variable region of a scFv can be in any of the following orientations: light chain variable region- scFv linker-heavy chain variable region or heavy chain variable region- scFv linker-light chain variable region.

[00163] In some instances, scFvs which bind to CD3 are prepared according to known methods. For example, scFv molecules can be produced by linking VH and VL regions together using flexible polypeptide linkers. The scFv molecules comprise a scFv linker (*e.g.*, a Ser-Gly linker) with an optimized length and/or amino acid composition. Accordingly, in some embodiments, the length of the scFv linker is such that the VH or VL domain can associate intermolecularly with the other variable domain to form the CD3 binding site. In certain embodiments, such scFv linkers are "short", *i.e.* consist of 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 or 12 amino acid residues. Thus, in certain instances, the scFv linkers consist of about 12 or less amino acid residues. In the case of 0 amino acid residues, the scFv linker is a peptide bond. In some embodiments, these scFv linkers consist of about 3 to about 15, for example 8, 9 or 10 contiguous amino acid residues. Regarding the amino acid composition of the scFv linkers, peptides are selected that confer flexibility, do not interfere with the variable domains as well as allow inter-chain folding to bring the two variable domains together to form a functional CD3 binding site. For example, scFv linkers comprising glycine and serine residues generally provide protease resistance. In some embodiments, linkers in a scFv comprise glycine and serine residues. The amino acid sequence of the scFv linkers can be optimized, for example, by phage-display methods to improve the CD3 binding and production yield of the scFv. Examples of peptide scFv linkers suitable for linking a variable light domain and a variable heavy domain in a scFv include but are not limited to (GS)_n (SEQ ID No. 1809), (GGS)_n (SEQ ID No. 1810), (GGGS)_n (SEQ ID No. 1811), (GGSG)_n (SEQ ID No. 1812), (GGSGG)_n (SEQ ID No. 1813), (GGGGS)_n (SEQ ID No. 1814), (GGGGG)_n (SEQ ID No. 1815), or (GGG)_n (SEQ ID No. 1816), wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10. In one embodiment, the scFv linker can be (GGGGS)₄ (SEQ ID No. 1817) or (GGGGS)₃ (SEQ ID No. 1818). In some embodiments, a linker comprises a sequence composed of any combinations of the linkers as set forth in SEQ ID Nos. 1809 to 1818, and the length of such a linker is in some examples up to 15 amino acids, or longer than 15 amino acids. Variation in the linker length may retain or enhance activity, giving rise to superior efficacy in activity studies.

[00164] In some embodiments, CD3 binding domain of DLL3 targeting trispecific antigen-binding protein has an affinity to CD3 on CD3 expressing cells with a K_D of 1000 nM or less, 500 nM or less, 200 nM or less, 100 nM or less, 80 nM or less, 50 nM or less, 20 nM or less, 10 nM or less, 5 nM or less, 1 nM or less, or 0.5 nM or less. In some embodiments, the CD3 binding domain of DLL3 targeting trispecific antigen-binding protein has an affinity to CD3ε, γ,

or δ with a K_D of 1000 nM or less, 500 nM or less, 200 nM or less, 100 nM or less, 80 nM or less, 50 nM or less, 20 nM or less, 10 nM or less, 5 nM or less, 1 nM or less, or 0.5 nM or less. In further embodiments, CD3 binding domain of DLL3 targeting trispecific antigen-binding protein has low affinity to CD3, *i.e.*, about 100 nM or greater.

[00165] The affinity to bind to CD3 can be determined, for example, by the ability of the DLL3 targeting trispecific antigen-binding protein itself or its CD3 binding domain to bind to CD3 coated on an assay plate; displayed on a microbial cell surface; in solution; etc. The binding activity of the DLL3 targeting trispecific antigen-binding protein itself or its CD3 binding domain of the present disclosure to CD3 can be assayed by immobilizing the ligand (*e.g.*, CD3) or the DLL3 targeting trispecific antigen-binding protein itself or its CD3 binding domain, to a bead, substrate, cell, etc. Agents can be added in an appropriate buffer and the binding partners incubated for a period of time at a given temperature. After washes to remove unbound material, the bound protein can be released with, for example, SDS, buffers with a high pH, and the like and analyzed, for example, by Surface Plasmon Resonance (SPR).

Half-Life extension domain

[00166] Contemplated herein are domains which extend the half-life of an antigen-binding domain. Such domains are contemplated to include but are not limited to Albumin binding domains, Fc domains, small molecules, and other half-life extension domains known in the art.

[00167] Human albumin (ALB) (molecular mass 67 kDa) is the most abundant protein in plasma, present at about 50 mg/ml (600 μ M), and has a half-life of around 20 days in humans. ALB serves to maintain plasma pH, contributes to colloidal blood pressure, functions as carrier of many metabolites and fatty acids, and serves as a major drug transport protein in plasma.

[00168] Noncovalent association with albumin extends the elimination half-time of short lived proteins. For example, a recombinant fusion of an albumin binding domain to a Fab fragment resulted in an *in vivo* clearance of 25- and 58-fold and a half-life extension of 26- and 37-fold when administered intravenously to mice and rabbits respectively as compared to the administration of the Fab fragment alone. In another example, when insulin is acylated with fatty acids to promote association with albumin, a protracted effect was observed when injected subcutaneously in rabbits or pigs. Together, these studies demonstrate a linkage between albumin binding and prolonged action.

[00169] In one aspect, the DLL3 targeting trispecific proteins described herein comprise a half-life extension domain, for example a domain which specifically binds to ALB. In some embodiments, the ALB binding domain of the DLL3 targeting trispecific antigen-binding protein can be any domain that binds to ALB including but not limited to domains from a monoclonal antibody, a polyclonal antibody, a recombinant antibody, a human antibody, a humanized

antibody. In some embodiments, the ALB binding domain is a single chain variable fragments (scFv), single-domain antibody such as a heavy chain variable domain (VH), a light chain variable domain (VL) and a variable domain (VHH) of camelid derived single domain antibody, peptide, ligand or small molecule entity specific for HSA. In certain embodiments, the ALB binding domain is a single-domain antibody. In other embodiments, the HSA binding domain is a peptide. In further embodiments, the HSA binding domain is a small molecule. It is contemplated that the HSA binding domain of DLL3 trispecific antigen-binding protein is fairly small and no more than 25 kDa, no more than 20 kDa, no more than 15 kDa, or no more than 10 kDa in some embodiments. In certain instances, the ALB binding is 5 kDa or less if it is a peptide or small molecule entity.

[00170] The half-life extension domain of DLL3 targeting trispecific antigen-binding protein provides for altered pharmacodynamics and pharmacokinetics of the DLL3 targeting trispecific antigen-binding protein itself. As above, the half-life extension domain extends the elimination half-time. The half-life extension domain also alters pharmacodynamic properties including alteration of tissue distribution, penetration, and diffusion of the trispecific antigen-binding protein. In some embodiments, the half-life extension domain provides for improved tissue (including tumor) targeting, tissue distribution, tissue penetration, diffusion within the tissue, and enhanced efficacy as compared with a protein without a half-life extension domain. In one embodiment, therapeutic methods effectively and efficiently utilize a reduced amount of the trispecific antigen-binding protein, resulting in reduced side effects, such as reduced non-tumor cell cytotoxicity.

[00171] Further, the binding affinity of the half-life extension domain can be selected so as to target a specific elimination half-time in a particular trispecific antigen-binding protein. Thus, in some embodiments, the half-life extension domain has a high binding affinity. In other embodiments, the half-life extension domain has a medium binding affinity. In yet other embodiments, the half-life extension domain has a low or marginal binding affinity. Exemplary binding affinities include KD concentrations at 10 nM or less (high), between 10 nM and 100 nM (medium), and greater than 100 nM (low). As above, binding affinities to ALB are determined by known methods such as Surface Plasmon Resonance (SPR). In some embodiments, ALB binding domains described herein comprise a single domain antibody.

[00172] In some embodiments, the half-life extension domain comprises a sequence selected from SEQ ID Nos. 1769-1778, or a sequence that is at least about 70%, about 75%, about 80%, about 85%, about 90%, about 95%, about 96%, about 97%, about 98%, about 99%, or 100% identical to a sequence selected from SEQ ID Nos. 1769-1778. In some examples, the half-life extension comprises three heavy chain CDRs (HC CDR1, HC CDR2, and HC CDR3),

and three light chain CDRs. In some examples, the half-life extension comprises three heavy chain CDRs (HC CDR1, HC CDR2, and HC CDR3), or three light chain CDRs. The heavy chain CDR1(HC CDR1) of the half-life extension domain, in some embodiments, comprises a sequence selected from SEQ ID Nos. 1782-1784, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1782-1784, or at least about 80% to about 99%. The heavy chain CDR2 (HC CDR2) of the half-life extension domain, in some embodiments, comprises a sequence selected from SEQ ID Nos. 1785-1790, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1785-1790. The heavy chain CDR3 (HC CDR3) of the CD3 binding domain comprises a sequence selected from SEQ ID Nos. 1791 or 1792, or a sequence comprising one or more modifications or substitutions in a sequence selected from SEQ ID Nos. 1791 or 1792.

DLL3 binding domain

[00173] DLL3 (also known as Delta-like Ligand 3 or SCDO1) is a member of the Delta-like family of Notch DSL ligands. Representative DLL3 protein orthologs include, but are not limited to, human (Accession Nos. NP_058637 and NP_982353), chimpanzee (Accession No. XP_003316395), mouse (Accession No. NP_031892), and rat (Accession No. NP_446118). In humans, the DLL3 gene consists of 8 exons spanning 9.5 kbp located on chromosome 19q13. Alternate splicing within the last exon gives rise to two processed transcripts, one of 2389 bases (Accession No. NM_016941) and one of 2052 bases (Accession No. NM_203486). The former transcript encodes a 618 amino acid protein (Accession No. NP_058637), whereas the latter encodes a 587 amino acid protein (Accession No. NP_982353). These two protein isoforms of DLL3 share overall 100% identity across their extracellular domains and their transmembrane domains, differing only in that the longer isoform contains an extended cytoplasmic tail containing 32 additional residues at the carboxy terminus of the protein. The extracellular region of the DLL3 protein, comprises six EGF-like domains, the single DSL domain and the N-terminal domain. Generally, the EGF domains are recognized as occurring at about amino acid residues 216-249 (domain 1), 274-310 (domain 2), 312-351 (domain 3), 353-389 (domain 4), 391-427 (domain 5) and 429-465 (domain 6), with the DSL domain at about amino acid residues 176-215 and the N-terminal domain at about amino acid residues 27-175 of hDLL3. Each of the EGF-like domains, the DSL domain and the N-terminal domain comprise part of the DLL3 protein as defined by a distinct amino acid sequence. The EGF-like domains are termed, in some embodiments, as EGF1 to EGF6 with EGF1 being closest to the N-terminal portion of the protein. In general, DSL ligands are composed of a series of structural domains: a unique N-terminal domain, followed by a conserved DSL domain, multiple tandem epidermal growth factor (EGF)-like repeats, a transmembrane domain, and a cytoplasmic domain not highly

conserved across ligands but one which contains multiple lysine residues that are potential sites for ubiquitination by unique E3 ubiquitin ligases. The DSL domain is a degenerate EGF-domain that is necessary but not sufficient for interactions with Notch receptors. Additionally, the first two EGF-like repeats of most DSL ligands contain a smaller protein sequence motif known as a DOS domain that co-operatively interacts with the DSL domain when activating Notch signaling.

[00174] In some embodiments, the disclosed DLL3 trispecific binding proteins of this disclosure are generated, fabricated, engineered or selected so as to react with a selected domain, motif or epitope within a DLL3 protein. In some embodiments, the DLL3 targeting trispecific protein binds to the DSL domain and, in some embodiments, binds to an epitope comprising G203, R205, P206 within the DSL domain.

[00175] The DLL3 binding domain of the DLL3 targeting trispecific proteins of the present disclosure are, in some embodiments, engineered fabricated and/or selected to react with both isoform(s) of DLL3 or a single isoform of the protein or, conversely, comprise a pan-DLL binding domain that reacts or associates with at least one additional DLL family member in addition to DLL3. In some embodiments, the DLL3 binding domain, such as DLL3 binding domain are engineered, fabricated, and/or selected so that they react with domains (or epitopes therein) that are exhibited by DLL3 only or with domains that are at least somewhat conserved across multiple or all DLL family members.

[00176] In some embodiments the DLL3 binding domain associates or binds to a specific epitope, portion, motif or domain of DLL3. Both DLL3 isoforms incorporate an identical extracellular region comprising at least an N-terminal domain, a DSL (Delta/Serrate/lag-2) domain and six EGF-like domains (*i.e.*, EGF1-EGF6). Accordingly, in certain embodiments the DLL3 binding domain binds or associate with the N-terminal domain of DLL3 (amino acids 27-175 in the mature protein) while in other embodiments the DLL3 binding domain associates with the DSL domain (amino acids 176-215) or epitope therein. In other aspects of the present disclosure the DLL3 binding domain associates or bind to a specific epitope located in a particular EGF-like domain of DLL3. In some embodiments, the DLL3 binding domain associates or binds to an epitope located in EGF1 (amino acids 216-249), EGF2 (amino acids 274-310), EGF3 (amino acids 312-351), EGF4 (amino acids 353-389), EGF5 (amino acids 391-427) or EGF6 (amino acids 429-465). In some embodiments, each of the aforementioned domains comprises more than one epitope and/or more than one bin. In some embodiments the DLL3 binding domain binds, reacts or associates with the DSL domain or an epitope therein. In other embodiments the DLL3 binding domain binds, reacts or associates with a particular EGF-like domain or an epitope therein. In some embodiments the DLL3 binding domain binds, reacts or associates with the N-terminal domain or an epitope therein.

[00177] In some embodiments, the DLL3 binding proteins of this disclosure, such as the DLL3 binding domain of the trispecific proteins of this disclosure binds to the full length DLL3 protein or to a fragment thereof, such as epitope containing fragments within the full length DLL3 protein, as described above. In some cases, the epitope containing fragment comprises antigenic or immunogenic fragments and derivatives thereof of the DLL3 protein. Epitope containing fragments, including antigenic or immunogenic fragments, are, in some embodiments, 12 amino acids or more, 20 amino acids or more, 50 or 100 amino acids or more. The DLL3 fragments, in some embodiments, comprises 95% or more of the length of the full protein, 90% or more, 75% or 50% or 25% or 10% or more of the length of the full protein. In some embodiments, the epitope-containing fragments of DLL3 including antigenic or immunogenic fragments are capable of eliciting a relevant immune response in a patient. Derivatives of DLL3 include, in some embodiments, variants on the sequence in which one or more (*e.g.*, 1-20 such as 15 amino acids, or up to 20% such as up to 10% or 5% or 1% by number of amino acids based on the total length of the protein) deletions, insertions or substitutions have been made to the DLL3 sequence provided in SEQ ID No. 1885 (UniProtKB Accession Q9NYJ7). In some embodiments, substitutions comprise conservative substitutions. Derivatives and variants of DLL3, in some examples, have essentially the same biological function as the DLL3 protein from which they are derived. For instance, derivatives and variants of DLL3 are, in some cases, comparably antigenic or immunogenic to the protein from which they are derived, have either the ligand-binding activity, or the active receptor-complex forming ability, or preferably both, of the protein from which they are derived, and have the same tissue distribution as DLL3.

[00178] The design of the DLL3 targeting trispecific proteins described herein allows the binding domain to DLL3 to be flexible in that the binding domain to DLL3 can be any type of binding domain, including but not limited to, domains from a monoclonal antibody, a polyclonal antibody, a recombinant antibody, a human antibody, a humanized antibody. In some embodiments, the binding domain to DLL3 is a single chain variable fragments (scFv), a single-domain antibody such as a heavy chain variable domain (VH), a light chain variable domain (VL) and a variable domain (VHH) of camelid derived single domain antibody. In other embodiments, the binding domain to DLL3 is a non-Ig binding domain, *i.e.*, an antibody mimetic, such as anticalins, affilins, affibody molecules, affimers, affitins, alphabodies, avimers, DARPins, fynomers, kunitz domain peptides, and monobodies. In further embodiments, the binding domain to DLL3 is a ligand or peptide that binds to or associates with DLL3. In yet further embodiments, the binding domain to DLL3 is a knottin. In yet further embodiments, the binding domain to DLL3 is a small molecular entity.

[00179] In some embodiments, the DLL3 binding domain binds to a protein comprising the sequence of SEQ ID No. 1885 (UniProtKB Accession Q9NYJ7). In some embodiments, the DLL3 binding domain binds to a protein comprising a truncated sequence compared to SEQ ID No. 1885 (UniProtKB Accession Q9NYJ7). In some embodiments, the DLL3 binding domain binds to a protein comprising the sequence of SEQ ID No. 1892 or SEQ ID No. 1893 (which is the mature extracellular domain of a DLL3 protein). In some embodiments, the DLL3 binding domain binds to a protein comprising amino acids 47-492 of SEQ ID No. 1892. In some embodiments, the DLL3 binding domain recognizes an epitope within amino acids 47-4492 of SEQ ID No. 1892.

[00180] In some embodiments, the DLL3 binding domain is an anti-DLL3 antibody or an antibody variant. As used herein, the term “antibody variant” refers to variants and derivatives of an antibody described herein. In certain embodiments, amino acid sequence variants of the anti-DLL3 antibodies described herein are contemplated. For example, in certain embodiments amino acid sequence variants of anti-DLL3 antibodies described herein are contemplated to improve the binding affinity and/or other biological properties of the antibodies. Exemplary method for preparing amino acid variants include, but are not limited to, introducing appropriate modifications into the nucleotide sequence encoding the antibody, or by peptide synthesis. Such modifications include, for example, deletions from, and/or insertions into and/or substitutions of residues within the amino acid sequences of the antibody.

[00181] Any combination of deletion, insertion, and substitution can be made to arrive at the final construct, provided that the final construct possesses the desired characteristics, antigen-binding. In certain embodiments, antibody variants having one or more amino acid substitutions are provided. Sites of interest for substitution mutagenesis include the CDRs and framework regions. Examples of such substitutions are described below. Amino acid substitutions may be introduced into an antibody of interest and the products screened for a desired activity, retained/improved antigen binding, decreased immunogenicity, or improved T-cell mediated cytotoxicity (TDCC). Both conservative and non-conservative amino acid substitutions are contemplated for preparing the antibody variants.

[00182] In another example of a substitution to create a variant anti-DLL3 antibody, one or more hypervariable region residues of a parent antibody are substituted. In general, variants are then selected based on improvements in desired properties compared to a parent antibody, for example, increased affinity, reduced affinity, reduced immunogenicity, increased pH dependence of binding.

[00183] In some embodiments, the DLL3 binding domain of the DLL3 targeting trispecific protein is a single domain antibody such as a heavy chain variable domain (VH), a

variable domain (VHH) of a llama derived sdAb, a peptide, a ligand or a small molecule entity specific for DLL3. In some embodiments, the DLL3 binding domain of the DLL3 targeting trispecific protein described herein is any domain that binds to DLL3 including but not limited to domains from a monoclonal antibody, a polyclonal antibody, a recombinant antibody, a human antibody, a humanized antibody. In certain embodiments, the DLL3 binding domain is a single-domain antibody. In other embodiments, the DLL3 binding domain is a peptide. In further embodiments, the DLL3 binding domain is a small molecule.

[00184] Generally, it should be noted that the term single domain antibody as used herein in its broadest sense is not limited to a specific biological source or to a specific method of preparation. Single domain antibodies are antibodies whose complementary determining regions are part of a single domain polypeptide. Examples include, but are not limited to, heavy chain antibodies, antibodies naturally devoid of light chains, single domain antibodies derived from conventional 4-chain antibodies, engineered antibodies and single domain scaffolds other than those derived from antibodies. Single domain antibodies may be any of the art, or any future single domain antibodies. Single domain antibodies may be derived from any species including, but not limited to mouse, human, camel, llama, goat, rabbit, bovine. For example, in some embodiments, the single domain antibodies of the disclosure are obtained: (1) by isolating the VHH domain of a naturally occurring heavy chain antibody; (2) by expression of a nucleotide sequence encoding a naturally occurring VHH domain; (3) by “humanization” of a naturally occurring VHH domain or by expression of a nucleic acid encoding a such humanized VHH domain; (4) by “camelization” of a naturally occurring VH domain from any animal species, and in particular from a species of mammal, such as from a human being, or by expression of a nucleic acid encoding such a camelized VH domain; (5) by “camelisation” of a “domain antibody” or “Dab,” or by expression of a nucleic acid encoding such a camelized VH domain; (6) by using synthetic or semi-synthetic techniques for preparing proteins, polypeptides or other amino acid sequences; (7) by preparing a nucleic acid encoding a single domain antibody using techniques for nucleic acid synthesis known in the field, followed by expression of the nucleic acid thus obtained; and/or (8) by any combination of one or more of the foregoing.

[00185] In one embodiment, a single domain antibody corresponds to the VHH domains of naturally occurring heavy chain antibodies directed against DLL3. As further described herein, such VHH sequences can generally be generated or obtained by suitably immunizing a species of Llama with DLL3, (*i.e.*, so as to raise an immune response and/or heavy chain antibodies directed against DLL3), by obtaining a suitable biological sample from said Llama (such as a blood sample, serum sample or sample of B-cells), and by generating VHH sequences directed against DLL3, starting from said sample, using any suitable technique known in the field.

[00186] In another embodiment, such naturally occurring VHH domains against DLL3, are obtained from naïve libraries of Camelid VHH sequences, for example by screening such a library using DLL3, or at least one part, fragment, antigenic determinant or epitope thereof using one or more screening techniques known in the field. Such libraries and techniques are for example described in WO 99/37681, WO 01/90190, WO 03/025020 and WO 03/035694. Alternatively, improved synthetic or semi-synthetic libraries derived from naïve VHH libraries are used, such as VHH libraries obtained from naïve VHH libraries by techniques such as random mutagenesis and/or CDR shuffling, as for example described in WO 00/43507.

[00187] In a further embodiment, yet another technique for obtaining VHH sequences directed against DLL3, involves suitably immunizing a transgenic mammal that is capable of expressing heavy chain antibodies (*i.e.*, so as to raise an immune response and/or heavy chain antibodies directed against DLL3), obtaining a suitable biological sample from said transgenic mammal (such as a blood sample, serum sample or sample of B-cells), and then generating VHH sequences directed against DLL3, starting from said sample, using any suitable technique known in the field. For example, for this purpose, the heavy chain antibody-expressing rats or mice and the further methods and techniques described in WO 02/085945 and in WO 04/049794 can be used.

[00188] In some embodiments, an anti-DLL3 single domain antibody of the DLL3 targeting trispecific protein comprises a single domain antibody with an amino acid sequence that corresponds to the amino acid sequence of a naturally occurring VHH domain, but that has been "humanized", *i.e.*, by replacing one or more amino acid residues in the amino acid sequence of said naturally occurring VHH sequence (and in particular in the framework sequences) by one or more of the amino acid residues that occur at the corresponding position(s) in a VH domain from a conventional 4-chain antibody from a human being (*e.g.*, as indicated above). This can be performed in a manner known in the field, which will be clear to the skilled person, for example on the basis of the further description herein. Again, it should be noted that such humanized anti-DLL3 single domain antibodies of the disclosure are obtained in any suitable manner known per se (*i.e.*, as indicated under points (1)-(8) above) and thus are not strictly limited to polypeptides that have been obtained using a polypeptide that comprises a naturally occurring VHH domain as a starting material. In some additional embodiments, a single domain anti-DLL3 antibody, as described herein, comprises a single domain antibody with an amino acid sequence that corresponds to the amino acid sequence of a naturally occurring VH domain, but that has been "camelized," *i.e.*, by replacing one or more amino acid residues in the amino acid sequence of a naturally occurring VH domain from a conventional 4-chain antibody by one or more of the amino acid residues that occur at the corresponding position(s) in a VHH domain of a heavy

chain antibody. Such “camelizing” substitutions are preferably inserted at amino acid positions that form and/or are present at the VH-VL interface, and/or at the so-called Camelidae hallmark residues (see for example WO 94/04678 and Davies and Riechmann (1994 and 1996)). Preferably, the VH sequence that is used as a starting material or starting point for generating or designing the camelized single domain is preferably a VH sequence from a mammal, more preferably the VH sequence of a human being, such as a VH3 sequence. However, it should be noted that such camelized anti-DLL3 single domain antibodies of the disclosure, in certain embodiments, are obtained in any suitable manner known in the field (*i.e.*, as indicated under points (1)-(8) above) and thus are not strictly limited to polypeptides that have been obtained using a polypeptide that comprises a naturally occurring VH domain as a starting material. For example, as further described herein, both “humanization” and “camelization” is performed by providing a nucleotide sequence that encodes a naturally occurring VHH domain or VH domain, respectively, and then changing, one or more codons in said nucleotide sequence in such a way that the new nucleotide sequence encodes a “humanized” or “camelized” single domain antibody, respectively. This nucleic acid can then be expressed, so as to provide a desired anti-DLL3 single domain antibody of the disclosure. Alternatively, in other embodiments, based on the amino acid sequence of a naturally occurring VHH domain or VH domain, respectively, the amino acid sequence of the desired humanized or camelized anti-DLL3 single domain antibody of the disclosure, respectively, are designed and then synthesized *de novo* using known techniques for peptide synthesis. In some embodiments, based on the amino acid sequence or nucleotide sequence of a naturally occurring VHH domain or VH domain, respectively, a nucleotide sequence encoding the desired humanized or camelized anti-DLL3 single domain antibody of the disclosure, respectively, is designed and then synthesized *de novo* using known techniques for nucleic acid synthesis, after which the nucleic acid thus obtained is expressed in using known expression techniques, so as to provide the desired anti-DLL3 single domain antibody of the disclosure.

[00189] Other suitable methods and techniques for obtaining the anti-DLL3 single domain antibody of the disclosure and/or nucleic acids encoding the same, starting from naturally occurring VH sequences or VHH sequences for example comprises combining one or more parts of one or more naturally occurring VH sequences (such as one or more framework (FR) sequences and/or complementarity determining region (CDR) sequences), one or more parts of one or more naturally occurring VHH sequences (such as one or more FR sequences or CDR sequences), and/or one or more synthetic or semi-synthetic sequences, in a suitable manner, so as to provide an anti-DLL3 single domain antibody of the disclosure or a nucleotide sequence or nucleic acid encoding the same.

[00190] In some embodiments, the DLL3 binding domain is an anti-DLL3 specific antibody comprising a heavy chain variable complementarity determining region CDR1, a heavy chain variable CDR2, a heavy chain variable CDR3, a light chain variable CDR1, a light chain variable CDR2, and a light chain variable CDR3. In some embodiments, the DLL3 binding domain comprises any domain that binds to DLL3 including but not limited to domains from a monoclonal antibody, a polyclonal antibody, a recombinant antibody, a human antibody, a humanized antibody, or antigen binding fragments such as single domain antibodies (sdAb), Fab, Fab', F(ab)2, and Fv fragments, fragments comprised of one or more CDRs, single-chain antibodies (*e.g.*, single chain Fv fragments (scFv)), disulfide stabilized (dsFv) Fv fragments, heteroconjugate antibodies (*e.g.*, bispecific antibodies), pFv fragments, heavy chain monomers or dimers, light chain monomers or dimers, and dimers consisting of one heavy chain and one light chain. In some embodiments, the DLL3 binding domain is a single domain antibody. In some embodiments, the anti-DLL3 single domain antibody comprises heavy chain variable complementarity determining regions (CDR), CDR1, CDR2, and CDR3.

[00191] In some embodiments, the DLL3 binding domain is a polypeptide comprising an amino acid sequence that is comprised of four framework regions/sequences (f1-f4) interrupted by three complementarity determining regions/sequences, as represented by the formula: f1-r1-f2-r2-f3-r3-f4, wherein r1, r2, and r3 are complementarity determining regions CDR1, CDR2, and CDR3, respectively, and f1, f2, f3, and f4 are framework residues. The framework residues of the DLL3 binding protein of the present disclosure comprise, for example, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, or 94 amino acid residues, and the complementarity determining regions comprise, for example, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, or 36 amino acid residues. In some embodiments, the DLL3 binding domain comprises an amino acid sequence selected from SEQ ID Nos. 1-442 and 1886. In some embodiments, CDR1 of the DLL3 binding domain comprises a sequence selected from SEQ ID Nos. 443-884 and 1887, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887. In some embodiments, CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888. In some embodiments, the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889, or one or more substitutions relative to a sequence selected from SEQ ID Nos. 1327-1768 and 1889.

[00192] In some embodiments, the CDR1 comprises an amino acid sequence selected from SEQ ID Nos. 443-884 and 1887 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in an amino acid selected from SEQ ID Nos. 443-884

and 1887. In some embodiments, the CDR2 comprises an amino acid sequence selected from SEQ ID Nos. 885-1326 and 1888 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in an amino acid sequence selected from SEQ ID Nos. 885-1326 and 1888. In some embodiments, the CDR3 comprises an amino acid sequence selected from SEQ ID Nos. 1327-1768 and 1889 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in a sequence selected from SEQ ID Nos. 1327-1768 and 1889.

[00193] In some embodiments, the CDR1 comprises an amino acid sequence selected from SEQ ID Nos. 495-528 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in an amino acid selected from SEQ ID Nos. 495-528. In some embodiments, the CDR2 comprises an amino acid sequence selected from SEQ ID Nos. 937-970 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in an amino acid sequence selected from SEQ ID Nos. 937-970. In some embodiments, the CDR3 comprises an amino acid sequence selected from SEQ ID Nos. 1379-1412 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in a sequence selected from SEQ ID Nos. 1379-1412.

[00194] In some embodiments, the CDR1 comprises an amino acid sequence selected from SEQ ID Nos. 529-809 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in an amino acid selected from SEQ ID Nos. 529-809. In some embodiments, the CDR2 comprises an amino acid sequence selected from SEQ ID Nos. 971 to 1251 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in an amino acid sequence selected from SEQ ID Nos. 971 to 1251. In some embodiments, the CDR3 comprises an amino acid sequence selected from SEQ ID Nos. 1379 to 1412 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in a sequence selected from SEQ ID Nos. 1379-1412.

[00195] In some embodiments, the CDR1 comprises an amino acid sequence selected from SEQ ID Nos. 810-884 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in an amino acid selected from SEQ ID Nos. 810-884. In some embodiments, the CDR2 comprises an amino acid sequence selected from SEQ ID Nos. 1252 to 1326 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in an amino acid sequence selected from SEQ ID Nos. 1252 to 1326. In some embodiments, the CDR3 comprises an amino acid sequence selected from SEQ ID Nos. 1692 to 1768 or a variant having one, two, three, four, five, six, seven, eight, nine, or ten amino acid substitutions in a sequence selected from SEQ ID Nos. 1692 to 1768.

[00196] In various embodiments, the DLL3 binding domain of the present disclosure is at least about 75%, about 76%, about 77%, about 78%, about 79%, about 80%, about 81%, about 82%, about 83%, about 84%, about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or about 100% identical to an amino acid sequence selected from SEQ ID Nos. 1-442 and 1886. In various embodiments, the DLL3 binding domain of the present disclosure is at least about 75%, about 76%, about 77%, about 78%, about 79%, about 80%, about 81%, about 82%, about 83%, about 84%, about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or about 100% identical to an amino acid sequence selected from SEQ ID Nos. 53-86.

[00197] In various embodiments, the DLL3 binding domain of the present disclosure is at least about 75%, about 76%, about 77%, about 78%, about 79%, about 80%, about 81%, about 82%, about 83%, about 84%, about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or about 100% identical to an amino acid sequence selected from SEQ ID Nos. 87-367.

[00198] In various embodiments, the DLL3 binding domain of the present disclosure is at least about 75%, about 76%, about 77%, about 78%, about 79%, about 80%, about 81%, about 82%, about 83%, about 84%, about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or about 100% identical to SEQ ID No. 68, or a sequence derived from SEQ ID No. 68.

[00199] In various embodiments, the DLL3 binding domain of the present disclosure is at least about 75%, about 76%, about 77%, about 78%, about 79%, about 80%, about 81%, about 82%, about 83%, about 84%, about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or about 100% identical to SEQ ID No. 75, or a sequence derived from SEQ ID No. 75.

[00200] In some embodiments, the DLL3 binding domain of the DLL3 targeting trispecific binding protein is cross-reactive with human and cynomolgus DLL3. In some embodiments, the DLL3 binding domain is specific for human DLL3. In certain embodiments, the DLL3 binding domain disclosed herein binds to human DLL3 with a human K_d (hK_d). In certain embodiments, the DLL3 binding domain disclosed herein binds to cynomolgus DLL3 with a cynomolgus K_d (cK_d). In certain embodiments, the DLL3 binding domain disclosed

herein binds to both cynomolgus DLL3 and a human DLL3, with a cyno K_d (cK_d) and a human K_d, respectively (hK_d). In some embodiments, the DLL3 binding protein binds to human and cynomolgus DLL3 with comparable binding affinities (*i.e.*, hK_d and cK_d values do not differ by more than $\pm 10\%$). In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 500 nM. In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 450 nM. In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 400 nM. In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 350 nM. In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 300 nM. In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 250 nM. In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 200 nM. In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 150 nM. In some embodiments, the hK_d and the cK_d range from about 0.001 nM to about 100 nM. In some embodiments, the hK_d and the cK_d range from about 0.1 nM to about 90 nM. In some embodiments, the hK_d and the cK_d range from about 0.2 nM to about 80 nM. In some embodiments, the hK_d and the cK_d range from about 0.3 nM to about 70 nM. In some embodiments, the hK_d and the cK_d range from about 0.4 nM to about 50 nM. In some embodiments, the hK_d and the cK_d range from about 0.5 nM to about 30 nM. In some embodiments, the hK_d and the cK_d range from about 0.6 nM to about 10 nM. In some embodiments, the hK_d and the cK_d range from about 0.7 nM to about 8 nM. In some embodiments, the hK_d and the cK_d range from about 0.8 nM to about 6 nM. In some embodiments, the hK_d and the cK_d range from about 0.9 nM to about 4 nM. In some embodiments, the hK_d and the cK_d range from about 1 nM to about 2 nM.

[00201] In certain embodiments, the DLL3 binding domains of the present disclosure preferentially bind membrane bound DLL3 over soluble DLL3. Membrane bound DLL3 refers to the presence of DLL3 in or on the cell membrane surface of a cell that expresses DLL3. Soluble DLL3 refers to DLL3 that is no longer on in or on the cell membrane surface of a cell that expresses or expressed DLL3. In certain instances, the soluble DLL3 is present in the blood and/or lymphatic circulation in a subject. In one embodiment, the DLL3 binding proteins bind membrane-bound DLL3 at least 5 fold, 10 fold, 15 fold, 20 fold, 25 fold, 30 fold, 40 fold, 50 fold, 100 fold, 500 fold, or 1000 fold greater than soluble DLL3. In one embodiment, the antigen binding proteins of the present disclosure preferentially bind membrane-bound DLL3 30 fold greater than soluble DLL3. Determining the preferential binding of an antigen binding protein to membrane bound DLL3 over soluble DLL3 can be readily determined using assays well known in the art.

[00202] In some embodiments, any of the foregoing DLL3 binding domains (*e.g.*, anti-DLL3 single domain antibodies of SEQ ID Nos. 1-442 and 1886) are affinity peptide tagged for ease of purification. In some embodiments, the affinity peptide tag is six consecutive histidine residues, also referred to as 6X-his (SEQ ID No. 1819).

[00203] In some embodiments, any of the foregoing DLL3 binding domains (*e.g.*, anti-DLL3 single domain antibodies of SEQ ID Nos. 1-442 and 1886) are affinity peptide tagged for ease of purification. In some embodiments, the affinity peptide tag is six consecutive histidine residues, also referred to as 6X-his (SEQ ID No. 1819).

Integration into chimeric antigen receptors (CAR)

[00204] The DLL3 targeting trispecific antigen binding proteins of the present disclosure can, in certain examples, be incorporated into a chimeric antigen receptor (CAR). An engineered immune effector cell, a T cell or NK cell, can be used to express a CAR that includes an anti-DLL3 targeting trispecific protein containing an anti-DLL3 single domain antibody as described herein. In one embodiment, the CAR including an anti-DLL3 targeting trispecific protein as described herein is connected to a transmembrane domain via a hinge region, and further a costimulatory domain, a functional signaling domain obtained from OX40, CD27, CD28, CD5, ICAM-1, LFA-1 (CD11a/CD18), ICOS (CD278), or 4-1BB. In some embodiments, the CAR further comprises a sequence encoding an intracellular signaling domain, such as 4-1BB and/or CD3 zeta.

Tumor growth reduction properties

[00205] In certain embodiments, the DLL3 targeting trispecific proteins of the disclosure reduce the growth of tumor cells *in vivo* when administered to a subject who has tumor cells that express DLL3. Measurement of the reduction of the growth of tumor cells can be determined by multiple different methodologies well known in the art. Non-limiting examples include direct measurement of tumor dimension, measurement of excised tumor mass and comparison to control subjects, measurement via imaging techniques (*e.g.*, CT or MRI) that may or may not use isotopes or luminescent molecules (*e.g.* luciferase) for enhanced analysis, and the like.

[00206] In specific embodiments, administration of the trispecific proteins of the disclosure results in a reduction of *in vivo* growth of tumor cells as compared to a control antigen binding agent by at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, with an about 100% reduction in tumor growth indicating a complete response and disappearance of the tumor. In further embodiments, administration of the trispecific proteins of the disclosure results in a reduction of *in vivo* growth of tumor cells as compared to a control antigen binding agent by about 50-100%, about 75-100% or about 90-100%. In further embodiments, administration of the trispecific proteins of the disclosure results in a reduction of *in vivo* growth

of tumor cells as compared to a control antigen binding agent by about 50-60%, about 60-70%, about 70-80%, about 80-90%, or about 90-100%.

DLL3 Targeting Trispecific Protein Modifications

[00207] The DLL3 targeting trispecific proteins described herein encompass derivatives or analogs in which (i) an amino acid is substituted with an amino acid residue that is not one encoded by the genetic code, (ii) the mature polypeptide is fused with another compound such as polyethylene glycol, or (iii) additional amino acids are fused to the protein, such as a leader or secretory sequence or a sequence for purification of the protein.

[00208] Typical modifications include, but are not limited to, acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent crosslinks, formation of cystine, formation of pyroglutamate, formylation, gamma carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination.

[00209] Modifications are made anywhere in DLL3 targeting trispecific proteins described herein, including the peptide backbone, the amino acid side-chains, and the amino or carboxyl termini. Certain common peptide modifications that are useful for modification of DLL3 targeting trispecific proteins include glycosylation, lipid attachment, sulfation, gamma-carboxylation of glutamic acid residues, hydroxylation, blockage of the amino or carboxyl group in a polypeptide, or both, by a covalent modification, and ADP-ribosylation.

[00210] In some embodiments, a derivative of the DLL3 targeting trispecific protein as described herein comprises immunoreactive modulator derivatives and antigen binding molecules comprising one or more modifications.

[00211] In some embodiments, the trispecific DLL3 binding molecules of the disclosure are monovalent or multivalent, bivalent, trivalent, etc. As used herein, the term “valency” refers to the number of potential target binding sites associated with an antibody. Each target binding site specifically binds one target molecule or specific position or locus on a target molecule. When an antibody is monovalent, each binding site of the molecule will specifically bind to a single antigen position or epitope. When an antibody comprises more than one target binding site (multivalent), each target binding site may specifically bind the same or different molecules (*e.g.*, may bind to different ligands or different antigens, or different epitopes or positions on the same antigen).

[00212] In some embodiments, the DLL3 targeting trispecific proteins of this disclosure contain *inter alia* one or more additional amino acid residue substitutions, mutations and/or modifications which result in a compound with preferred characteristics including, but not limited to: altered pharmacokinetics, increased serum half-life, increase binding affinity, reduced immunogenicity, increased production, altered Fc ligand binding to an Fc receptor (FcR), enhanced or reduced “ADCC” (antibody-dependent cell mediated cytotoxicity) or “CDC” (complement-dependent cytotoxicity) activity, altered glycosylation and/or disulfide bonds and modified binding specificity. In some cases these DLL3 targeting trispecific protein variants are advantageously used to enhance the effective anti-neoplastic properties of the disclosed DLL3 targeting trispecific proteins.

[00213] In some embodiments, the DLL3 targeting trispecific proteins of the disclosure have half-lives in a mammals, such as in a human, or in a cynomolgus monkey of less than about 5 days, about 5 days, greater than about 5 days, greater than 10 days, greater than about 15 days, greater than about 20 days, greater than about 25 days, greater than about 30 days, greater than about 35 days, greater than about 40 days, greater than about 45 days, greater than about 2 months, greater than about 3 months, greater than about 4 months, or greater than about 5 months. The increased half-life, in some cases, results in a higher serum titer which thus reduces the frequency of the administration of the DLL3 targeting trispecific proteins, reduces the concentration of the antibodies to be administered, or both.

[00214] Still other embodiments comprise one or more engineered glycoforms, *i.e.*, a DLL3 targeting trispecific binding protein comprising an altered glycosylation pattern or altered carbohydrate composition that is covalently attached to the protein. Engineered glycoforms are useful, in some cases, for a variety of purposes, including but not limited to enhancing or reducing effector function, increasing the affinity of the trispecific protein for a target or facilitating production of the trispecific protein. In certain embodiments where reduced effector function is desired, the molecule is engineered to express an aglycosylated form. Substitutions that result in elimination of one or more variable region framework glycosylation sites to thereby eliminate glycosylation at that site, are included in some embodiments. Conversely, enhanced effector functions or improved binding is imparted to the Fc containing trispecific proteins of this disclosure by engineering in one or more additional glycosylation sites, in some cases.

[00215] The DLL3 targeting trispecific proteins, in some cases, are differentially modified during or after production, by glycosylation, acetylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to an antibody molecule or other cellular ligand, etc. Any of numerous chemical modifications are carried out by techniques, including but not limited, to specific chemical cleavage by cyanogen bromide,

trypsin, chymotrypsin, papain, V8 protease, NaBH₄, acetylation, formylation, oxidation, reduction, metabolic synthesis in the presence of tunicamycin etc.

[00216] Various post-translational modifications also encompassed by the disclosure include, for example, N-linked or O-linked carbohydrate chains, processing of N-terminal or C-terminal ends, attachment of chemical moieties to the amino acid backbone, chemical modifications of N-linked or O-linked carbohydrate chains, and addition or deletion of an N-terminal methionine residue as a result of prokaryotic host cell expression. Moreover, the DLL3 targeting trispecific binding proteins are, in some cases, modified with a detectable label, such as an enzymatic, fluorescent, radioisotopic or affinity label to allow for detection and isolation of the modulator.

Polynucleotides Encoding DLL3 targeting trispecific proteins

[00217] Also provided, in some embodiments, are polynucleotide molecules encoding an anti-DLL3 trispecific binding protein described herein. In some embodiments, the polynucleotide molecules are provided as a DNA construct. In other embodiments, the polynucleotide molecules are provided as a messenger RNA transcript.

[00218] The polynucleotide molecules are constructed by known methods such as by combining the genes encoding the three binding domains either separated by peptide linkers or, in other embodiments, directly linked by a peptide bond, into a single genetic construct operably linked to a suitable promoter, and optionally a suitable transcription terminator, and expressing it in bacteria or other appropriate expression system such as, for example CHO cells. In the embodiments where the DLL3 binding domain is a small molecule, the polynucleotides contain genes encoding the CD3 binding domain and the half-life extension domain. In the embodiments where the half-life extension domain is a small molecule, the polynucleotides contain genes encoding the domains that bind to CD3 and DLL3. Depending on the vector system and host utilized, any number of suitable transcription and translation elements, including constitutive and inducible promoters, may be used. The promoter is selected such that it drives the expression of the polynucleotide in the respective host cell.

[00219] In some embodiments, the polynucleotide is inserted into a vector, preferably an expression vector, which represents a further embodiment. This recombinant vector can be constructed according to known methods. Vectors of particular interest include plasmids, phagemids, phage derivatives, virii (e.g., retroviruses, adenoviruses, adeno-associated viruses, herpes viruses, lentiviruses, and the like), and cosmids.

[00220] A variety of expression vector/host systems may be utilized to contain and express the polynucleotide encoding the polypeptide of the described trispecific antigen-binding protein.

Examples of expression vectors for expression in *E. coli* are pSKK (Le Gall *et al.*, J Immunol Methods. (2004) 285(1):111-27) or pcDNA5 (Invitrogen) for expression in mammalian cells.

[00221] Thus, the DLL3 targeting trispecific proteins as described herein, in some embodiments, are produced by introducing a vector encoding the protein as described above into a host cell and culturing said host cell under conditions whereby the protein domains are expressed, may be isolated and, optionally, further purified.

Pharmaceutical Compositions

[00222] Also provided, in some embodiments, are pharmaceutical compositions comprising an anti-DLL3 trispecific binding protein described herein, a vector comprising the polynucleotide encoding the polypeptide of the DLL3 targeting trispecific proteins or a host cell transformed by this vector and at least one pharmaceutically acceptable carrier. The term “pharmaceutically acceptable carrier” includes, but is not limited to, any carrier that does not interfere with the effectiveness of the biological activity of the ingredients and that is not toxic to the patient to whom it is administered. Examples of suitable pharmaceutical carriers are well known in the art and include phosphate buffered saline solutions, water, emulsions, such as oil/water emulsions, various types of wetting agents, sterile solutions etc. Such carriers can be formulated by conventional methods and can be administered to the subject at a suitable dose. Preferably, the compositions are sterile. These compositions may also contain adjuvants such as preservative, emulsifying agents and dispersing agents. Prevention of the action of microorganisms may be ensured by the inclusion of various antibacterial and antifungal agents. A further embodiment provides one or more of the above described DLL3 targeting trispecific proteins packaged in lyophilized form, or packaged in an aqueous medium.

[00223] In some embodiments of the pharmaceutical compositions, the DLL3 targeting trispecific proteins described herein are encapsulated in nanoparticles. In some embodiments, the nanoparticles are fullerenes, liquid crystals, liposome, quantum dots, superparamagnetic nanoparticles, dendrimers, or nanorods. In other embodiments of the pharmaceutical compositions, the DLL3 targeting trispecific protein is attached to liposomes. In some instances, the DLL3 targeting trispecific proteins are conjugated to the surface of liposomes. In some instances, the DLL3 trispecific antigen-binding protein are encapsulated within the shell of a liposome. In some instances, the liposome is a cationic liposome.

[00224] The DLL3 targeting trispecific proteins described herein are contemplated for use as a medicament. Administration is effected by different ways, by intravenous, intraperitoneal, subcutaneous, intramuscular, topical or intradermal administration. In some embodiments, the route of administration depends on the kind of therapy and the kind of compound contained in the pharmaceutical composition. The dosage regimen will be determined by the attending

physician and other clinical factors. Dosages for any one patient depends on many factors, including the patient's size, body surface area, age, sex, the particular compound to be administered, time and route of administration, the kind of therapy, general health and other drugs being administered concurrently. An "effective dose" refers to amounts of the active ingredient that are sufficient to affect the course and the severity of the disease, leading to the reduction or remission of such pathology and may be determined using known methods.

[00225] In some embodiments, the DLL3 targeting trispecific proteins of this disclosure are administered at a dosage of up to 10 mg/kg at a frequency of once a week. In some cases, the dosage ranges from about 1 ng/kg to about 10 mg/kg. In some embodiments, the dose is from about 1 ng/kg to about 10 ng/kg, about 5 ng/kg to about 15 ng/kg, about 12 ng/kg to about 20 ng/kg, about 18 ng/kg to about 30 ng/kg, about 25 ng/kg to about 50 ng/kg, about 35 ng/kg to about 60 ng/kg, about 45 ng/kg to about 70 ng/kg, about 65 ng/kg to about 85 ng/kg, about 80 ng/kg to about 1 µg/kg, about 0.5 µg/kg to about 5 µg/kg, about 2 µg/kg to about 10 µg/kg, about 7 µg/kg to about 15 µg/kg, about 12 µg/kg to about 25 µg/kg, about 20 µg/kg to about 50 µg/kg, about 35 µg/kg to about 70 µg/kg, about 45 µg/kg to about 80 µg/kg, about 65 µg/kg to about 90 µg/kg, about 85 µg/kg to about 0.1 mg/kg, about 0.095 mg/kg to about 10 mg/kg. In some cases, the dosage is about 0.1 mg/kg to about 0.2 mg/kg; about 0.25 mg/kg to about 0.5 mg/kg, about 0.45 mg/kg to about 1 mg/kg, about 0.75 mg/kg to about 3 mg/kg, about 2.5 mg/kg to about 4 mg/kg, about 3.5 mg/kg to about 5 mg/kg, about 4.5 mg/kg to about 6 mg/kg, about 5.5 mg/kg to about 7 mg/kg, about 6.5 mg/kg to about 8 mg/kg, about 7.5 mg/kg to about 9 mg/kg, or about 8.5 mg/kg to about 10 mg/kg. The frequency of administration, in some embodiments, is about less than daily, every other day, less than once a day, twice a week, weekly, once in 7 days, once in two weeks, once in two weeks, once in three weeks, once in four weeks, or once a month. In some cases, the frequency of administration is weekly. In some cases, the frequency of administration is weekly and the dosage is up to 10 mg/kg. In some cases, duration of administration is from about 1 day to about 4 weeks or longer.

Methods of treatment

[00226] In some embodiments, the DLL3 binding proteins, or DLL3 targeting trispecific proteins of the present disclosure is administered to treat a neoplastic condition. Neoplastic conditions, in some embodiments, are benign or malignant; solid tumors or other blood neoplasia; and, in some embodiments, are selected from the group including, but not limited to: adrenal gland tumors, AIDS-associated cancers, alveolar soft part sarcoma, astrocytic tumors, autonomic ganglia tumors, bladder cancer (squamous cell carcinoma and transitional cell carcinoma), blastocoele disorders, bone cancer (adamantinoma, aneurismal bone cysts, osteochondroma, osteosarcoma), brain and spinal cord cancers, metastatic brain tumors, breast

cancer including triple negative breast cancer, carotid body tumors, cervical cancer, chondrosarcoma, chordoma, chromophobe renal cell carcinoma, clear cell carcinoma, colon cancer, colorectal cancer, cutaneous benign fibrous histiocytomas, desmoplastic small round cell tumors, ependymomas, epithelial disorders, Ewing's tumors, extraskeletal myxoid chondrosarcoma, fibrogenesis imperfecta ossium, fibrous dysplasia of the bone, gallbladder and bile duct cancers, gastric cancer, gastrointestinal, gestational trophoblastic disease, germ cell tumors, glandular disorders, head and neck cancers, hypothalamic, intestinal cancer, islet cell tumors, Kaposi's Sarcoma, kidney cancer (nephroblastoma, papillary renal cell carcinoma), leukemias, lipoma/benign lipomatous tumors, liposarcoma/malignant lipomatous tumors, liver cancer (hepatoblastoma, hepatocellular carcinoma), lymphomas, lung cancers (small cell carcinoma, adenocarcinoma, squamous cell carcinoma, large cell carcinoma etc.), macrophagal disorders, medulloblastoma, melanoma, meningiomas, multiple endocrine neoplasia, multiple myeloma, myelodysplastic syndrome, neuroblastoma, neuroendocrine tumors, ovarian cancer, pancreatic cancers, papillary thyroid carcinomas, parathyroid tumors, pediatric cancers, peripheral nerve sheath tumors, pheochromocytoma, pituitary tumors, prostate cancer, posterior uveal melanoma, rare hematologic disorders, renal metastatic cancer, rhabdoid tumor, rhabdomyosarcoma, sarcomas, skin cancer, soft-tissue sarcomas, squamous cell cancer, stomach cancer, stromal disorders, synovial sarcoma, testicular cancer, thymic carcinoma, thymoma, thyroid metastatic cancer, and uterine cancers (carcinoma of the cervix, endometrial carcinoma, and leiomyoma).

[00227] In certain embodiments the DLL3 binding proteins, or the DLL3 targeting trispecific proteins of the present disclosure is used as a front line therapy and administered to subjects who have not previously been treated for the cancerous condition. In other embodiments the DLL3 targeting trispecific proteins of the present disclosure are used to treat subjects that have previously been treated (with a DLL3 targeting trispecific protein of this disclosure or with other anti-cancer agent) and have relapsed or determined to be refractory to the previous treatment. In some embodiments the DLL3 targeting trispecific proteins of the present disclosure are used to treat subjects that have recurrent tumors.

[00228] In some aspects, the DLL3 binding proteins, or the DLL3 targeting trispecific proteins of the present disclosure are administered to treat a proliferative disorder comprising a solid tumor including, but not limited to, adrenal, liver, kidney, bladder, breast, gastric, ovarian, cervical, uterine, esophageal, colorectal, prostate, pancreatic, lung (both small cell and non-small cell), thyroid, carcinomas, sarcomas, glioblastomas and various head and neck tumors.

[00229] In some embodiments, the DLL3 binding proteins, or the DLL3 targeting trispecific proteins of the present disclosure are administered to a subject suffering from

melanoma. In some embodiments, the DLL3 targeting trispecific proteins of the present disclosure are used to diagnose, monitor, treat or prevent melanoma. The term “melanoma,” as used herein, includes all types of melanoma including, but not limited to, primary melanoma, malignant melanoma, cutaneous melanoma, extracutaneous melanoma, superficial spreading melanoma, polypoid melanoma, melanocarcinomas, melanoepitheliomas, melanosarcomas, melanoma in situ, nodular malignant melanoma, lentigo maligna melanoma, lentiginous melanoma, lentiginous malignant melanoma, mucosal lentiginous melanoma, mucosal melanoma, acral lentiginous melanoma, soft tissue melanoma, ocular melanoma, invasive melanoma, familial atypical mole and melanoma (FAM-M) syndrome, desmoplastic malignant melanoma or uveal melanoma.

[00230] DLL3 is an effective tumor marker that is expressed on a number of different cancers and has been found to be associated with cancer stem cells. Thus, in some embodiments where the DLL3 binding proteins, or the DLL3 targeting trispecific proteins of the disclosure are incorporated in a chimeric antigen receptor expressed on lymphocytes, the resulting “DLL3 sensitized lymphocytes” (*e.g.*, natural killer cells or T cells that immunospecifically recognize a DLL3 determinant) are able to effectively mount an immune response directed to aberrant DLL3 positive cells including cancer stem cells. This ability to effectively eliminate tumorigenic “seed” cells is often critical in reducing the possibility of tumor recurrence or metastasis. In some embodiments, such DLL3 sensitized lymphocytes are used in combination with other therapeutic agents or as part of a maintenance regimen following standard of care treatments.

[00231] More generally a chimeric antigen receptor is an artificially constructed hybrid protein or polypeptide containing or comprising an antigen binding domain of an antibody linked to a signaling domain (*e.g.*, T-cell signaling or T-cell activation domains). In some embodiments, CARs comprising the DLL3 targeting trispecific binding protein of the present disclosure have the ability to redirect the specificity and reactivity of sensitized lymphocytes (*e.g.*, T-cells) toward DLL3 positive target cells in a non-MHC-restricted manner by exploiting the antigen-binding properties of antibodies or antigen binding fragments thereof. The non-MHC-restricted antigen recognition gives T-cells expressing DLL3 CARs the ability to recognize tumorigenic DLL3 independent of antigen processing, thus bypassing a major mechanism of tumor escape. Moreover, when expressed in T-cells, CARs advantageously do not dimerize with endogenous T cell receptor (TCR) alpha and beta chains.

[00232] In selected aspects the DLL3 binding proteins, or the DLL3 targeting trispecific proteins of the disclosure is incorporated into a chimeric antigen receptor (CAR) and the DLL3 CAR is administered in a CAR based therapy effective at treating lung cancer, including the following subtypes: small cell lung cancer, non-small cell lung cancer (*e.g.*, squamous cell non-

small cell lung cancer or squamous cell small cell lung cancer) and large cell neuroendocrine carcinoma (LCNEC).

[00233] In some embodiments, the DLL3 binding proteins, or the DLL3 sensitive lymphocytes are administered to patients exhibiting limited stage disease or extensive stage disease. In other embodiments the disclosed DLL3 targeting trispecific antibodies are administered to refractory patients (*i.e.*, those whose disease recurs during or shortly after completing a course of initial therapy); sensitive patients (*i.e.*, those whose relapse is longer than 2-3 months after primary therapy); or patients exhibiting resistance to a platinum based agent (*e.g.*, carboplatin, cisplatin, oxaliplatin) and/or a taxane (*e.g.*, docetaxel, paclitaxel, larotaxel or cabazitaxel). In another embodiment the disclosed DLL3 CAR treatments are effective at treating ovarian cancer, including ovarian-serous carcinoma and ovarian-papillary serous carcinoma.

[00234] The disclosed DLL3 binding proteins, or the DLL3 targeting trispecific binding proteins, in some embodiments, are used to prevent, treat or diagnose tumors with neuroendocrine features or phenotypes including neuroendocrine tumors. True or canonical neuroendocrine tumors (NETs) arising from the dispersed endocrine system are relatively rare, with an incidence of 2-5 per 100,000 people, but highly aggressive. Neuroendocrine tumors occur in the kidney, genitourinary tract (bladder, prostate, ovary, cervix, and endometrium), gastrointestinal tract (colon, stomach), thyroid (medullary thyroid cancer), and lung (small cell lung carcinoma and large cell neuroendocrine carcinoma). These tumors may secrete several hormones including serotonin and/or chromogranin A that can cause debilitating symptoms known as carcinoid syndrome. Such tumors can be denoted by positive immunohistochemical markers such as neuron-specific enolase (NSE, also known as gamma enolase, gene symbol=ENO2), CD56 (or NCAM1), chromogranin A (CHGA), and synaptophysin (SYP) or by genes known to exhibit elevated expression such as ASCL1. Traditional chemotherapies have not been particularly effective in treating neuroendocrine tumors and liver metastasis is a common outcome. In some embodiments the disclosed DLL3 targeting trispecific antibodies are advantageously used to treat neuroendocrine tumors, and in some embodiments they are used to treat, prevent or diagnose pseudo neuroendocrine tumors (pNETs) that genotypically or phenotypically mimic, resemble or exhibit common traits with canonical neuroendocrine tumors. Pseudo neuroendocrine tumors or tumors with neuroendocrine features are tumors that arise from cells of the diffuse neuroendocrine system or from cells in which a neuroendocrine differentiation cascade has been aberrantly reactivated during the oncogenic process. Such pNETs commonly share certain phenotypic or biochemical characteristics with traditionally defined neuroendocrine tumors, including the ability to produce subsets of biologically active amines, neurotransmitters, and peptide hormones. Histologically, such tumors (NETs and

pNETs) share a common appearance often showing densely connected small cells with minimal cytoplasm of bland cytopathology and round to oval stippled nuclei. In some embodiments of the present disclosure commonly expressed histological markers or genetic markers that are used to define neuroendocrine and pseudo neuroendocrine tumors include, but are not limited to, chromogranin A, CD56, synaptophysin, PGP9.5, ASCL1 and neuron-specific enolase (NSE). Accordingly, in some embodiments, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof, of the present disclosure, are beneficially used to treat both pseudo neuroendocrine tumors and canonical neuroendocrine tumors, such as to treat neuroendocrine tumors (both NET and pNET) arising in the kidney, genitourinary tract (bladder, prostate, ovary, cervix, and endometrium), gastrointestinal tract (colon, stomach), thyroid (medullary thyroid cancer), and lung (small cell lung carcinoma and large cell neuroendocrine carcinoma). Moreover, in some embodiments, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof are used to treat tumors expressing one or more markers such as NSE, CD56, synaptophysin, chromogranin A, ASCL1, or PGP9.5 (UCHL1). In some embodiments, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof are used to treat a subject suffering from a tumor that is NSE+ or CD56+ or PGP9.5+ or ASCL1+ or SYP+ or CHGA+ or any combination thereof.

[00235] In another embodiment the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof are used in maintenance therapy to reduce or eliminate the chance of tumor recurrence following the initial presentation of the disease. In some cases, the disorder has been treated and the initial tumor mass eliminated, reduced or otherwise ameliorated so the patient is asymptomatic or in remission. At such time the subject is administered pharmaceutically effective amounts of the disclosed the DLL3 binding proteins, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof one or more times regardless of if there is little or no indication of disease using standard diagnostic procedures. In some embodiments, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof is administered on a regular schedule over a period of time, such as weekly, every two weeks, monthly, every six weeks, every two months, every three months every six months or annually, for example, to reduce the potential of disease recurrence. Moreover such treatments are in some embodiments continued for a period of weeks, months, years or even indefinitely depending on the patient response and clinical and diagnostic parameters.

[00236] In yet another embodiment the DLL3 binding proteins, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof are used to prophylactically or as an adjuvant therapy to prevent or reduce the possibility of tumor metastasis following a debulking procedure. As used in the present disclosure a “debulking procedure” is defined broadly and means any procedure, technique or method that eliminates, reduces, treats or ameliorates a tumor or tumor proliferation. Exemplary debulking procedures include, but are not limited to, surgery, radiation treatments (*i.e.*, beam radiation), chemotherapy, immunotherapy or ablation. In some embodiments, at appropriate times, the DLL3 binding proteins, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof are administered as suggested by clinical, diagnostic or theranostic procedures to reduce tumor metastasis. In some embodiments, the dosing regimen is accompanied by appropriate diagnostic or monitoring techniques that allow it to be modified.

[00237] Yet other embodiments of the disclosure comprise administering the DLL3 binding proteins, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof to subjects that are asymptomatic but at risk of developing a proliferative disorder. That is, in some embodiments, the DLL3 binding proteins, the DLL3 targeting trispecific protein of the disclosure, the DLL3 CAR, or the DLL3 sensitized lymphocytes, or any combination thereof are used in preventative sense and given to patients that have been examined or tested and have one or more noted risk factors (*e.g.*, genomic indications, family history, *in vivo* or *in vitro* test results, etc.) but have not developed neoplasia. In such cases those skilled in the art would be able to determine an effective dosing regimen through empirical observation or through accepted clinical practices.

[00238] As used herein, in some embodiments, “treatment” or “treating” or “treated” refers to therapeutic treatment wherein the object is to slow (lessen) an undesired physiological condition, disorder or disease, or to obtain beneficial or desired clinical results. For the purposes described herein, beneficial or desired clinical results include, but are not limited to, alleviation of symptoms; diminishment of the extent of the condition, disorder or disease; stabilization (*i.e.*, not worsening) of the state of the condition, disorder or disease; delay in onset or slowing of the progression of the condition, disorder or disease; amelioration of the condition, disorder or disease state; and remission (whether partial or total), whether detectable or undetectable, or enhancement or improvement of the condition, disorder or disease. Treatment includes eliciting a clinically significant response without excessive levels of side effects. Treatment also includes prolonging survival as compared to expected survival if not receiving treatment. In other embodiments, “treatment” or “treating” or “treated” refers to prophylactic measures, wherein the

object is to delay onset of or reduce severity of an undesired physiological condition, disorder or disease, such as, for example is a person who is predisposed to a disease (*e.g.*, an individual who carries a genetic marker for a disease such as breast cancer).

[00239] In some embodiments of the methods described herein, the DLL3 binding proteins, the DLL3 targeting trispecific proteins, or compositions as described herein are administered in combination with an agent for treatment of the particular disease, disorder or condition. Agents include but are not limited to, therapies involving antibodies, small molecules (*e.g.*, chemotherapeutics), hormones (steroidal, peptide, and the like), radiotherapies (γ -rays, X-rays, and/or the directed delivery of radioisotopes, microwaves, UV radiation and the like), gene therapies (*e.g.*, antisense, retroviral therapy and the like) and other immunotherapies. In some embodiments, an anti-DLL3 binding protein, or an anti-DLL3 targeting trispecific protein as described herein is administered in combination with anti-diarrheal agents, anti-emetic agents, analgesics, opioids and/or non-steroidal anti-inflammatory agents. In some embodiments, an anti-DLL3 binding protein, or an anti-DLL3 targeting trispecific protein as described herein is administered in combination with anti-cancer agents. Non-limiting examples of anti-cancer agents that can be used in the various embodiments of the disclosure, including pharmaceutical compositions and dosage forms and kits of the disclosure, include: acivicin; aclarubicin; acodazole hydrochloride; acronine; adozelesin; aldesleukin; altretamine; ambomycin; ametantrone acetate; aminoglutethimide; amsacrine; anastrozole; anthramycin; asparaginase; asperlin; azacitidine; azetepa; azotomycin; batimastat; benzodepa; bicalutamide; bisantrene hydrochloride; bisnafide dimesylate; bizelesin; bleomycin sulfate; brequinar sodium; bropirimine; busulfan; cactinomycin; calusterone; caracemide; carbetimer; carboplatin; carmustine; carubicin hydrochloride; carzelesin; cedefingol; chlorambucil; cirolemycin; cisplatin; cladribine; crisnatol mesylate; cyclophosphamide; cytarabine; dacarbazine; dactinomycin; daunorubicin hydrochloride; decitabine; dexormaplatin; dezaguanine; dezaguanine mesylate; diaziquone; docetaxel; doxorubicin; doxorubicin hydrochloride; droloxifene; droloxifene citrate; dromostanolone propionate; duazomycin; edatrexate; eflornithine hydrochloride; elsamitrucin; enloplatin; enpromate; epipropidine; epirubicin hydrochloride; erbulozole; esorubicin hydrochloride; estramustine; estramustine phosphate sodium; etanidazole; etoposide; etoposide phosphate; etoprine; fadrozole hydrochloride; fazarabine; fenretinide; floxuridine; fludarabine phosphate; fluorouracil; flurocitabine; fosquidone; fostriecin sodium; gemcitabine; gemcitabine hydrochloride; hydroxyurea; idarubicin hydrochloride; ifosfamide; ilmofofosine; interleukin II (including recombinant interleukin II, or rIL2), interferon alpha-2a; interferon alpha-2b; interferon alpha-n1 interferon alpha-n3; interferon beta-I a; interferon gamma-I b; iproplatin; irinotecan hydrochloride; lanreotide acetate; letrozole; leuprolide acetate; liarozole

hydrochloride; lometrexol sodium; lomustine; losoxantrone hydrochloride; masoprocol; maytansine; mechlorethamine hydrochloride; megestrol acetate; melengestrol acetate; melphalan; menogaril; mercaptopurine; methotrexate; methotrexate sodium; metoprine; meturedapa; mitindomide; mitocarcin; mitocromin; mitogillin; mitomalcin; mitomycin; mitosper; mitotane; mitoxantrone hydrochloride; mycophenolic acid; nocodazole; nogalamycin; ormaplatin; oxisuran; paclitaxel; pegaspargase; peliomycin; pentamustine; peplomycin sulfate; perfosfamide; pipobroman; pipsulfan; piroxantrone hydrochloride; plicamycin; plomestane; porfimer sodium; porfiromycin; prednimustine; procarbazine hydrochloride; puromycin; puromycin hydrochloride; pyrazofurin; riboprime; rogletimide; safingol; safingol hydrochloride; semustine; simtrazene; sparfosate sodium; sparsomycin; spirogermanium hydrochloride; spiromustine; spiroplatin; streptonigrin; streptozocin; sulofenur; talisomycin; tecogalan sodium; tegafur; teloxantrone hydrochloride; temoporfin; teniposide; teroxirone; testolactone; thiamiprine; thioguanine; thiotepa; tiazofurin; tirapazamine; toremifene citrate; trestolone acetate; tricirbine phosphate; trimetrexate; trimetrexate glucuronate; triptorelin; tubulozole hydrochloride; uracil mustard; uredepa; vapreotide; verteporfin; vinblastine sulfate; vincristine sulfate; vindesine; vindesine sulfate; vinepidine sulfate; vinglycinate sulfate; vinleurosine sulfate; vinorelbine tartrate; vinzolidine sulfate; vinzolidine sulfate; vorozole; zeniplatin; zinostatin; zorubicin hydrochloride.

Other examples of anti-cancer drugs include, but are not limited to: 20-epi-1,25

dihydroxyvitamin D3; 5-ethynyluracil; abiraterone; aclarubicin; acylfulvene; adecypenol; adozelesin; aldesleukin; ALL-TK antagonists; altretamine; ambamustine; amidox; amifostine; aminolevulinic acid; amrubicin; amsacrine; anagrelide; anastrozole; andrographolide; angiogenesis inhibitors; antagonist D; antagonist G; antarelix; anti-dorsalizing morphogenetic protein-1; antiandrogen, prostatic carcinoma; antiestrogen; antineoplaston; antisense oligonucleotides; aphidicolin glycinate; apoptosis gene modulators; apoptosis regulators; apurinic acid; ara-CDP-DL-PTBA; arginine deaminase; asulacrine; atamestane; atrimustine; axinastatin 1; axinastatin 2; axinastatin 3; azasetron; azatoxin; azatyrosine; baccatin III derivatives; balanol; batimastat; BCR/ABL antagonists; benzochlorins; benzoylstaurosporine; beta lactam derivatives; beta-alethine; betaclamycin B; betulinic acid; bFGF inhibitor; bicalutamide; bisantrene; bisaziridinylspermine; bisnafide; bistratene A; bizelesin; breflate; broprimine; budotitane; buthionine sulfoximine; calcipotriol; calphostin C; camptothecin derivatives; canarypox IL-2; capecitabine; carboxamide-amino-triazole; carboxyamidotriazole; CaRest M3; CARN 700; cartilage derived inhibitor; carzelesin; casein kinase inhibitors (ICOS); castanospermine; cecropin B; cetorelix; chlorins; chloroquinoxaline sulfonamide; cicaprost; cis-porphyrin; cladribine; clomifene analogues; clotrimazole; collismycin A; collismycin B; combretastatin A4; combretastatin analogue; conagenin; crambescidin 816; crisnatol; cryptophycin 8; cryptophycin

A derivatives; curacin A; cyclopentantraquinones; cycloplatam; cypemycin; cytarabine
ocfosfate; cytolytic factor; cytostatin; dacliximab; decitabine; dehydridemnin B; deslorelin;
dexamethasone; dexifosfamide; dexrazoxane; dexverapamil; diaziquone; didemnin B; didox;
diethylnorspermine; dihydro-5-azacytidine; dihydrotaxol, 9-; dioxamycin; diphenyl
spiromustine; docetaxel; docosanol; dolasetron; doxifluridine; droloxifene; dronabinol;
duocarmycin SA; ebselen; ecomustine; edelfosine; edrecolomab; eflornithine; elemene; emitefur;
epirubicin; epristeride; estramustine analogue; estrogen agonists; estrogen antagonists;
etanidazole; etoposide phosphate; exemestane; fadrozole; fazarabine; fenretinide; filgrastim;
finasteride; flavopiridol; flezelastine; fluasterone; fludarabine; fluorodaunorubicin hydrochloride;
forfenimex; formestane; fostriecin; fotemustine; gadolinium texaphyrin; gallium nitrate;
galocitabine; ganirelix; gelatinase inhibitors; gemcitabine; glutathione inhibitors; hepsulfam;
heregulin; hexamethylene bisacetamide; hypericin; ibandronic acid; idarubicin; idoxifene;
idramantone; ilomofosine; ilomastat; imidazoacridones; imiquimod; immunostimulant peptides;
insulin-like growth factor-I receptor inhibitor; interferon agonists; interferons; interleukins;
iobenguane; iododoxorubicin; ipomeanol, 4-; iroplact; irsogladine; isobengazole;
isohomohalicondrin B; itasetron; jasplakinolide; kahalalide F; lamellarin-N triacetate; lanreotide;
leinamycin; lenograstim; lentinan sulfate; leptolstatin; letrozole; leukemia inhibiting factor;
leukocyte alpha interferon; leuprolide+estrogen+progesterone; leuprorelin; levamisole; liarozole;
linear polyamine analogue; lipophilic disaccharide peptide; lipophilic platinum compounds;
lissoclinamide 7; lobaplatin; lombricine; lometrexol; lonidamine; losoxantrone; HMG-CoA
reductase inhibitor (such as but not limited to, Lovastatin, Pravastatin, Fluvastatin, Statin,
Simvastatin, and Atorvastatin); loxoribine; lurtotecan; lutetium texaphyrin; lysofylline; lytic
peptides; maitansine; mannostatin A; marimastat; masoproc; maspin; matrilysin inhibitors;
matrix metalloproteinase inhibitors; menogaril; merbarone; meterelin; methioninase;
metoclopramide; MIF inhibitor; mifepristone; miltefosine; mirimostim; mismatched double
stranded RNA; mitoguazone; mitolactol; mitomycin analogues; mitonafide; mitotoxin fibroblast
growth factor-saporin; mitoxantrone; mofarotene; molgramostim; monoclonal antibody, human
chorionic gonadotrophin; monophosphoryl lipid A+myobacterium cell wall sk; mopidamol;
multiple drug resistance gene inhibitor; multiple tumor suppressor 1-based therapy; mustard
anticancer agent; mycaperoxide B; mycobacterial cell wall extract; myriaporone; N-
acetyldinaline; N-substituted benzamides; nafarelin; nagrestip; naloxone+pentazocine; napavin;
naphterpin; nartograstim; nedaplatin; nemorubicin; neridronic acid; neutral endopeptidase;
nilutamide; nisamycin; nitric oxide modulators; nitroxide antioxidant; nitrullyn; O6-
benzylguanine; octreotide; okicenone; oligonucleotides; onapristone; ondansetron; ondansetron;
oracin; oral cytokine inducer; ormaplatin; osaterone; oxaliplatin; oxaunomycin; paclitaxel;

paclitaxel analogues; paclitaxel derivatives; palauamine; palmitoylrhizoxin; pamidronic acid; panaxytriol; panomifene; parabactin; pazelliptine; pegaspargase; peldesine; pentosan polysulfate sodium; pentostatin; pentozole; perflubron; perfosfamide; perillyl alcohol; phenazinomycin; phenylacetate; phosphatase inhibitors; picibanil; pilocarpine hydrochloride; pirarubicin; piritrexim; placetin A; placetin B; plasminogen activator inhibitor; platinum complex; platinum compounds; platinum-triamine complex; porfimer sodium; porfiromycin; prednisone; propyl bis-acridone; prostaglandin J2; proteasome inhibitors; protein A-based immune modulator; protein kinase C inhibitor; protein kinase C inhibitors, microalgal; protein tyrosine phosphatase inhibitors; purine nucleoside phosphorylase inhibitors; purpurins; pyrazoloacridine; pyridoxylated hemoglobin polyoxyethylene conjugate; raf antagonists; raltitrexed; ramosetron; ras farnesyl protein transferase inhibitors; ras inhibitors; ras-GAP inhibitor; retelliptine demethylated; rhenium Re 186 etidronate; rhizoxin; ribozymes; RII retinamide; rogletimide; rohitukine; romurtide; roquinimex; rubiginone B1; ruboxyl; safingol; saintopin; SarCNU; sarcophytol A; sargramostim; Sdi 1 mimetics; semustine; senescence derived inhibitor 1; sense oligonucleotides; signal transduction inhibitors; signal transduction modulators; single chain antigen binding protein; sizofiran; sobuzoxane; sodium borocaptate; sodium phenylacetate; solverol; somatomedin binding protein; sonermin; sparfosic acid; spicamycin D; spiromustine; splenopentin; spongistatin 1; squalamine; stem cell inhibitor; stem-cell division inhibitors; stipiamide; stromelysin inhibitors; sulfinosine; superactive vasoactive intestinal peptide antagonist; suradista; suramin; swainsonine; synthetic glycosaminoglycans; tallimustine; tamoxifen methiodide; tauromustine; tazarotene; tecogalan sodium; tegafur; tellurapyrylium; telomerase inhibitors; temoporfin; temozolomide; teniposide; tetrachlorodecaoxide; tetrazomine; thaliblastine; thiocoraline; thrombopoietin; thrombopoietin mimetic; thymalfasin; thymopoietin receptor agonist; thymotrigan; thyroid stimulating hormone; tin ethyl etiopurpurin; tirapazamine; titanocene bichloride; topsentin; toremifene; totipotent stem cell factor; translation inhibitors; tretinoin; triacetyluridine; tricyribine; trimetrexate; triptorelin; tropisetron; turosteride; tyrosine kinase inhibitors; tyrphostins; UBC inhibitors; ubenimex; urogenital sinus-derived growth inhibitory factor; urokinase receptor antagonists; vapreotide; variolin B; vector system, erythrocyte gene therapy; velaresol; veramine; verdins; verteporfin; vinorelbine; vinxaltine; Vitaxin®; vorozole; zanoterone; zeniplatin; zilascorb; and zinostatin stimalamer. Additional anti-cancer drugs are 5-fluorouracil and leucovorin. These two agents are particularly useful when used in methods employing thalidomide and a topoisomerase inhibitor. In some embodiments, the DLL3 targeting trispecific protein of the present disclosure is used in combination with gemcitabine. In some embodiments, the DLL3 targeting trispecific protein as described herein is administered before, during, or after surgery.

Methods of detection of DLL3 expression and diagnosis of DLL3 associated cancer

[00240] According to another embodiment of the disclosure, kits for detecting expression of DLL3 *in vitro* or *in vivo* are provided. The kits include the foregoing DLL3 binding proteins, DLL3 targeting trispecific proteins (*e.g.*, a trispecific protein containing a labeled anti-DLL3 single domain antibody or antigen binding fragments thereof), and one or more compounds for detecting the label. In some embodiments, the label is selected from the group consisting of a fluorescent label, an enzyme label, a radioactive label, a nuclear magnetic resonance active label, a luminescent label, and a chromophore label.

[00241] In some cases, DLL3 expression is detected in a biological sample. The sample can be any sample, including, but not limited to, tissue from biopsies, autopsies and pathology specimens. Biological samples also include sections of tissues, for example, frozen sections taken for histological purposes. Biological samples further include body fluids, such as blood, serum, plasma, sputum, spinal fluid or urine. A biological sample is typically obtained from a mammal, such as a human or non-human primate.

[00242] In one embodiment, provided is a method of determining if a subject has cancer by contacting a sample from the subject with an anti-DLL3 single domain antibody or an anti-DLL3 trispecific protein as disclosed herein; and detecting binding of the single domain antibody to the sample. An increase in binding of the antibody to the sample as compared to binding of the antibody to a control sample identifies the subject as having cancer.

[00243] In another embodiment, provided is a method of confirming a diagnosis of cancer in a subject by contacting a sample from a subject diagnosed with cancer with an anti-DLL3 single domain antibody or an anti-DLL3 trispecific protein as disclosed herein; and detecting binding of the antibody to the sample. An increase in binding of the antibody to the sample as compared to binding of the antibody to a control sample confirms the diagnosis of cancer in the subject.

[00244] In some examples of the disclosed methods, the DLL3 binding protein, or the DLL3 binding single domain antibody of the trispecific protein is directly labeled. In some examples, the methods further include contacting a second antibody that specifically binds an anti-DLL3 single domain antibody or an anti-DLL3 trispecific protein with the sample; and detecting the binding of the second antibody. An increase in binding of the second antibody to the sample as compared to binding of the second antibody to a control sample detects cancer in the subject or confirms the diagnosis of cancer in the subject. In some cases, the cancer is a neuroendocrine cancer, prostate cancer, lung cancer, stomach cancer, squamous cell carcinoma, pancreatic cancer, cholangiocarcinoma, triple negative breast cancer or ovarian cancer, or any

other type of cancer that expresses DLL3. In some examples, the control sample is a sample from a subject without cancer. In particular examples, the sample is a blood or tissue sample.

[00245] In some cases, the antibody that binds (for example specifically binds) DLL3 is directly labeled with a detectable label. In another embodiment, the antibody that binds (for example, specifically binds) DLL3 (the first antibody) is unlabeled and a second antibody or other molecule that can bind the antibody that specifically binds DLL3 is labeled. A second antibody is chosen such that it is able to specifically bind the specific species and class of the first antibody. For example, if the first antibody is a llama IgG, then the secondary antibody may be an anti-llama-IgG. Other molecules that can bind to antibodies include, without limitation, Protein A and Protein G, both of which are available commercially. Suitable labels for the antibody or secondary antibody are described above, and include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, magnetic agents and radioactive materials. Non-limiting examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase. Non-limiting examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin. Non-limiting examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin. A non-limiting exemplary luminescent material is luminol; a non-limiting exemplary a magnetic agent is gadolinium, and non-limiting exemplary radioactive labels include 125I, 131I, 35S or 3H.

[00246] In an alternative embodiment, DLL3 can be assayed in a biological sample by a competition immunoassay utilizing DLL3 standards labeled with a detectable substance and an unlabeled antibody that specifically binds DLL3. In this assay, the biological sample, the labeled DLL3 standards and the antibody that specifically bind DLL3 are combined and the amount of labeled DLL3 standard bound to the unlabeled antibody is determined. The amount of DLL3 in the biological sample is inversely proportional to the amount of labeled DLL3 standard bound to the antibody that specifically binds DLL3.

[00247] The immunoassays and method disclosed herein can be used for a number of purposes. In one embodiment, the antibody that specifically binds DLL3 may be used to detect the production of DLL3 in cells in cell culture. In another embodiment, the antibody can be used to detect the amount of DLL3 in a biological sample, such as a tissue sample, or a blood or serum sample. In some examples, the DLL3 is cell-surface DLL3. In other examples, the DLL3 is soluble DLL3 (e.g., DLL3 in a cell culture supernatant or soluble DLL3 in a body fluid sample, such as a blood or serum sample).

[00248] In one embodiment, a kit is provided for detecting DLL3 in a biological sample, such as a blood sample or tissue sample. For example, to confirm a cancer diagnosis in a subject,

a biopsy can be performed to obtain a tissue sample for histological examination. Alternatively, a blood sample can be obtained to detect the presence of soluble DLL3 protein or fragment. Kits for detecting a polypeptide will typically comprise a single domain antibody, according to the present disclosure, that specifically binds DLL3. In some embodiments, an antibody fragment, such as an scFv fragment, a VH domain, or a Fab is included in the kit. In a further embodiment, the antibody is labeled (for example, with a fluorescent, radioactive, or an enzymatic label).

[00249] In one embodiment, a kit includes instructional materials disclosing means of use of an antibody that binds DLL3. The instructional materials may be written, in an electronic form (such as a computer diskette or compact disk) or may be visual (such as video files), or provided through an electronic network, for example, over the internet, World Wide Web, an intranet, or other network. The kits may also include additional components to facilitate the particular application for which the kit is designed. Thus, for example, the kit may additionally contain means of detecting a label (such as enzyme substrates for enzymatic labels, filter sets to detect fluorescent labels, appropriate secondary labels such as a secondary antibody, or the like). The kits may additionally include buffers and other reagents routinely used for the practice of a particular method. Such kits and appropriate contents are well known to those of skill in the art.

[00250] In one embodiment, the diagnostic kit comprises an immunoassay. Although the details of the immunoassays may vary with the particular format employed, the method of detecting DLL3 in a biological sample generally includes the steps of contacting the biological sample with an antibody which specifically reacts, under immunologically reactive conditions, to a DLL3 polypeptide. The antibody is allowed to specifically bind under immunologically reactive conditions to form an immune complex, and the presence of the immune complex (bound antibody) is detected directly or indirectly.

[00251] Methods of determining the presence or absence of a cell surface marker are well known in the art. For example, the antibodies can be conjugated to other compounds including, but not limited to, enzymes, magnetic beads, colloidal magnetic beads, haptens, fluorochromes, metal compounds, radioactive compounds or drugs. The antibodies can also be utilized in immunoassays such as but not limited to radioimmunoassays (RIAs), ELISA, or immunohistochemical assays. The antibodies can also be used for fluorescence activated cell sorting (FACS). FACS employs a plurality of color channels, low angle and obtuse light-scattering detection channels, and impedance channels, among other more sophisticated levels of detection, to separate or sort cells (see U.S. Patent No. 5,061,620). Any of the single domain antibodies that bind DLL3, as disclosed herein, can be used in these assays. Thus, the antibodies can be used in a conventional immunoassay, including, without limitation, an ELISA, an RIA, FACS, tissue immunohistochemistry, Western blot or immunoprecipitation.

EXAMPLES

Example 1: Screening of Phage Display Library for Identification of DLL3 Binding Domains

[00252] Llamas were immunized with purified DLL3 protein expressed in EXP1293™ cells. A phage display library for expression of heavy chain variable antibody domains was constructed from circulating B cells (*see* van der Linden , de Geus , Stok , Bos ,van Wassenaar, Verrips, and Frenken. 2000. J Immunol Methods 240:185–195). Phage clones were screening for binding to DLL3 by expressing the clones in *E coli*, preparing periplasmic extracts, and screening the clones for DLL3 binding activity by ELISA. Fifty-two unique heavy chain only single domain antibodies were identified that produced a signal in the ELISA screening (SEQ ID Nos. 1 to 52). The CDR1, CDR2, and CDR3 sequences for these heavy variable domains were, respectively, SEQ ID Nos. 443 to 494, SEQ ID Nos.885 to 936, and SEQ ID Nos.1327 to 1378.

Example 2: Humanization of DLL3 Binding Single Domain Antibodies and T Cell Dependent Cellular Cytotoxicity Assay

[00253] Thirty-four (SEQ ID Nos. 53 to 86) exemplary llama anti-DLL3 heavy chain only single domain antibodies from **Example 1** were humanized. The CDR1, CDR2, and CDR3 sequences for the 34 heavy chain only single domain antibodies were, respectively, SEQ ID Nos. 495 to 528, SEQ ID Nos. 937 to 970, and SEQ ID Nos. 1379 to 1412.

[00254] The humanized anti-DLL3 sequences were cloned into an expression vector, in an expression construct comprising a signal domain followed by an anti-DLL3 heavy chain only variable domain followed by a GGGGSGGGS linker (SEQ ID No. 1808) followed by anti-human albumin single domain antibody 10G (SEQ ID No. 1774) followed by a GGGGSGGGS linker (SEQ ID No. 1808) followed by anti-human CD3 antibody 2B2 (SEQ ID No.1793) followed by a HHHHHH tag (SEQ ID No. 1819), to generate anti-DLL3 trispecific constructs.

[00255] The anti-DLL3 trispecific constructs containing the humanized anti-DLL3 binding sequences were then transfected into EXP1293™ cells. These anti-DLL3 trispecific constructs have an engineered with a protein A binding site, and the amount of anti-DLL3 trispecific construct in the conditioned media from the transfected EXP1293™ cells was quantitated using an Octet instrument with protein A tips. A trispecific protein of similar molecular weight as the anti-DLL3 trispecific proteins was used as a standard.

[00256] Using conditioned media containing known concentrations of anti-DLL3 trispecific proteins, the binding affinities of the anti-DLL3 trispecific proteins toward human and cynomolgus monkey DLL3 proteins were measured, using a method where the DLL3 proteins

were expressed as human IgG1-Fc fusions and the measurements were carried out using an Octet instrument with anti-human Fc tips. The K_D measurements were made using a single 50 nM concentration of the anti-DLL3 trispecific proteins, which allowed for rank ordering based on potency. The relative affinities, measured as described above, are listed in **Table 1**. All of the sequences were found to bind human DLL3, with relative affinities (K_D) ranging from 0.5 to 42 nM. Some of the sequences were found to bind cynomolgus DLL3 with similar affinities to human DLL3, and the relative affinities for the binding of those sequences to cynomolgus DLL3 are also shown in **Table 1**.

[00257] The conditioned media were also tested in a T-cell dependent cellular cytotoxicity assay (*see* Nazarian AA, Archibeque IL, Nguyen YH, Wang P, Sinclair AM, Powers DA. 2015. J Biomol Screen. 20:519-27). In this assay, luciferase labelled DMS-153 cells (small-cell lung carcinoma cell line; ATCC No. ATCC® CRL-2064™) were combined with purified human T cells, from a donor, and a titration of the anti-DLL3 trispecific proteins being tested.

[00258] It was hypothesized that if an anti-DLL3 trispecific protein directed T cells to kill the DLL3-expressing DMS-153 cells, then the viability of the DMS-153 cells, as determined by running a luciferase assay at 48 hours after starting the experiment, should decrease.

[00259] As illustrated in **Figs. 2-6**, which show graphs of representative TDCC data, several exemplary anti-DLL3 trispecific proteins were able to decrease the viability of the DMS-153 cells. **Fig. 2** shows results of the TDCC assay for anti-DLL3 trispecific proteins comprising DLL3 binding domains DH18 (SEQ ID No. 59), DH11 (SEQ ID No. 55), DH67 (SEQ ID No. 42), and DH56 (SEQ ID No. 73). **Fig. 3** shows results of the TDCC assay for anti-DLL3 trispecific proteins comprising DLL3 binding domains DH2 (SEQ ID No. 60), DH43 (SEQ ID No. 68), DH10 (SEQ ID No. 54), and DH6 (SEQ ID No. 75). **Fig. 4** shows results of the TDCC assay for DLL3 trispecific protein comprises DLL3 binding domains DH82 (SEQ ID No. 81), DH23 (SEQ ID No. 62), DH89 (SEQ ID No. 84), and DH17 (SEQ ID No. 58). **Fig. 5** shows results of the TDCC assay for DLL3 trispecific protein comprises DLL3 binding domains DH83 (SEQ ID No. 82), DH12 (SEQ ID No. 56), DH61 (SEQ ID No. 76), and DH29 (SEQ ID No. 64). **Fig. 6** shows results of the TDCC assay for DLL3 trispecific protein comprises DLL3 binding domains DH58 (SEQ ID No. 74) and DH70 (SEQ ID No. 79). A negative control for the TDCC assays was a trispecific protein targeting GFP instead of DLL3 (as shown in **Fig. 6**) which did not direct the T cells to kill the DMS-153 cells. EC_{50} values from the TDCC assay are also listed in **Table 1**. These values ranged from 69 pM to 11 nM.

Table 1: Activity of Humanized Anti-DLL3 Trispecific Proteins in DMS-153 TDCC Assays and Their Affinities for Human and Cynomolgus DLL3 Protein. The K_D measurements were made using a single concentration of anti-DLL3 trispecific protein. The TDCC assay was performed using human T cells. n/d indicates binding was not detected.

DLL3 binder	DMS-153 TDCC EC50 (M)	huDLL3 KD (nM)	cyDLL3 KD (nM)
DH43	6.9E-11	4.3	5.5
DH12	7.8E-11	1.3	n/d
DH11	9.3E-11	5.3	5.6
DH58	1.1E-10	3.3	27.9
DH6	1.2E-10	6.1	6.8
DH83	1.5E-10	4.7	n/d
DH10	1.6E-10	3.9	25.0
DH17	1.6E-10	7.0	n/d
DH67	2.0E-10	8.4	8.2
DH2	2.6E-10	6.5	14.6
DH56	3.4E-10	8.1	8.0
DH70	3.4E-10	16.2	86.2
DH61	3.8E-10	10.6	30.8
DH89	4.0E-10	6.9	n/d
DH23	4.0E-10	9.9	n/d
DH29	4.2E-10	5.6	n/d
DH5	5.2E-10	0.5	5.5
DH18	6.4E-10	1.0	5.9
DH45	6.9E-10	1.9	2.8
DH82	8.4E-10	6.6	n/d
DH80	1.0E-09	0.8	5.5
DH27	1.2E-09	2.1	11.3
DH69	1.4E-09	1.2	7.0
DH92	1.7E-09	18.0	17.5
DH94	1.8E-09	2.6	9.6
DH42	1.8E-09	4.3	11.7
DH1	2.0E-09	3.5	10.7
DH38	2.9E-09	11.9	n/d
DH51	3.8E-09	5.1	18.2
DH54	4.5E-09	20.6	42.4
DH3	6.2E-09	41.9	n/d
DH15	2.0E-08	17.4	n/d
DH22	2.8E-08	6.8	16.4
DH84	1.1E-08	15.2	17.9

Example 3: Screening of Phage Display Library for Identification of DLL3 Binding Domains with Higher Binding Affinities, Using Two Humanized DLL3 Single Domain Antibodies from Previous Example

[00260] Two of the humanized antibody sequences, DH43 (SEQ ID No. 68) and DH6 (SEQ ID No. 75), were used as a starting point for making phage display libraries (following a method as described in WO2016187101A2). The anti-DLL3 sequences from this panning were subsequently cloned into an expression vector, in an expression construct comprising a signal domain followed by an anti-DLL3 heavy chain only variable domain followed by a GGGGSGGGS linker (SEQ ID No. 1808) followed by an anti-human albumin single domain antibody domain followed by a GGGGSGGGS linker (SEQ ID No. 1808) followed by an anti-human CD3 antibody fragment followed by a HHHHHH tag (SEQ ID No. 1819), to generate anti-DLL3 trispecific proteins. These constructs were transfected into EXP1293™ cells, and the expressed anti-DLL3 trispecific proteins were quantitated as described in **Example 2**. The sequences of the clones identified from the panning are SEQ ID Nos. 87 to 367. **Table 2** provides CDR variations obtained in the DH43 DLL3 binder sequences after phage display selection. Three of the clones identified from the panning, SEQ ID Nos. 199 (2E05), 330 (4D09), and 365 (4H011) were engineered to generate variants, where each variant had a single amino acid change from the parental sequence, for example, to remove potential metabolic liabilities of the parental sequence. In particular, the DLL3 binding domains comprising SEQ ID Nos. 227 (2E05-M106Y), 228 (2E05-M106Q) were engineered variants of SEQ ID No. 199 (2E05); SEQ ID No. 366 (4D09-M34L) was an engineered variant of SEQ ID No. 330 (4D09); and SEQ ID No. 367 (4H11-M34L) was an engineered variant of SEQ ID No. 365 (4H011). The CDR1 sequences of these DLL3 binding clones identified by the panning are SEQ ID Nos. 529 to 809, the CDR2 sequences of the clones identified by the panning are SEQ ID Nos. 971 to 1251, and the CDR3 sequences of the clones identified by the panning are SEQ ID Nos. 1413 to 1691.

Table 2: Variants in CDR sequences by amino acid position of DH43 and its derivatives

CDR	Amino acid position	CDR Amino acid Variants
CDR1	26	G
	27	A, E, F, G, I, K, L, N, Q, R, S, T, V, Y
	28	A, G, I, K, P, R, S, T, V
	29	A, D, F, K, L, N, P, Q, R, S, T, Y
	30	A, D, F, H, I, K, L, M, N, P, R, S, T, V, Y
	31	F, I, K, L, M, N, R, S, T, V
	32	N
	33	A, G
	34	F, I, L, M, T, V, Y
	35	A, G
	36	W
CDR2	50	G
	51	I, V

CDR	Amino acid position	CDR Amino acid Variants
	52	S
	53	A, K, P, R, S
	54	D, N
	55	D, E, G, K, N, Q, R, S, T, Y
	56	S, T
	57	A, E, F, H, I, K, L, N, Q, R, S, T, V, Y
	58	A, I, L, M, V, Y
	59	D, F, H, I, L, N, S, T, V, Y
	60	A, D, E, F, G, I, K, L, N, Q, R, S, T, V, Y
	61	A, D, E, G, K, Q, S, V
	62	S
	63	A, V
	64	K
	65	G, V
CDR3	98	F, Y
	99	G, H, I, K, N, R, S, T
	100	A, F, H, I, K, L, M, N, P, Q, R, S, T, Y
	101	A, E, F, G, H, I, K, L, M, N, Q, R, S, T, V, Y
	102	A, C, D, E, G, H, I, K, L, N, P, Q, R, S, T, W, Y
	103	G, K, L, R, T
	104	A, G, H, L, Q, R, S, T, V, Y
	105	A, D, E, G, H, P, Q, S, T, W, Y
	106	A, G, I, K, L, M, N, Q, R, S, T, V, Y
	107	A, G, K, P, R, S, T, V
	108	A, F, S, Y

[00261] Using the conditioned medium with known concentrations of the anti-DLL3 trispecific proteins, the binding affinities of the anti-DLL3 trispecific proteins toward human DLL3 protein were measured using a method where biotinylated version of human DLL3 protein were expressed as a human IgG1 fusion protein, and the binding affinity measurement was carried out in an Octet instrument with streptavidin tips. The K_D measurements were made using a single 50 nM concentration of the anti-DLL3 trispecific proteins, which allowed for rank ordering potency. In this experiment, the relative K_D values of the affinity matured clones ranged from 2.3 nM to 64 nM, as listed in **Table 3**. The parental binders DH43 and DH6, respectively, had K_D values of 7.7 ± 0.6 nM and 9.9 ± 0.3 nM based on four samples of conditioned medium from four transfections.

[00262] For select DLL3 binder molecules identified in this round of panning, as well as for the parental DLL3 binders DH43 and DH6, more precise affinity measurements for human DLL3 were made using 60 nM, 20 nM, 6.67 nM, and 2.22 nM concentrations of the anti-DLL3 trispecific proteins. In addition, relative affinity measurements were made using only 60 nM of

the anti-DLL3 trispecific proteins. Binding affinities determined from the more precise measurements of certain anti-DLL3 binding molecules are listed in **Table 4** [1H012 (SEQ ID No. 162); 1A011 (SEQ ID No. 95); 2E05 (SEQ ID No. 199); 4H011 (SEQ ID No. 365); 3C04 (SEQ ID No. 251); 2E02 (SEQ ID No. 198); 2H02 (SEQ ID No. 221); 3A011 (SEQ ID No. 238); 3A02 (SEQ ID No. 230); 4D09 (SEQ ID No. 330); DH43 (SEQ ID No. 68); and DH6 (SEQ ID No. 75)]. In this study, the parental binder, DH43, had a K_D value of 8.9 nM, whereas the highest affinity daughter molecule, 1H012 (SEQ ID No. 162), had an affinity of 2.9 nM. Furthermore, 1H012 (SEQ ID No. 162) retained an ability to bind to cynomolgus DLL3 as well. Also in this study, the parental binder, DH6, had a K_D value of 9.0 nM, whereas the highest affinity daughter molecule, 4H011 (SEQ ID No. 365), had an affinity of 3.9 nM. Furthermore, 4H011 (SEQ ID No. 365) retained an ability to bind to cynomolgus DLL3 as well.

[00263] Twenty-two DLL3 binder molecules identified in this round of panning were selected for testing in a TDCC assay with DMS-153 cells, using the same protocol as described in **Example 2**. Exemplary TDCC data are plotted as graphs in **Figs. 7-11**, and a summary of the EC_{50} values are listed in **Table 5**. In this experiment, the parental DLL3 molecules, DH43 and DH6, had EC_{50} values of 200 nM and 340 nM, respectively. The most potent daughter molecule of DH43 was 1H012 (SEQ ID No. 162), with an EC_{50} value of 28 nM, demonstrating greater than 7-fold increase in TDCC potency compared to the parental DLL3 binder DH43. The most potent daughter molecule of DH6 was 4H011 (SEQ ID No. 365) with an EC_{50} value of 36 nM, thereby showing greater than 8-fold increase in TDCC potency, compared to the parental DLL3 binder molecule. A control trispecific protein targeting GFP, used as a control, had no activity in this assay (as shown in **Fig. 11**).

Table 3: Relative Affinities of Anti-DLL3 Trispecific Proteins

Name	K _D (M)
4A010	2.3E-09
2E011	2.4E-09
1C010	2.5E-09
3H011	2.7E-09
1E011	2.7E-09
1H012	3.5E-09
4G01	3.6E-09
1A011	3.7E-09
4D01	3.7E-09
4E02	3.8E-09
2E05	3.9E-09
4B011	3.9E-09
1F02	4.0E-09
1A05	4.0E-09
2A011	4.0E-09
2E010	4.0E-09
2C02	4.1E-09
2E01	4.1E-09
2G08	4.1E-09
1C01	4.3E-09
4B07	4.3E-09
1E09	4.4E-09
2H02	4.4E-09
3F010	4.4E-09
1D011	4.4E-09
3C04	4.5E-09
4H011	4.5E-09
4D09	4.7E-09
1A012	4.9E-09
2D012	4.9E-09
3C03	4.9E-09
1F011	5.0E-09
2H011	5.0E-09
1D010	5.0E-09
4C01	5.1E-09
1B01	5.2E-09
1D09	5.2E-09
1E012	5.3E-09
3D011	5.3E-09
1C05	5.3E-09
2H03	5.3E-09
1B09	5.4E-09
4B09	5.4E-09
2D011	5.4E-09
2A04	5.6E-09
1A06	5.6E-09
4A011	5.6E-09

Name	K _D (M)
2G03	5.6E-09
2B07	5.7E-09
1B011	5.7E-09
1H01	5.7E-09
1E010	5.7E-09
4F010	5.8E-09
1D01	5.8E-09
1F05	5.8E-09
1D03	5.8E-09
4D011	5.8E-09
1F012	5.8E-09
3C08	5.9E-09
2F03	5.9E-09
4D08	5.9E-09
3D07	5.9E-09
2D07	6.0E-09
2E02	6.0E-09
4C011	6.0E-09
2C08	6.1E-09
1C03	6.1E-09
2H07	6.1E-09
4H04	6.1E-09
1C02	6.2E-09
2C07	6.2E-09
1H011	6.2E-09
1H07	6.2E-09
2D04	6.2E-09
3A09	6.3E-09
2H04	6.3E-09
1F010	6.3E-09
1A03	6.3E-09
2C09	6.4E-09
2H010	6.4E-09
4D05	6.5E-09
2G07	6.5E-09
1A010	6.5E-09
2F09	6.5E-09
2B02	6.6E-09
4C03	6.6E-09
1A09	6.6E-09
2D06	6.6E-09
1G01	6.6E-09
2C06	6.7E-09
4C02	6.8E-09
2C04	6.8E-09
3A011	6.8E-09
1G011	6.8E-09

Name	K _D (M)
4C06	6.8E-09
2D03	6.8E-09
1B010	6.8E-09
1D06	6.8E-09
3G010	6.9E-09
4C010	7.0E-09
1E02	7.0E-09
1A01	7.0E-09
4B02	7.1E-09
1C07	7.1E-09
3F011	7.1E-09
1E07	7.1E-09
4E08	7.2E-09
3B05	7.2E-09
2B012	7.3E-09
3G09	7.3E-09
3B07	7.3E-09
2D010	7.3E-09
2B05	7.4E-09
4D06	7.5E-09
4G011	7.5E-09
4C07	7.5E-09
3F05	7.5E-09
2C010	7.6E-09
2B03	7.6E-09
4G08	7.6E-09
1C011	7.6E-09
2A08	7.7E-09
1A04	7.8E-09
3C09	7.8E-09
2H06	7.9E-09
2G09	8.0E-09
2F07	8.0E-09
1B05	8.0E-09
2A01	8.0E-09
3H06	8.0E-09
1E04	8.1E-09
1C04	8.1E-09
3A02	8.1E-09
2A03	8.2E-09
3G01	8.2E-09
4F011	8.2E-09
2D09	8.2E-09
3C05	8.2E-09
4C05	8.3E-09
1C06	8.3E-09
2D05	8.3E-09

Name	K _D (M)
1G07	8.3E-09
1H010	8.4E-09
2E09	8.5E-09
1C012	8.5E-09
1A07	8.6E-09
3H010	8.6E-09
4D04	8.6E-09
1B03	8.7E-09
4F09	8.8E-09
4G09	8.8E-09
3G04	8.8E-09
2A05	8.9E-09
2A06	8.9E-09
1F06	8.9E-09
1B07	8.9E-09
4H08	8.9E-09
4A02	9.0E-09
4F08	9.0E-09
4E010	9.0E-09
3H01	9.0E-09
3B011	9.0E-09
4A09	9.0E-09
4E09	9.1E-09
3C02	9.1E-09
2F01	9.2E-09
3A04	9.2E-09
1D012	9.3E-09
1E08	9.4E-09
4A05	9.4E-09
1F01	9.4E-09
2F02	9.6E-09
1D04	9.7E-09
4G05	9.7E-09
4F04	9.8E-09
4A07	9.8E-09
4G010	9.9E-09
4D010	9.9E-09
3H03	9.9E-09
3F06	9.9E-09
1D08	1.0E-08
2B010	1.0E-08
3B01	1.0E-08
3D01	1.0E-08
4A01	1.0E-08
2B01	1.0E-08
3C06	1.0E-08
1H02	1.0E-08

Name	K _D (M)
1G09	1.0E-08
4E06	1.0E-08
2F06	1.0E-08
2A09	1.0E-08
3E09	1.0E-08
1F04	1.0E-08
4B08	1.0E-08
2G04	1.1E-08
4B01	1.1E-08
1B02	1.1E-08
1B04	1.1E-08
2E06	1.1E-08
3E011	1.1E-08
4E01	1.1E-08
3D03	1.1E-08
4E07	1.1E-08
1G04	1.1E-08
3E04	1.1E-08
2B011	1.1E-08
3E02	1.2E-08
3D02	1.2E-08
3A010	1.2E-08
2C01	1.2E-08
3G06	1.2E-08
3B010	1.2E-08
3A03	1.2E-08
3F09	1.2E-08
4B04	1.2E-08
3G08	1.2E-08
3A08	1.2E-08
3B02	1.2E-08
4F03	1.2E-08
1B08	1.2E-08
2G011	1.3E-08
3G07	1.3E-08
4E011	1.3E-08
3H07	1.3E-08
1F07	1.3E-08
4H03	1.3E-08
4A06	1.3E-08
3F03	1.3E-08
3C011	1.4E-08
1D02	1.4E-08
1H06	1.4E-08
2D02	1.4E-08
1E05	1.4E-08
1G05	1.4E-08

Name	K _D (M)
3D010	1.4E-08
3F08	1.4E-08
3H09	1.4E-08
3C01	1.4E-08
3A05	1.5E-08
4F02	1.5E-08
4G02	1.5E-08
3B06	1.5E-08
4C08	1.6E-08
3A06	1.6E-08
3D05	1.6E-08
4H09	1.6E-08
4H07	1.6E-08
3A01	1.6E-08
3E01	1.6E-08
4B06	1.6E-08
1H08	1.7E-08
3G011	1.7E-08
3D08	1.7E-08
2E08	1.7E-08
4H06	1.8E-08
2H08	1.8E-08
4B05	1.8E-08
4G07	1.8E-08
3G02	2.0E-08
3E03	2.0E-08
2F08	2.0E-08
4G03	2.0E-08
3B09	2.0E-08
4H01	2.1E-08
3B04	2.4E-08
4A08	2.4E-08
1C08	2.5E-08
4D03	2.6E-08
1G06	2.6E-08
4D02	3.0E-08
1F08	3.1E-08
3D09	3.2E-08
4A04	3.5E-08
1F09	3.5E-08
4H05	6.4E-08

Table 4: Binding constants for human DLL3 determined using three different concentrations of anti-DLL3 Trispecific proteins and binding constants for cynomolgus DLL3 determine using a single concentration of anti-DLL3 Trispecific proteins

Name	Human K_D (nM)	Cynomolgus K_D (nM)
1H012	2.9	4.3
1A011	3.5	3.6
2E05	3.5	4.8
4H011	3.9	5.7
3C04	4.0	5.7
2E02	4.4	3.4
2H02	4.4	5.2
3A011	7.3	8.8
3A02	7.8	9.5
4D09	8.1	8.2
DH43	8.9	8.5
DH6	9.0	10

Table 5: DMS-153 TDCC values of affinity matured anti-DLL3 Trispecific protein in conditioned medium tested in triplicate using human T cells

Name	EC₅₀ (M)
1H012	2.8E-11
2H02	3.1E-11
2E010	3.1E-11
2E05	3.3E-11
2E01	3.3E-11
4H011	3.6E-11
4E02	4.1E-11
4B011	4.8E-11
2F11	4.9E-11
4H04	5.1E-11
1A011	5.1E-11
4D09	5.2E-11
3C04	5.2E-11
2E02	5.9E-11
3D07	6.1E-11
4B07	6.7E-11
4C06	6.8E-11
2A04	8.1E-11
1C03	9.6E-11
3H06	1.2E-10
3H011	1.2E-10
2E011	1.9E-10
DH43	2.0E-10
DH6	3.4E-10

Example 4: Cloning of Select DLL3 Binding Molecules from Example 3 into Mammalian Cells

[00264] Anti-DLL3 trispecific proteins described in **Example 3**, as well as the parental DLL3 binder molecules were subcloned into a CHO cell expression vector and were stably transfected in CHO cells (*see*, , Running Deer and Allison 2004. Biotechnol. Prog. 20: 880-889). The DLL3 binder molecules were: 2E05-M106Q (SEQ ID No. 228); 2C04 (SEQ ID No. 181); 4D09-M34L (SEQ ID No. 366); 4D09 (SEQ ID No. 330); 2E05-M106Y (SEQ ID No. 227); 1H012 (SEQ ID No. 162) (also referred to herein as 1H12); 2E05 (SEQ ID No. 199); 2H02 (SEQ ID No. 221); 4D011 (SEQ ID No. 332) (also referred to herein as 4D11); 2E02 (SEQ ID No. 198); 4H11-M34L (SEQ ID No. 367); 1A011 (SEQ ID No. 95) (also referred to herein as 1A11); DH6 (SEQ ID No. 75); and DH43 (SEQ ID No. 68). The anti-DLL3 trispecific proteins were purified after expression in CHO cells, in conditioned medium from pools of stable clones, using protein A and ion exchange chromatography. The purified proteins were tested in TDCC assay using the same method as described in **Example 2**. The EC₅₀ values from the TDCC assay of the instant example are listed in **Table 6**, and the graphs of the data are in **Figs. 12-15**. The most potent molecule, 2E05-M106Q (SEQ ID No. 228), had an EC₅₀ value of 41 nM, which is 6.6 fold more potent than the parental molecule, DH43. The most potent molecule derived from DH6 was 4D09-M34L (SEQ ID No. 366), which had an EC₅₀ value of 54 nM and is 4.4 fold more potent than the parental molecule, DH6.

Table 6: TDCC Activity of CHO Expressed and Purified Affinity Matured Anti-DLL3 Trispecific Proteins

Name	EC₅₀ (M)
2E05-M106Q	4.10E-11
2C04	4.30E-11
4D09-M34L	5.40E-11
4D09	6.00E-11
2E05-M106Y	6.30E-11
1H12	6.30E-11
2E05	7.20E-11
2H02	9.60E-11
4D11	9.80E-11
2E02	1.20E-10
4H11-M34L	1.30E-10
1A11	1.70E-10
DH6	2.40E-10
DH43	2.70E-10

Example 5: Affinity Maturation to Obtain Anti-DLL3 Binders of Improved Affinity

[00265] To obtain more potent anti-DLL3 binders, a second round of affinity maturation was performed. Phage display libraries were created based on the DH6 (SEQ ID No. 75) and DH58 (SEQ ID No. 74) parental sequences. The sequences for the binders from this round of affinity maturation are provided in SEQ ID Nos. 368 to 442. The CDR1 sequences of DLL3 binders identified in this round of affinity maturation are SEQ ID Nos. 810 to 884, the CDR2 sequences of DLL3 binders identified in this round of affinity maturation are SEQ ID Nos. 1252 to 1326, and the CDR3 sequences of DLL3 binders identified in this round of affinity maturation are SEQ ID Nos. 1692 to 1768. **Table 7** provides CDR variations obtained in the DH6 DLL3 binder sequences after phage display selection.

[00266] The affinity matured anti-DLL3 sequences identified as above were cloned into an expression vector, in an expression construct comprising a signal domain followed by an anti-DLL3 sequence followed by a GGGGSGGGS linker (SEQ ID No. 1808) followed by anti-human albumin single domain antibody 10G (SEQ ID No. 1774) followed by a GGGGSGGGS linker (SEQ ID No. 1808) followed by anti-human CD3 antibody 2B2 (SEQ ID No. 1793) followed by a HHHHHH tag (SEQ ID No. 1819), to generate anti-DLL3 trispecific constructs.

[00267] The anti-DLL3 trispecific constructs containing the affinity matured anti-DLL3 binding sequences were then transfected into EXPI293™ cells. These anti-DLL3 trispecific constructs were subsequently engineered with a protein A binding site, and the amount of anti-DLL3 trispecific construct in the conditioned media from the transfected EXPI293™ cells was quantitated using an Octet instrument with protein A tips. A control trispecific protein of similar molecular weight as the anti-DLL3 trispecific proteins was used as a standard.

[00268] Using the conditioned medium with known concentrations of the anti-DLL3 trispecific proteins, the relative binding affinities of the anti-DLL3 trispecific proteins toward human DLL3 protein were measured using a method where biotinylated version of human DLL3 protein were expressed as a human IgG1 fusion protein, and the binding affinity measurement was carried out in an Octet instrument with streptavidin tips. The K_D measurements were made using a single 50 nM concentration of anti-DLL3 trispecific protein, which allowed for rank ordering potency. The measured affinities are listed in **Table 8**. All of the tested sequences were found to bind human DLL3, with K_D values ranging from 0.3 nM to 34 nM.

[00269] The conditioned medium was also tested in a T-cell dependent cellular cytotoxicity assay (see Nazarian AA, Archibeque IL, Nguyen YH, Wang P, Sinclair AM, Powers DA. 2015. J Biomol Screen. 20:519-27). In this assay, luciferase labelled DMS-153 cells were combined with purified human T cells and a titration of anti-DLL3 trispecific proteins. It was hypothesized that if an anti-DLL3 trispecific protein directed T cells to kill the DLL3-expression

DMS-153 cells, then the viability of the DMS-153 cells, as determined by running a luciferase assay at 48 hours after starting the experiment, should decrease. **Fig. 16** illustrates a graph of representative TDCC data for anti-DLL3 trispecific proteins containing the following DLL3 binding domains: 51A02 (SEQ ID No. 409), 51G02 (SEQ ID No. 425), 52B01 (SEQ ID No. 430), 52C04 (SEQ ID No. 431), 51A05 (SEQ ID No. 411), 52D04 (SEQ ID No. 432), 51E05 (SEQ ID No. 420), 51H05 (SEQ ID No. 429), and for purified DH43 protein (SEQ ID No. 68), and purified DH6 protein (SEQ ID No. 75). EC₅₀ values from the TDCC assay are listed in **Table 9**. The values ranged from 4.2 pM to 1.5 nM. A negative control for the TDCC assays was a trispecific protein targeting GFP (as shown in **Fig. 16**) which did not direct the T cells to kills the DMS-153 cells.

Table 7: Variants in CDR sequences by amino acid position of DH6 and its derivatives

CDR	Amino acid position	CDR Amino acids
CDR1	26	A, D, E, F, G, H, K, L, M, N, Q, R, S, V, W, Y
	27	D, E, H, K, M, P, R, S, T, Y
	28	A, D, G, H, K, N, P, Q, R, S, T, V, Y
	29	K, S, V
	30	A, F, G, H, K, L, M, N, Q, R, S, T, V, W, Y
	31	D, F, H, I, K, L, M, N, Q, R, S, V, Y
	32	L, M
	33	S
	34	I, L, M, S, T, V
	35	A
CDR2	50	G
	51	I, V
	52	S
	53	A, D, E, G, H, I, K, L, N, P, Q, R, S, T, V, Y
	54	A, D, E, G, H, N, R, T
	55	G
	56	H, P, R, S
	57	A, H, I, K, M, N, Q, R, T, V
	58	A, D, G, H, I, L, M, N, S, T, V, Y
	59	Y
	60	A, F, I, L, M, R, S, T, V, Y
	61	A, D, E, G, H, K, L, N, R, S, V
	62	S
	63	V
	64	K
	65	G
CDR3	98	L, Y
	99	D, E, G, H, K, N, Q, R, S, T, V, Y

CDR	Amino acid position	CDR Amino acids
	100	Q, W
	101	A, D, E, G, H, I, K, L, M, P, R, S, T, V
	102	A, D, E, G, N, R, S, T, Y
	103	A, P, R, S
	104	A, D, F, G, H, L, M, N, Q, R, S, T, V, Y
	105	A, G, I, K, P, Q, R, S, T
	106	F, H, Y

Table 8: Binding constants for human DLL3 determined using a single concentration of anti-DLL3 Trispecific proteins

Name	K _D (nM)
53A05	3.1E-10
53A04	4.2E-10
53C04	5.0E-10
52D04	5.0E-10
53B05	6.0E-10
51G10	6.0E-10
52B01	6.1E-10
51H05	6.7E-10
53B06	7.1E-10
54B05	7.6E-10
52C04	8.2E-10
42C03	8.8E-10
51A01	9.2E-10
51E05	9.7E-10
53A09	9.7E-10
51H04	1.0E-09
42A06	1.0E-09
41H03	1.0E-09
51A05	1.1E-09
42E05	1.2E-09
51A02	1.2E-09
42D08	1.3E-09

Name	K _D (nM)
51G02	1.3E-09
42B10	1.3E-09
42G07	1.3E-09
41D01	1.4E-09
51F03	1.4E-09
42D06	1.5E-09
41H04	1.5E-09
51B01	1.6E-09
42C08	1.8E-09
42A03	1.9E-09
42A11	2.0E-09
42H08	2.1E-09
51A03	2.2E-09
42C11	2.3E-09
41C02	2.4E-09
51B11	2.4E-09
51F02	2.4E-09
42H05	2.7E-09
41D02	2.7E-09
42D05	2.7E-09
42E02	2.9E-09
42H11	3.1E-09
42A07	3.2E-09
42C10	3.2E-09
42B06	3.2E-09
42F08	3.2E-09
51D03	3.3E-09
41E02	3.4E-09
42G05	3.4E-09
51E02	3.5E-09
42C01	3.6E-09
42A08	3.6E-09

Name	K _D (nM)
42E06	3.8E-09
42E07	3.9E-09
41G01	4.0E-09
42E01	4.0E-09
41D03	4.8E-09
41E01	5.3E-09
42D07	5.3E-09
42F01	5.5E-09
42C07	6.4E-09
51F04	6.7E-09
51E03	7.2E-09
51C02	7.5E-09
51D01	7.9E-09
41B11	9.9E-09
51B04	1.6E-08
51F01	1.6E-08
42F10	1.7E-08
51G04	2.1E-08
41F07	2.5E-08
41D07	3.4E-08

Table 9: DMS-153 TDCC values of affinity matured anti-DLL3 Trispecific Proteins in conditioned medium tested in triplicate using human T cells

Name	TDCC EC ₅₀ (M)
52D04	4.2E-12
51H05	5.3E-12
52B01	5.5E-12
54B05	6.2E-12
53C04	6.2E-12
51G10	6.6E-12
51G02	6.8E-12

Name	TDCC EC ₅₀ (M)
53B06	7.7E-12
52C04	8.2E-12
53A04	8.2E-12
51A02	9.5E-12
51A05	9.6E-12
53A09	9.7E-12
51E05	1.1E-11
51F03	1.1E-11
51H04	1.2E-11
53B05	1.2E-11
53H04	1.3E-11
53A05	1.6E-11
51B01	1.8E-11
42D08	1.9E-11
51A01	1.9E-11
41E02	2.1E-11
41D01	2.3E-11
42C03	2.5E-11
42A03	2.5E-11
42F10	2.5E-11
51B11	2.7E-11
42A07	2.8E-11
42G07	2.8E-11
42A06	2.8E-11
42F08	3.1E-11
42E05	3.4E-11
42C01	3.5E-11
42D05	3.6E-11
41C02	3.6E-11
51D03	3.8E-11
42H05	3.8E-11
51E02	3.8E-11
42C10	3.9E-11

Name	TDCC EC ₅₀ (M)
42D06	4.0E-11
42H08	4.0E-11
42A11	4.2E-11
41D02	4.4E-11
42A08	4.5E-11
42E02	4.7E-11
41D03	4.8E-11
41G01	5.0E-11
42C11	5.3E-11
51A03	5.4E-11
42G05	5.9E-11
42B10	6.6E-11
42D07	8.5E-11
42F01	8.9E-11
42C08	9.4E-11
42E07	1.0E-10
42E01	1.0E-10
51C02	1.0E-10
42B06	1.1E-10
41E01	1.1E-10
51F04	1.2E-10
51F02	1.2E-10
42C07	1.3E-10
51D01	1.3E-10
42E06	1.8E-10
51F01	5.5E-10
51E03	1.4E-09
51B04	1.5E-09

Example 6: Affinity Maturation to Obtain Anti-DLL3 Binders of Improved Affinity

[00270] Certain anti-DLL3 trispecific proteins containing DLL-3 binding sequences that had the most potent TDCC activity in the assay described in Example 5, and an anti-DLL3

trispecific protein containing the parental DLL3 binder DH6, were subcloned into a CHO cell expression vector and were stably transfected in CHO cells (*see* Running Deer and Allison 2004. Biotechnol. Prog. 20: 880-889). The DLL3 binding sequences were: DH6 (SEQ ID No. 75); 51A2 (SEQ ID No. 408); 51A5 (SEQ ID No. 411); 51F3 (SEQ ID No. 423); 51G2 (SEQ ID No. 425); 51G10 (SEQ ID No. 427); 51H5 (SEQ ID No. 429); 51X5 (SEQ ID No. 1886); 52B1 (SEQ ID No. 430); 52C4 (SEQ ID No. 431); and 52D4 (SEQ ID No. 432). The trispecific proteins were purified into conditioned medium from pools of stable clones using protein A and ion exchange chromatography. An SDS-PAGE image of the purified proteins is provided in **Fig. 17**.

[00271] The affinity measurements for human and cynomolgus DLL3 were made using 60 nM, 20 nM, 6.67 nM, and 2.22 nM concentrations of biotinylated DLL3 targeting trispecific proteins immobilized on Octet streptavidin tips. The affinities determined from the measurements are listed in **Table 10**. In this experiment, anti-DLL3 trispecific containing DH6, the parental DLL3 binder sequence to the affinity matured DLL3 binder sequences, had K_D values of 13.5 nM for human DLL3 and 11 nM for cynomolgus DLL3. In comparison, the ten anti-DLL3 trispecific proteins containing the affinity matured DLL3 binder molecules tested in this experiment had K_D values ranging from 0.9 to 2.2 nM for human DLL3 and 1.4 to 3.4 nM for cynomolgus DLL3. Thus, the improvements in affinity range from 6.1 to 15 fold for human DLL3 and from 3.2 to 7.9 fold for cynomolgus DLL3.

[00272] The purified proteins were tested in TDCC assays, using the same method as described in **Example 2** except that two additional DLL3 expressing cell lines were included in the assay, DMS-53 and NCI-H510A. The EC_{50} values from these TDCC assays are listed in **Table 11**, and the graphs of the DMS-53 and DMS-153 TDCC data are provided, respectively, in **Figs. 18-19**. A trispecific molecule targeting GFP had no activity in these assays (as shown in **Figs. 18-19**). Compared to the parental molecule DH6, the EC_{50} values improved 2.3 to 12.1 fold in DMS-153 cells, 4.5 to 31.5 fold in NCI-H510A cells, and 8.1 to 26.1 fold in DMS-153 cells.

Table 10: Affinities of purified CHO expressed affinity matured anti-DLL3 trispecific proteins for human and cynomolgus DLL3 protein in vitro

	huDLL3	cyDLL3
Name	K_D (nM)	K_D (nM)
DH6	13.5	11.0
51A2	1.2	2.0
51A5	1.2	1.6

Name	huDLL3	cyDLL3
	K _D (nM)	K _D (nM)
51F3	1.4	2.0
51G2	2.0	3.4
51G10	0.9	1.4
51H5	0.9	1.6
51X5	1.0	1.5
52B1	1.1	1.9
52C4	2.2	3.0
52D4	0.9	1.7

Table 11: TDCC Activity of purified CHO expressed affinity matured anti-DLL3 trispecific proteins with DMS153, NCI-H510A, and DMS53 cell lines and human T cells

Name	DMS153	NCI-H510A	DMS53
	EC ₅₀ (pM)	EC ₅₀ (pM)	EC ₅₀ (pM)
51A2	16.7	9.1	9.8
51G2	37.7	3.7	15.9
51G10	11.0	2.3	9.6
51H5	6.0	2.4	5.4
51X5	9.0	2.8	8.3
52B1	9.1	1.3	6.5
52C4	17.9	2.0	15.9
52D4	7.2	2.5	4.9

Example 7: T Cell Dependent Cellular Cytotoxicity Assay using Exemplary DLL3 Targeting Trispecific Proteins comprising a DLL3 Binding Protein of this Disclosure

[00273] Several exemplary DLL3 trispecific proteins containing a DLL3 binding domain of this disclosure, 52D04 (SEQ ID NO. 432), were tested in a T cell dependent cellular cytotoxicity (TDCC) assay (*see* Nazarian AA, Archibeque IL, Nguyen YH, Wang P, Sinclair AM, Powers DA. 2015. J Biomol Screen. 20:519-27), the results are shown in Figs. 22-24. The trispecific proteins contained a DLL3 binding domain, an albumin binding domain (anti-ALB), and a CD3 binding domain (anti-CD3), in an anti-DLL3:anti-ALB:anti-CD3 configuration

(TAC), as shown in **Fig. 20**, or in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, as shown in **Fig. 21**. The TDCC assay was carried out in the presence or absence of 15 mg/ml human serum albumin (HSA). In this assay, luciferase labelled NCI-H2171 (**Fig. 22**), DMS-79 (**Fig. 23**), SHP77 (**Fig. 24**), or WM2664 (**Fig. 25**) cells were combined with purified human T cells and a titration of the exemplary DLL3 binding trispecific proteins, in the presence or absence of albumin. It was hypothesized that if an DLL3 binding trispecific protein directed T cells to kill the DLL3-expression NCI-H2171, DMS-79, SHP77, or WM2664 cells, then the viability of those cells, as determined by running a luciferase assay at 48 hours after starting the experiment, should decrease. **Fig. 22** illustrates a graph of representative TDCC data, using NCI-H2171 cells, for the DLL3 binding trispecific proteins in the TAC or CAT configurations, containing the following DLL3 binding domains. **Fig. 23** illustrates a graph of representative TDCC data, using DMS-79 cells, for the DLL3 binding trispecific proteins in the TAC or CAT configurations, containing the following DLL3 binding domains. **Fig. 24** illustrates a graph of representative TDCC data, using SHP77 cells, for the DLL3 binding trispecific proteins in the TAC or CAT configurations, containing the following DLL3 binding domains. **Fig. 25** illustrates a graph of representative TDCC data, using WM2664 cells, for the DLL3 binding trispecific proteins in the TAC or CAT configurations, containing the following DLL3 binding domains. EC₅₀ values from the TDCC assay are listed in **Table 12**. As shown in the graphs and indicated by the EC₅₀ values, in the presence of human serum albumin (HSA) the DLL3 binding trispecific proteins having the CAT orientation (**Fig. 21**) were more potent in the TDCC assays than the DLL3 binding trispecific proteins having the TAC configuration.

Table 12: TDCC Activity of exemplary anti-DLL3 trispecific proteins with NCI-H2171, DMS-79, SHP77, and cell lines and human T cells

Cell Line		EC ₅₀ (pM) no HSA	EC ₅₀ (pM) with HSA
NCI-H2171	αDLL3:αALB:αCD3	3	224
	αCD3:αALB:αDLL3	2	84
DMS-79	αDLL3:αALB:αCD3	1.1	115
	αCD3:αALB:αDLL3	0.7	41
SHP77	αDLL3:αALB:αCD3	21*	3953
	αCD3:αALB:αDLL3	11*	821
WM2664	αDLL3:αALB:αCD3	9*	855
	αCD3:αALB:αDLL3	10*	422
* 15 mg/ml bovine serum albumin (BSA) was included in these no HSA assays; the αALB domain did not bind BSA (data not shown)			

Example 8: Binding of exemplary DLL3 targeting trispecific proteins to human T cells

[00274] In a cell binding study, human T cells were incubated in the presence or absence of an exemplary DLL3 targeting trispecific protein (in either anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration (SEQ ID No. 1891; or anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration (SEQ ID No. 1890). The human T cells were further incubated with a secondary antibody (anti-trispecific antibody), which is able to recognize the anti-albumin domain in the exemplary trispecific molecules, conjugated to Alexa Fluor 647. Binding of the anti-trispecific antibody was measured by flow cytometry. Robust binding of anti-trispecific antibody was seen in the presence of the exemplary DLL3 trispecific protein in the anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration (right peaks in the plots in **Fig. 26**) compared to cells incubated with secondary antibody alone or cells incubated without exemplary trispecific proteins or secondary antibody (left peaks in the plots in **Fig. 26**). Robust binding of anti-trispecific antibody was also seen in the presence of the exemplary DLL3 trispecific protein in the anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration (right peaks in the plots in **Fig. 27**) compared to cells incubated with secondary antibody alone or cells incubated without exemplary trispecific proteins or secondary antibody (left peaks in the plots in **Fig. 27**).

Example 9: Binding of exemplary DLL3 targeting trispecific proteins to DLL3 expressing cancer cell lines

[00275] In another binding study, DLL3 expressing cancer cells [NCI-H82 (lung cancer cell line), SHP77 (lung cancer cell line), DMS53 (lung carcinoma), or NCI-H2171 (lung cancer cell line)] were incubated with exemplary DLL3 targeting trispecific molecules (in CAT or TAC configuration; SEQ ID No. 1890 and SEQ ID No. 1891) or a control trispecific molecule that targets GFP. Following incubation, the cells were washed to remove unbound trispecific molecules and further incubated with a secondary antibody, which is able to recognize the anti-albumin domain in the trispecific molecules, conjugated to Alexa Fluor 647 or FITC. Binding of the exemplary DLL3 targeting trispecific molecules or that of the control trispecific molecules to the cells was measured by flow cytometry. Robust binding of DLL3 targeting trispecific (in TAC configuration) to each cell line was observed (right peaks in the plots in **Fig. 28**) compared to cells incubated with a control trispecific molecule targeting GFP (left peaks in the plots in **Fig. 28**). Robust binding of DLL3 targeting trispecific (in CAT configuration) to each cell line was also observed (right peaks in the plots in **Fig. 29**) compared to cells incubated with a control trispecific molecule targeting GFP (left peaks in the plots in **Fig. 29**). In control experiments with cell lines that lack DLL3 expression, HCT116 (colon cancer cell line) and NCI-H292 (lung cancer cell line), similar amount of anti-trispecific antibody were bound to cells incubated with

the exemplary DLL3 targeting trispecific proteins or GFP-targeting control trispecific molecules (*data not shown*), indicating the exemplary DLL3-targeting trispecific molecules did not bind to cells lacking DLL3 expression.

Example 10: Ability of exemplary DLL3 targeting trispecific proteins to direct T cell mediated killing of DLL3 expressing cancer cell lines

[00276] The aim of this study was to assess if exemplary DLL3 targeting trispecific molecules were able to direct T cells to kill the DLL3-expressing cell lines NCI-H82, SHP77, DMS53, and NCI-H2171. The DLL3-expressing cells used in this study were engineered to express luciferase.

[00277] For the TDCC assay (T cell dependent cellular cytotoxicity assay) T cells from four healthy donors (donor 2; donor 47; donor 81; donor 86) and the DLL3-expressing cells were mixed and varying amounts of exemplary DLL3 targeting trispecific proteins (in CAT or TAC configurations; SEQ ID No. 1890 and SEQ ID No. 1891) was added to the mixture. The mixture was incubated for 48 hours at 37 °C. As a control, parallel experiments were performed using a control trispecific molecule targeting GFP. After 48 hours, the remaining viable DLL3-expressing cells were quantified using a luminescence assay. It was observed that the DLL3-targeting trispecific molecules (in both TAC and CAT configurations) were able to efficiently direct T cells from all four healthy donors to kill all four DLL3 expressing cell lines (*see Figs. 30, 31, 32, and 33* for results using the TAC configuration; *see Figs. 34, 35, 36, and 37* for results using the CAT configuration) whereas the control GFP TriTAC molecule was not able to do that (also shown in **Figs. 30-37**). The EC₅₀ values are presented in **Table 13** and **Table 14**. Further TDCC assays were carried out with DLL3-targeting TriTAC and cell lines that lack DLL3 expression, NCI-H292 and HCT116. It was observed that the DLL3-targeting TriTAC was not able to direct T cells to kill these two cell lines lack DLL3 expression (*data not shown*).

Table 13: EC₅₀ values for TDCC assays performed using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-DLL3:anti-ALB:anti-CD3 (TAC) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

Cell Line	EC ₅₀ (M)			
	Donor 02	Donor 47	Donor 81	Donor 86
NCI-H82	3.6E-11	3.3E-11	8.0E-11	1.4E-10
SHP77	2.7E-10	1.4E-10	3.8E-10	7.0E-10
DMS53	2.3E-10	2.8E-10	2.8E-10	7.7E-10
NCI-2171	4.0E-10	2.4E-10	7.5E-10	1.0E-09

Table 14: EC₅₀ values for TDCC assays performed using exemplary DLL3 targeting trispecific proteins containing DLL3 binding domain of this disclosure, 52D04, in an anti-CD3:anti-ALB:anti-DLL3 (CAT) configuration, tested in the presence of human serum albumin (HSA), using T cells from four different donors.

Cell Line	EC ₅₀ (M)			
	Donor 02	Donor 47	Donor 81	Donor 86
NCI-H82	2.0E-11	1.6E-11	4.5E-11	5.9E-11
SHP77	6.3E-11	3.6E-11	8.4E-11	1.9E-10
DMS53	7.0E-11	7.2E-11	8.0E-11	2.2E-10
NCI-2171	1.6E-10	7.6E-11	2.9E-10	3.2E-10

Example 11: DLL3 dependent activation of T cells by exemplary DLL3 targeting trispecific proteins

[00278] In this assay, T cells from 4 different healthy donors (donor 2; donor 35; donor 47; and donor 86) and NCI-H82 or DMS53 cells were incubated with exemplary DLL3 targeting trispecific proteins (in CAT or TAC configurations; SEQ ID No. 1890 and SEQ ID No. 1891) for 48 hours at 37 °C. T cells from the same donors were also incubated for 48 hours at 37 °C with a control trispecific molecule, GFP TriTAC, which targets GFP and NCI-H82 or DMS53 cells. After 48 hours, T cells were collected, and CD69 and CD25 expression on the T cells was measured by flow cytometry. Increased CD69 or CD25 expression was detected on T cells from all 4 healthy donors in presence of NCI-H82 or SHP77 cells and DLL3 targeting trispecific molecules but not in presence of the negative control GFP TriTAC, as seen in **Figs. 38-45**. A parallel experiment was performed with HCT116 cells, which lack DLL3 expression. No increase CD69 or CD25 expression was observed with DLL3 trispecific molecules tested using HCT116 cells (*data not shown*).

Example 12: DLL3 dependent cytokine production by T cells induced by exemplary DLL3 targeting trispecific proteins

[00279] In this assay, T cells from a healthy donor and NCI-H82 or SHP77 cells were incubated with exemplary DLL3 targeting trispecific molecules (in CAT or TAC configuration; SEQ ID No. 1890 and SEQ ID No. 1891) for 48 hours at 37 °C. T cells from the same donor were also incubated for 48 hours at 37 °C with a control trispecific molecule, GFP TriTAC, which targets GFP and NCI-H82 or DMS53 cells. After 48 hours, conditioned media were collected, and the amount of various cytokines present in the conditioned media were measured using an electrochemiluminescent assay (Meso Scale Discovery). It was observed that IFN γ , IL-2, and TNF α were secreted into the medium in presence of NCI-H82 or SHP77 cells and DLL3 targeting trispecific molecules but not in presence the control GFP-targeting TriTAC molecule.

For the DLL3 targeting trispecific molecule in TAC configuration: IFN γ production is shown in **Figs. 46 and 47**; IL-2 production is shown in **Figs. 48 and 49**; TNF α production is shown in **Figs. 50 and 51**. For the DLL3 targeting trispecific molecule in CAT configuration: IFN γ production is shown in **Figs. 52 and 53**; IL-2 production is shown in **Figs. 54 and 55**; TNF α production is shown in **Figs. 56 and 57**.

Example 13: Inhibition of growth of NCI-H82 xenografts by exemplary DLL3 targeting trispecific proteins

[00280] For this study, 5×10^6 human T cells and 5×10^6 NCI-H82 small cell lung cancer cells were injected into mice at day 0. On days 1 to 10, mice were injected daily intraperitoneally (i.p.) with exemplary DLL3 targeting trispecific molecules (in CAT or TAC configurations; SEQ ID No. 1890 and SEQ ID No. 1891) at doses of 20, 100, or 500 $\mu\text{g/kg}$ or negative control GFP-targeting TriTAC at a dose of 500 $\mu\text{g/kg}$. Tumor volumes were measured after every few days starting at day 7 and ending on day 24. Significant inhibition of tumor growth was observed in the mice injected with the DLL3-targeting trispecific proteins at all doses compared to mice dosed with the GFP-targeting TriTAC dosed at 500 $\mu\text{g/kg}$, as shown in **Fig. 58**.

Example 14: Elimination NCI-H82 xenografts by exemplary DLL3 targeting trispecific proteins

[00281] For this study, 5×10^6 NCI-H82 small cell lung cancer cells were injected subcutaneously on day 0. Mice were randomized on day 8, and 2×10^7 human T cells were injected per mouse. On days 9 to 18, mice were injected daily i.p. with the exemplary DLL3 targeting trispecific molecules (in CAT configuration; SEQ ID No. 1890) at doses of 1, 10, or 100 $\mu\text{g/kg}$ or negative control GFP-targeting TriTAC at a dose of 100 $\mu\text{g/kg}$. Tumor volumes were measured after every few days starting at day 8 and ending at day 29. Significant inhibition of tumor growth was observed in the mice injected with DLL3 targeting trispecific molecules at doses of 10 and 100 $\mu\text{g/kg}$ compared to mice dosed with the GFP targeting TriTAC dosed at 100 $\mu\text{g/kg}$, as shown in **Fig. 59**.

Example 15: Inhibition of growth of SHP77 xenografts by exemplary DLL3 targeting trispecific proteins

[00282] For this study, 5×10^6 human T cells and 1×10^7 SHP77 small cell lung cancer cells were injected into mice at day 0. On days 1 to 10, mice were injected daily i.p. with DLL3 targeting trispecific molecules (in CAT configuration; SEQ ID No. 1890) at doses of 1, 10, or 100 $\mu\text{g/kg}$ or negative control GFP-targeting TriTAC at a dose of 100 $\mu\text{g/kg}$. Tumor volumes were measured after every few days starting at day 6 and ending on day 28. Significant

inhibition of tumor growth was observed in the mice injected with DLL3-targeting trispecific molecules at doses of 10 and 100 µg/kg compared to mice dosed with the GFP-targeting TriTAC dosed at 100 µg/kg, as shown in **Fig. 60**.

Example 16: Pharmacokinetic profile of exemplary DLL3 targeting trispecific proteins

[00283] *DLL3-targeting trispecific proteins have a half-life of ~ 3 to ~3.9 days in cynomolgus monkeys when dosed at 0.3 mg/kg*

[00284] For this study, cynomolgus monkeys were injected with 0.3 mg/kg doses of exemplary DLL3-targeting trispecific molecules (in CAT or TAC configurations; SEQ ID No. 1890 and SEQ ID No. 1891), intravenously, and serum samples were collected at various time points after the injection. Two monkeys were injected for each dose. The amount of DLL3 targeting trispecific molecule in the serum was measured using anti-idiotypic antibodies recognizing the trispecific molecule, in an electrochemiluminescent assay. **Fig. 61** shows a plot for the serum DLL3 targeting trispecific molecule levels at various time points. The data was then used to calculate the pharmacokinetic properties of the DLL3 targeting trispecific molecules, as provided in **Table 15**. Human dosing schedule of once or twice a week is contemplated based on the pharmacokinetic data.

Table 15: Pharmacokinetics of exemplary DLL3 targeting trispecific molecules

ID	Half life (h)	AUC 0-inf (h*nM)	CL (L/h/kg)	Vss (l/kg)
1	93.1	7210	0.000832	0.0869
2	72.4	6690	0.000896	0.0731
3	82.6	7900	0.00076	0.0767
4	77	7890	0.00076	0.0712

[00285] *DLL3 targeting trispecific protein has a half-life of ~ 2.8 to ~3.3 days in cynomolgus monkeys when dosed at 1 or 10 mg/kg:*

[00286] For this study, cynomolgus monkeys were injected with 1 mg/kg or 10 mg/kg dose of exemplary DLL3 targeting trispecific molecules, intravenously, and serum samples were collected at various time points after the injection. Two monkeys were injected for each dose. The amount of DLL3-targeting TriTAC in the serum was measured using anti-idiotypic antibodies recognizing the TriTAC molecule, in an electrochemiluminescent assay. **Fig. 62** shows a plot for the serum DLL3 targeting trispecific molecule levels at various time points. The data was then used to calculate the pharmacokinetic properties of the TriTAC molecule, as

provided in **Table 16**. The pharmacokinetic data suggest that once or twice weekly dosing in humans.

Table 16: Pharmacokinetics of exemplary DLL3 targeting trispecific molecules

Dose (mg/kg)	Half life (h)	C _{max} (nM)	AUC 0-inf (h*nM)	CL (mL/h/kg)	Vss (l/kg)
1	67.5	493	23,800	0.79	63.8
10	78.6	4,492	236,500	0.80	71.9

[00287] Exemplary DLL3 targeting trispecific proteins were tolerated in cynomolgus monkeys when given as a single dose up to 10 mg/kg:

[00288] A transient increase in serum cytokine levels were observed, mainly at 10 mg/kg dosage of administration of exemplary DLL3 targeting trispecific protein (in CAT configuration) (**Fig. 63**; **IFN γ** -**Fig. 63** top panel, **IL-6** **Fig. 63** second panel; **IL-10** **Fig. 63** third panel). Transient T cell margination and T cell activation were also observed (*data not shown*). At terminal and recovery euthanasia, no DLL3 trispecific protein-related macroscopic findings or organ weight differences were observed, and at recovery euthanasia, no DLL3 trispecific protein-related microscopic findings were observed.

[00289] To demonstrate the DLL3-targeting TriTAC retained cell directed killing activity after being administered to a cynomolgus monkey, a serum sample from the 10 mg/kg dose group collected at 168 h after dosing was tested in a DMS53 TDCC assay and was compared to DLL3-targeting TriTAC that was freshly thawed. Identical cell DMS53 cell killing was observed with the serum sample and the freshly thawed protein (**Fig. 64**), indicating the DLL3-targeting TriTAC retains the ability to direct T cells to kill target cells 1 week after being dosed in a cynomolgus monkey.

Example 17: Xenograft Tumor Model

[00290] An exemplary anti-DLL3 targeting trispecific protein of this disclosure is evaluated in a xenograft model.

[00291] Female immune-deficient NOD/scid mice are sub-lethally irradiated (2 Gy) and subcutaneously inoculated with 1×10^6 NCI-H28 cells into their right dorsal flank. When tumors reach 100 to 200 mm³, animals are allocated into 3 treatment groups. Groups 2 and 3 (8 animals each) are intraperitoneally injected with 1.5×10^7 activated human T-cells. Three days later, animals from Group 3 are subsequently treated with a total of 9 intravenous doses of exemplary

DLL3 trispecific antigen-binding protein (such as 1, 10, 50, or 100 µg/kg) (qdx9d). Groups 1 and 2 are only treated with vehicle. Body weight and tumor volume are determined for 30 days.

[00292] It is expected that animals treated with the exemplary DLL3 targeting trispecific proteins of the previous examples have a statistically significant delay in tumor growth in comparison to the respective vehicle-treated control group.

Example 18: Proof-of-Concept clinical trial protocol for administration of an exemplary DLL3 trispecific antigen-binding protein (anti-DLL3 Trispecific Protein) to neuroendocrine cancer patients

[00293] This is a Phase I/II clinical trial for studying an exemplary DLL3 trispecific antigen-binding protein as a treatment for a Neuroendocrine Cancer.

[00294] Study Outcomes:

[00295] *Primary:* Maximum tolerated dose of the exemplary DLL3 targeting trispecific protein

[00296] *Secondary:* To determine whether *in vitro* response of the exemplary DLL3 targeting trispecific proteins are associated with clinical response

[00297] **Phase I**

[00298] The maximum tolerated dose (MTD) will be determined in the phase I section of the trial.

1.1 The maximum tolerated dose (MTD) will be determined in the phase I section of the trial.

1.2 Patients who fulfill eligibility criteria will be entered into the trial to evaluate the exemplary DLL3 targeting trispecific protein.

1.3 The goal is to identify the highest dose of the exemplary anti-DLL3 trispecific protein that can be administered safely without severe or unmanageable side effects in participants. The dose given will depend on the number of participants who have been enrolled in the study prior and how well the dose was tolerated. Not all participants will receive the same dose.

[00299] **Phase II**

2.1 A subsequent phase II section will be treated at the MTD with a goal of determining if therapy with therapy of the exemplary DLL3 targeting trispecific proteins results in at least a 20% response rate.

Primary Outcome for the Phase II ---To determine if therapy with the exemplary DLL3 targeting trispecific protein trispecific protein results in at least 20% of patients achieving

a clinical response (blast response, minor response, partial response, or complete response)

[00300] Eligibility: Biopsy proven neuroendocrine tumor, which is somatostatin receptor positive as demonstrated on somatostatin receptor PET.

[00301] All sites or origin are eligible.

[00302] Functional and nonfunctional tumors are allowed.

[00303] Not a candidate for surgical debulking.

[00304] ECOG performance status 0, 1 or 2

[00305] Age > 18.

[00306] Ability to understand a written informed consent document, and the willingness to sign it.

[00307] While preferred embodiments of the present invention have been shown and described herein, it will be obvious to those skilled in the art that such embodiments are provided by way of example only. Numerous variations, changes, and substitutions will now occur to those skilled in the art without departing from the invention. It should be understood that various alternatives to the embodiments of the invention described herein may be employed in practicing the invention. It is intended that the following claims define the scope of the invention and that methods and structures within the scope of these claims and their equivalents be covered thereby.

SEQ. ID NO.	name	sequence
1	DL1	QVQLQESGGGLVQAGGSLRLSCAASGSI FSIASMGWYRQAPGKQRELVAVITSFSSSTNYAD SVKGRFTISRDNAKNTVY LQMNSLKPEDTGVYYCNARYFERTDWGQGTQVTVSS
2	DL74	QVQLQESGGGLVQAGGSLRLSCAAPGSI FSIASMGWYRQAPGKQRELVAVITSFSSSTNYAD SVKGRFTISRDNAKNTVY LQMNSLKPEDTGVYYCNARYFERTDWGQGTQVTVSS
3	DL31	QVQLQESGGGLVQAGGSLRLSCAASGSI FSIASMAWYRQAPGKQRELVAITSFSSSTNYAD SVKGRFTISRDNAKNTVY LQMNSLKPEDTGVYYCNARYFERTDWGQGTQVTVSS
4	DL3	QVQLQESGGGLVQAGGSLRLSCAASESI FSIINVMWYRQAPGKQRELVAITSGGSTNYAD SVKGRFTISRDNAKNTVY LQMNSLKPEDTGVYYCGAYQGLYAYWGQGTQVTVSS
5	DL80	QVQLQESGGGLVQAGGSLRLSCVASGSSFSITSMWYRQAPGKQRELVAITSGGSTNYAD SVKDRFTISRDNAKNTVY LQMNSLKPEDTAVYYCNGRVFDHVVWGQGTQVTVSS
6	DL18	QVQLQESGGGLVQAGGSLRLSCAASSSI FSISSMSWYRQAPGKQRELVAITTFDYTNAD SVKGRFTISRDNAKNMMY LQMNSLKPEDTAVYLCNARAFGRDYWGQGTQVTVSS
7	DL94	QVQLQESGGGLVQAGGSLRLSCAASSSI FSISSMSWYRQAPGKQRELVAITSGGSTNYAD SVKGRFTISRDNAKNMMY LQMNSLKPEDTAVYRCNARTMGRDYWGQGTQVTVSS
8	DL17	QVQLQESGGGLVQPGGSLRLSCAASGSTLN I KIMAWHRQAPGKQRELVAITLTSGGNTNYAD SVKGRFTISRDNAKNTVY LQMNSLQPEDTAVYYCGLWDGVGGAYWGRGTQVTVSS
9	DL46	QVQLQESGGGLVQPGGSLRLSCAASGSTLN I KIMAWHRQAPGKQRELVAITLTSGGNTNYAD SVKGRFTISRDNAKNTVY LQMNSLQPEDTAVYYCGLWDGVGGAYWGRGTQVTVSS
10	DL15	QVQLQESGGGLVQAGGSLRLSCAASGSTFN I KIMAWHRQAPGNQRELVAITLTSGGNTNYAD SVKGRFTISRDNAKNTVY LQMNSLKPEDTAVYYCGLWNGVGGAYWGRGTQVTVSS
11	DL26	QVQLQDGGGLVQPGGSLRLSCAASGSTFN I KIMAWHRQAPGNQRELVAITLTSGGNTNYADS VKGRFTISRDNASNI VY LQMNSLKPEDTAVYYCGLWDGVGGAYWGRGTQVTVSS
12	DL83	QVQLQESGGGLVQAGGSLRLSCAASGSTFN F KIMAWHRQAPGKQRELVAITLTSEGLTNYRD SVKGRFTISRDNAKNTVY LQMNSLKPEDTAVYYCGLWDGVGGAYWGRGTQVTVSS
13	DL5	QVQLQESGGGLVQPGGSLRLSCAASGFMFSSYSMSWYRQAPGKQRELVAITTWGSTNYAD

		SVKGRFTISRDNAKNTVWLQMNLSLEPEDTAVYFCNARSWNNYWGQGTQVTVSS
14	DL22	QVQLQESGGGLVQVGGSLRLSCAASGFMFSSYSMSWYRQAPGKQRELVAAITSYGSTNYAD SVKGRFTISRDNAKNTVWLQMNLSLKPEDTAVYFCNARSWNNYWGQGTQVTVSS
15	DL85	QVQLQESGGGLVQPGGSLRLSCAASGFTFSSHSMSWYRQAPGKQRELVAAITTYGSTNYID SVKGRFTISRDNKTNTVYLQMNLSLKPEDTAVYFCNARSWNNYWGQGTQVTVSS
16	DL69	QVQLQESGGGLVQAGGSLRLSCVASSGSSFSHNTMGWYRQAPGKQRELVARITTFGTNYAD SVKGRFTISRDNAKNTVYLQMNLSLKPEDTAVYYCNGESFGRIWYNWGQGTQVTVSS
17	DL27	QVQLQESGGGLVQAGASLRLLCTASGGFRFSYATMGWSRQAPGKQREVMARITSSSGFSTNYA DSVKGRFTISRDNAKNAVYLLQMDSLKPEDTAVYYCNAQHFGTDSWGQGTQVTVSS
18	DL51	QVQLQESGGGLVQAGASLRLLCTASGSRFSYATMGWSRQAPGKQRELVARITSSSGFSTNYA DSVKGRFTISRDNAKNAVYLLQMDSLKPEDTAVYYCNAQQFGTDSWGQGTQVTVSS
19	DL54	QVQLQESGGGLVQAGGSLRLSCAASGSTFTSNVMGWHRRQAPGKQRELVANMHSGGSTNYAD SVKGRFTISRDNAKNIVYLLQMNLSLKIEDTAVYYCRWYGIQRAEGYWGQGTQVTVSS
20	DL11	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISVDGSTNYAD SVKGRFTVSRDNAKNTVYLQMNLSLQPEDTAVYYCYAYRWVGRDITYWGQGTQVTVSS
21	DL19	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISVDGSTNYAD SVKGRFTISRDNAKNTVYLQMNLSLQPEDTAVYYCYAYRWVGRDITYWGQGTQVTVSS
22	DL68	QVQLQESGGGLVSGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISVDGSTNYAD SVKGRFTISRDNAKNTVYLQMNLSLQPEDTAAYYCYAYRWVGRDITYWGQGTQVTVSS
23	DL14	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISVDGSTNYAD SVKGRFTISRDNANTVYLQMNLSLQPEDTAVYYCYAYRWVGRDITYWGQGTQVTVSS
24	DL67	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISVDGSTNYAD SVKGRFTISRDNANTVYLQMNLSLQPEDTAVYYCYAYRWVGRNTYWGQGTQVTVSS
25	DL56	QVQLQESGGGLVQPGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISTDGSTNYVD SVKGRFTISRDNAKNTVYLQMNLSLQPEDTAVYYCYAYRWVGRYTYWGQGTQVTVSS
26	DL13	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISTDGTNYVD SVKDRFTISRDNAKNTVYLQMNLSLQPEDTAAYYCYAYRWVGRDITYWGQGTQVTVSS
27	DL77	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSIAWYRQAPGKKRELVAGISTDGTNYVD SVKDRFTISRDNAKNTVYLQMNLSLQPEDTAAYYCYAYRWVGRDITYWGQGTQVTVSS
28	DL79	QVQLQESGGGLVQAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISTDGTNYVD SVKDRFTISRDNAKNTVYLQMNLSLQPEDTAAYYCYAYRWVGRDITYWGQGTQVTVSS
29	DL20	QVQLQESGGGLVQAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISTDGSTNYAD SVKGRFTISEGNAKNTVDLQMNLSLQPEDTAVYYCYAYRWVDRYTYWGQGTQVTVSS
30	DL41	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISTDGSTNYAD SVKGRFTISEDNAKNTVDLQMNLSLQPEDTAVYYCYAYRWIDRYTYWGQGTQVTVSS
31	DL59	QVQLQESGGGLVQPGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISTDGSTNYAD SVKGRFTISEDNAKNTVDLQMNLSLQPEDTAVYYCYAYRWVDRYTYWGQGTQVTVSS
32	DL16	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISSDGSTNYVD SVKGRFTISRDNAKNIVFLQMNLSLQPDQDTAVYYCYAYRWVGRDITYWGQGTQVTVSS
33	DL6	QVQLQESGGGLVAGGSLRLSCAASGSSSVSFLSMAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDSANNTMYLQMNLSLQPEDTAVYYCYAYRWTRYTYWGQGTQVTVSS
34	DL84	QVQLQESGGGLVQPGGSLRLSCAASGFTLDYYAIGWYRQAPGKKRELVAGISSDGSHTYVD SVKGRFAISRDNANTVYLQMNLDLQPDQDTAVYYCYAYRWVGGYTYWGQGTQVTVSS
35	DL2	QVQLQESGGGLVQAGGSLRLSCVASSGSTSSINAMGWYRRAPGKQRELVAGISSDGSKNYAD SVKGRFTISRDNAKNTVYLQMNLSLKPEDTAVYYCYFYFRVAASSMQYWGQGTQVTVSS
36	DL43	QVQLQESGGGLVQAGGSLRLSCVASSGSTSSINAMGWYRRAPGKQRELVAGISSDGSKNYAD SVKGRFTISRDNAKNTVYLQMNLSLKPEDTAVFYCYFYFRVSGSSMRYWGQGTQVTVSS
37	DL92	QVQLQESGGGLVQAGGSLRLSCAASGITSSVYSMGWYRQAPGKQRELVAGSSSDGSTHYVD SVRGRFTISRDNAKNTVYLQMNLSLKPEDTAVYYCYANRGFAGAPSYWGQGTQVTVSS
38	DL10	QVQLQESGGGLVQAGGSLRLSCAASGRTSMFNSMGWHRQAPGKQRELVAIRSGSSNYAD TVKGRFTISRDNKTNTVYLQMNLDLKPEDTAVYYCFYYFQSSYWGQGTQVTVSS
39	DL82	QVQLQESGGGLVQAGGSLRLSCAASGRTSMVNSMGWHRQAPGKQRELVALITSGSSNYAD TVKGRFTISRDNKTNTVYLQMNLDLKPEDTAVYYCFYYFQSSYWGQGTQVTVSS
40	DL23	QVQLQESGGGLVQAGGSLRLSCAASGSVSMFNSMGWHRQPPGKQRELVAITSGSSNYAD TVKGRFTISRDNKTNTVYLQMNLDLKPEDTAVYYCFYYFQSSYWGQGTQVTVSS
41	DL42	QVQLQESGGGLVQAGGSLRLSCTASGSIFSIAVMGWYRQVPGKRREWVATIFDGSYNYAD SVKGRFTISRDNARNKVYLLQMNLDLKPEDTAVYYCQTHWTQGSVPKESWGQGTQVTVSS
42	DL45	QVQLQESGGGLVQAGGSLRLSCVASSGIFSDMSMVWYRQAPGKQRELVAITTFGSTNYAD PVKGRFTISRDNAKNTVYLQMNLSLKPEDTAVYYCSGRSYSSDYWGRGTQVTVSS
43	DL58	QVQLQESGGGLVQAGGSLRLSCVASSGSISSIVMGWSRQAPGKQRESVATITRDGTRNYAD SLKGRFTISRDNAKNTSYLQINSLKPEDTAVYSCYARYGDINYWGKGTQVTVSS
44	DL70	QVQLQESGGGLVQAGGSLRLSCVASSGSISSIVMGWSRQAPGKQRESLATISRGGTRTYAD

		SVKGRFTISRDNAKNTSYLQMNLSLKPEDTAVYSCYARYGDINYWGKGTQVTVSS
45	DL89	QVQLQESGGGLVQAGGSLRLSCVASGSIFTTNSMGWHRQPGKQRELVALIGSAGSTKYAD SVKGRFTISRDNAKNTVSLQMDLSLKPEDTAVYYCFYYDSRSYWGQGTQVTVSS
46	DL38	QVQLQESGGGMVQPGGSLRLSCAASGSREISTMGWHRQAPGKQRELAARITSGGITKYADS VKGRFTISRDNAKKTVYLLQMNLSLKSEDTAVYYCFAYDNINAYWGQGTQVTVSS
47	DL52	QVQLQESGGGWVQAGGSLRLSCAASGSREISTMGWHRQAPGKQRELAARITSGGITKYADS VKGRFTISRDNAKKTVYLLQMNLSLKSEDTAVYYCFAYDNINAYWGQGTQVTVSS
48	DL64	QVQLQESGGGWVQAGGSLRLSCTASGSREISTMGWHRQAPGKQRELAARITSGGITKYADS VKGRFTISRDNAKKTVYLLQMDLSLKSEDTAVYYCFAYDNINAYWGQGTQVTVSS
49	DL33	QVQLQESGGGSVQAGRSGLSLCAASGSREISTMGWHRQAPGKQRELAARITSGGITKYADS VKGRFTISRDNAKKTVYLLQMNLSLKSEDTAVYYCFAYDNINAYWGQGTQVTVSS
50	DL12	QVQLQESGGGLVQAGGSLRLSCTASGSIFRGAAMYWHRQAPGKQRELVAAITTSNGTNYAD SVKGRFTISRDNAKNTMYLQIISLKPEDTAVYYCAFWIAGKAYWGQGTQVTVSS
51	DL29	QVQLQESGGGLVQPGGSLRLSCAASGSISSFNFMWSHRQAPGKERELAGVITRGGATNYAD SVKGRFTISRDNVKNVYLLQMNGLKPEDTAVYYCHGRSGLGSTWGQGTQVTVSS
52	DL61	QVQLQESGGGLVQAGGSLRLSCLASGTIFTASTMGWHRQPPGKQRELVAISAGDGRNTYAE STEGRFTISRDDAKNTMYLQMNLSLKPEDTAVYYCYAYYLDYAYWGQGTQVTVSS
53	DH1	EVQLVESGGGLVQPGGSLTLSCAASGSIFSISMSWYRQAPGKQRELVAITTSFSTNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCNARYFERTDWGQGTQVTVSS
54	DH10	EVQLVESGGGLVQPGGSLTLSCAASGRTSMFNSMGWHRQAPGKQRELVAIRSGGSNYAD TVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCFYYFQSSYWGQGTQVTVSS
55	DH11	EVQLVESGGGLVQPGGSLTLSCAASGSVSFLSMAWYRQAPGKKRELVAISVDGSTNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCYAYRWVGRDYYWGQGTQVTVSS
56	DH12	EVQLVESGGGLVQPGGSLTLSCAASGSIFRGAAMYWHRQAPGKQRELVAAITTSNGTNYAD SVKGRFTISRDNAKNSMYLQMNLSLRAEDTAVYYCAFWIAGKAYWGQGTQVTVSS
57	DH15	EVQLVESGGGLVQPGGSLTLSCAASGSTFNITMAWHRQAPGNQRELVAITLTSGGNTNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCGLWNGVGGAYWGQGTQVTVSS
58	DH17	EVQLVESGGGLVQPGGSLTLSCAASGSTLNKIMAWHRQAPGKQRELVAITLTSGGNTNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCGLWDGVGAYWGQGTQVTVSS
59	DH18	EVQLVESGGGLVQPGGSLTLSCAASSSIFSISMSWYRQAPGKQRELVAITTFDYTNAD SVKGRFTISRDNAKNSMYLQMNLSLRAEDTAVYYCNARAFGRDYWGQGTQVTVSS
60	DH2	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAISSDGSKNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCYFFRTVAASSMQYWGQGTQVTVSS
61	DH22	EVQLVESGGGLVQPGGSLTLSCAASGFMFSSYSMSWYRQAPGKQRELVAITTSYGSTNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCNARSWNWYWGQGTQVTVSS
62	DH23	EVQLVESGGGLVQPGGSLTLSCAASGSVSMFNSMGWHRQPPGKQRELVAITTSGGSNYAD TVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCFYYFQSSYWGQGTQVTVSS
63	DH27	EVQLVESGGGLVQPGGSLTLSCAASGGRFSYATMGWSRQAPGKQRELVARITSSGFSSTNYA DSVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCNAQHFGTDSWGQGTQVTVSS
64	DH29	EVQLVESGGGLVQPGGSLTLSCAASGSISSFNFMWSHRQAPGKERELAGVITRGGATNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCHGRSGLGSTWGQGTQVTVSS
65	DH3	EVQLVESGGGLVQPGGSLTLSCAASESIFSNVMAWHRQAPGKQRELVAITTSGGSTNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCGAYQGLYAYWGQGTQVTVSS
66	DH38	EVQLVESGGGLVQPGGSLTLSCAASGSREISTMGWHRQAPGKQRELAARITSGGITKYADS VKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCFAYDNINAYWGQGTQVTVSS
67	DH42	EVQLVESGGGLVQPGGSLTLSCAASGSIFSIAVMGWYRQVPGRREWVATIFDGSYTNAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCQTHWTQGSVPKESWGQGTQVTVSS
68	DH43	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAISSDGSKNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCYFFRTVSGSSMRYWGQGTQVTVSS
69	DH45	EVQLVESGGGLVQPGGSLTLSCVASSGIFSDMSMVYRQAPGKQRELVAISITTFGSTNYAD PVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCSGRSYSSDYWGQGTQVTVSS
70	DH5	EVQLVESGGGLVQPGGSLTLSCAASGFMFSSYSMSWYRQAPGKQRELVAITTWGSTNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCNARSWNWYWGQGTQVTVSS
71	DH51	EVQLVESGGGLVQPGGSLTLSCAASGSRFSYATMGWSRQAPGKQRELVARITSSGFSSTNYA DSVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCNAQQFGTDSWGQGTQVTVSS
72	DH54	EVQLVESGGGLVQPGGSLTLSCAASGSTFTSNVMGWHRQAPGKQRELVANMHSGGSTNYAD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCRWYGIQRAEGYWGQGTQVTVSS
73	DH56	EVQLVESGGGLVQPGGSLTLSCAASGSVSFLSMAWYRQAPGKKRELVAISTDGSTNYVD SVKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCYAYRWVGRYTYWGQGTQVTVSS
74	DH58	EVQLVESGGGLVQPGGSLTLSCVASGSISSIIVMGWSRQAPGKQRESVATITRDGTRNYAD SLKGRFTISRDNAKNSVYLLQMNLSLRAEDTAVYYCYARYGDINYWGQGTQVTVSS
75	DH6	EVQLVESGGGLVQPGGSLTLSCAASGSVSFLSMAWYRQAPGKKRELVAISADGSTDYID

		SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRYTYWGQGLVTVSS
76	DH61	EVQLVESGGGLVQPGGSLTSLASGTTFTASTMGWHRQPPGKQRELVASIAGDGRNTYAE STEGRFTISRDNAKNSMYLQMNLSRAEDTAVYYCYAYLDYAYWGGQGLVTVSS
77	DH67	EVQLVESGGGLVQPGGSLTSLCAASGSSVSFLSMAWYRQAPGKKRELVAGISVDGSTNYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWEGRNTYWGQGLVTVSS
78	DH69	EVQLVESGGGLVQPGGSLTSLCVASGSSFSHNTMGWYRQAPGKQRDVLAITTFGTNTYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCNGESFGRIWYNWGQGLVTVSS
79	DH70	EVQLVESGGGLVQPGGSLTSLCVASGSISSIVMGWSRQAPGKQRESLATISRGGTRTYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYARYGDINYWGQGLVTVSS
80	DH80	EVQLVESGGGLVQPGGSLTSLCVASGSSFSITSMAWYRQAPGKQRDVLAITTFGTNTYAD SVKDRFTISRDNAKNSVYLQMNLSRAEDTAVYYCNGRVFDHVVWGQGLVTVSS
81	DH82	EVQLVESGGGLVQPGGSLTSLCAASGRTSMVNSMGWHRQAPGKQRELVALITSGGSSNYAD TVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCFYFQSSYWGQGLVTVSS
82	DH83	EVQLVESGGGLVQPGGSLTSLCAASGSTFNFKIMAWHRQAPGKQRELVASLTSEGLTNYRD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCGLWDGVGAYWGQGLVTVSS
83	DH84	EVQLVESGGGLVQPGGSLTSLCAASGFTLDYYAIGWYRQAPGKKRELVAGISSDGSTHYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWVGGYTYWGQGLVTVSS
84	DH89	EVQLVESGGGLVQPGGSLTSLCVASGSIFTTNSMGWHRQGPQKQRELVALIGSAGSTKYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCFYYDSRSYWGQGLVTVSS
85	DH92	EVQLVESGGGLVQPGGSLTSLCAASGITSSVYSMGWYRQAPGKQRELVAGSSSDGSTHYVD SVRGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYANRGFAGAPSYWGQGLVTVSS
86	DH94	EVQLVESGGGLVQPGGSLTSLCAASSIFSISSMSWYRQAPGKQRELVAITTFGTNTYAD SVKGRFTISRDNAKNSMYLQMNLSRAEDTAVYYCNARTMGRDYWGQGLVTVSS
87	1A01	EVQLVESGGGLVQPGGSLTSLCVASGFTSSINAMGWYRRAPGKQRELVAGISSDGSFVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFRHVS GSSMRYWGQGLVTVSS
88	1A03	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSSRVWGQGLVTVSS
89	1A04	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYED SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMRYWGQGLVTVSS
90	1A05	EVQLVESGGGLVQPGGSLTSLCVASGSPSSINAMGWYRRAPGKQRELVAAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMSYWGQGLVTVSS
91	1A06	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAMGWYRRAPGKQRELVAAGISSDGSVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSSKRYWGQGLVTVSS
92	1A07	EVQLVESGGGLVQPGGSLTSLCVASGSISSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRMVSGSSMRYWGQGLVTVSS
93	1A09	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAMAWYRRAPGKQRELVAAGISSDGSKLYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVQGS SMRYWGQGLVTVSS
94	1A010	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAYGWYRRAPGKQRELVAAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVYGS SMRYWGQGLVTVSS
95	1A011	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAI GWYRRAPGKQRELVAAGISSDGSKVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSYRYWGQGLVTVSS
96	1A012	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAMAWYRRAPGKQRELVAAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVLGSSMRYWGQGLVTVSS
97	1B01	EVQLVESGGGLVQPGGSLTSLCVASGSTSIINAMGWYRRAPGKQRELVAAGISSDGSKVIAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRRVSGSSMRYWGQGLVTVSS
98	1B02	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAMGWYRRAPGKQRELVAAGISSDGSKIYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMRYWGQGLVTVSS
99	1B03	EVQLVESGGGLVQPGGSLTSLCVASGKTSSINAMAWYRRAPGKQRELVAAGISSDGSKVYTD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSARYWGQGLVTVSS
100	1B04	EVQLVESGGGLVQPGGSLTSLCVASGTTSSINAMGWYRRAPGKQRELVAAGISSDGSLVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRIVSGSSMRYWGQGLVTVSS
101	1B05	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAMAWYRRAPGKQRELVAAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMRYWGQGLVTVSS
102	1B07	EVQLVESGGGLVQPGGSLTSLCVASGSGSSINAMGWYRRAPGKQRELVAAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRHVSGSSMRYWGQGLVTVSS
103	1B08	EVQLVESGGGLVQPGGSLTSLCVASGTTSSINAMGWYRRAPGKQRELVAAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRVSGSSMRYWGQGLVTVSS
104	1B09	EVQLVESGGGLVQPGGSLTSLCVASGSTSSINAMAWYRRAPGKQRELVAAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMRYWGQGLVTVSS
105	1B010	EVQLVESGGGLVQPGGSLTSLCVASGSTSRINAMGWYRRAPGKQRELVAAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTKSGSSMRYWGQGLVTVSS
106	1B011	EVQLVESGGGLVQPGGSLTSLCVASGSTSRINAMGWYRRAPGKQRELVAAGISSDGSKVYAD

		SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVYGSSMRYWGQGLTLTVSS
107	1C01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYRD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMGYWGQGLTLTVSS
108	1C02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTLTVSS
109	1C03	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTLTVSS
110	1C04	EVQLVESGGGLVQPGGSLTLSCVASGNTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTLTVSS
111	1C05	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSHMRYWGQGLTLTVSS
112	1C06	EVQLVESGGGLVQPGGSLTLSCVASGSTSIINAMGWYRRAPGKQRELVAGISSDGSKVYED SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRAVSGSSMRYWGQGLTLTVSS
113	1C07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTLTVSS
114	1C08	EVQLVESGGGLVQPGGSLTLSCVASGSTSRINAMGWYRRAPGKQRELVAGISSDGSKVYAV SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSPMRYWGQGLTLTVSS
115	1C010	EVQLVESGGGLVQPGGSLTLSCVASGSTSRINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMSYWGQGLTLTVSS
116	1C011	EVQLVESGGGLVQPGGSLTLSCVASGTTSSINAMGWYRRAPGKQRELVAGISSDGSKVYED SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTLTVSS
117	1C012	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAG SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVVRGSSMRYWGQGLTLTVSS
118	1D01	EVQLVESGGGLVQPGGSLTLSCVASGSTSDINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVVRGSSMRYWGQGLTLTVSS
119	1D02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSNGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRQVSGSSMRYWGQGLTLTVSS
120	1D03	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAI GWYRRAPGKQRELVAGISSDGSKV LAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMGYWGQGLTLTVSS
121	1D04	EVQLVESGGGLVQPGGSLTLSCVASGSTSSKNAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGASMRYWGQGLTLTVSS
122	1D06	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVHGSSMRYWGQGLTLTVSS
123	1D08	EVQLVESGGGLVQPGGSLTLSCVASGLTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRMVSGSSMRYWGQGLTLTVSS
124	1D09	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYTD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTISGSSMRYWGQGLTLTVSS
125	1D010	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYTD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTLTVSS
126	1D011	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGHSMRYWGQGLTLTVSS
127	1D012	EVQLVESGGGLVQPGGSLTLSCVASGSTSHINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTLTVSS
128	1E02	EVQLVESGGGLVQPGGSLTLSCVASGQTSSINAMGWYRRAPGKQRELVAGISSDGSQVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTKSGSSMRYWGQGLTLTVSS
129	1E04	EVQLVESGGGLVQPGGSLTLSCVASGSTSRINGMGWYRRAPGKQRELVAGISSDGSKAYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTASGTSMRYWGQGLTLTVSS
130	1E05	EVQLVESGGGLVQPGGSLTLSCVASGSTSVINAMAWYRRAPGKQRELAAISSDGSKVYAK SAKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFNTVSGSSMRYWGQGLTLTVSS
131	1E07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYND SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVVRGSSQRYWGQGLTLTVSS
132	1E08	EVQLVESGGGLVQPGGSLTLSCVASGKTSSINAMGWYRRAPGKQRELVAGISSDGSKVIAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVLGSSMRYWGQGLTLTVSS
133	1E09	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYTD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTLTVSS
134	1E010	EVQLVESGGGLVQPGGSLTLSCVASGSVSSINAMGWYRRAPGKQRELVAGISSDGSKVYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGLSMRYWGQGLTLTVSS
135	1E011	EVQLVESGGGLVQPGGSLTLSCVASGNTSSINAMGWYRRAPGKQRELVAGISSDGSKVYYD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVVRGSSQRYWGQGLTLTVSS
136	1E012	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMVYWGQGLTLTVSS
137	1F01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYGD

		SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSRSSMRYWGQGLTIVTVSS
138	1F02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELAAGISSDQSKVYAD SAKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMSYWGQGLTIVTVSS
139	1F04	EVQLVESGGGLVQPGGSLTLSCVASGGTSSINAMGWYRRAPGKQRELVAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSARYWGQGLTIVTVSS
140	1F05	EVQLVESGGGLVQPGGSLTLSCVASGSTRSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
141	1F06	EVQLVESGGGLVQPGGSLTLSCVASGTTSSINAMGWYRRAPGKQRELVAGISSDGSKVIAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVLGSSMRYWGQGLTIVTVSS
142	1F07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVDAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
143	1F08	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYKD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
144	1F09	EVQLVESGGGLVQPGGSLTLSCVASGNTSSINAMGWYRRAPGKQRELVAGISSNGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVTGSSMRYWGQGLTIVTVSS
145	1F010	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYKD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
146	1F011	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAI GWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVKGSSMRYWGQGLTIVTVSS
147	1F012	EVQLVESGGGLVQPGGSLTLSCVASGLTSSINAMGWYRRAPGKQRELVAGISSDGSKVYQD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTNSGSSMRYWGQGLTIVTVSS
148	1G01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAE SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGASMRYWGQGLTIVTVSS
149	1G04	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVLAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVNLSSMRYWGQGLTIVTVSS
150	1G05	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAI GWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVTGSSMRYWGQGLTIVTVSS
151	1G06	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAI GWYRRAPGKQRELVAGISSDGSKVYAV SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
152	1G07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVVD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTYSGSSMRYWGQGLTIVTVSS
153	1G09	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSKSSMRYWGQGLTIVTVSS
154	1G011	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
155	1H01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTSGSSMRYWGQGLTIVTVSS
156	1H02	EVQLVESGGGLVQPGGSLTLSCVASGSKSSINAMGWYRRAPGKQRELAAGISSDGSKVYAQ SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTSSGSSMRYWGQGLTIVTVSS
157	1H06	EVQLVESGGGLVQPGGSLTLSCVASGTTSSINAMGWYRRAPGKQRELVAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTLSGSSMRYWGQGLTIVTVSS
158	1H07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAFGWYRRAPGKQRELVAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
159	1H08	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVLAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
160	1H010	EVQLVESGGGLVQPGGSLTLSCVASGSTRSINAMGWYRRAPGKQRELVAGISSDGSKVYND SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
161	1H011	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAI GWYRRAPGKQRELVAGISSDGSKVYND SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTQSGSSMRYWGQGLTIVTVSS
162	1H012	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMPYWGQGLTIVTVSS
163	2A01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVVD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTLSGSSMRYWGQGLTIVTVSS
164	2A03	EVQLVESGGGLVQPGGSLTLSCVASGTTSSINAMGWYRRAPGKQRELVAGISSDGSKVYGD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSAMRYWGQGLTIVTVSS
165	2A04	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYTD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTTSGSSMRYWGQGLTIVTVSS
166	2A05	EVQLVESGGGLVQPGGSLTLSCVASGRTSSINAMGWYRRAPGKQRELVAGISSDGSKVYND SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGTSMRYWGQGLTIVTVSS
167	2A06	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVTD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTSGSSMRYWGQGLTIVTVSS
168	2A08	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYRD

		SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTSSGSSMRYWGQGLTIVTVSS
169	2A09	EVQLVESGGGLVQPGGSLTLSCVASGSTSSRNAMGWYRRAPGKQRELVAGISSNGSKVYSD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMSYWGQGLTIVTVSS
170	2A011	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAI GWYRRAPGKQRELVAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRPVSGSSMRYWGQGLTIVTVSS
171	2B01	EVQLVESGGGLVQPGGSLTLSCVASGSTSLINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRHVSGSSMRYWGQGLTIVTVSS
172	2B02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTKSGSSMRYWGQGLTIVTVSS
173	2B03	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFTVSGSSMRYWGQGLTIVTVSS
174	2B05	EVQLVESGGGLVQPGGSLTLSCVASGTTSSINAMGWYRRAPGKQRELVAGISSDGTKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFHTVSGSSMRYWGQGLTIVTVSS
175	2B07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAFGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVRGSSMRYWGQGLTIVTVSS
176	2B010	EVQLVESGGGLVQPGGSLTLSCVASGSTSSRNAMGWYRRAPGKQRELVAGISSDGSKVYLD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVLGSSMRYWGQGLTIVTVSS
177	2B011	EVQLVESGGGLVQPGGSLTLSCVASGNTSSINAMGWYRRAPGKQRELVAGISSDGSRVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMRSWGQGLTIVTVSS
178	2B012	EVQLVESGGGLVQPGGSLTLSCVASGTTSSINAMGWYRRAPGKQRELVAGISSDGSKVYND SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVRGSSMRYWGQGLTIVTVSS
179	2C01	EVQLVESGGGLVQPGGSLTLSCVASGSTASINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRYVSGSSMRYWGQGLTIVTVSS
180	2C02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAVGWYRRAPGKQRELVAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVYGSSMRYWGQGLTIVTVSS
181	2C04	EVQLVESGGGLVQPGGSLTLSCVASGSTSSRNAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVLGSSMRYWGQGLTIVTVSS
182	2C06	EVQLVESGGGLVQPGGSLTLSCVASGSTNSINAMGWYRRAPGKQRELVAGISSDGSKVYKD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
183	2C07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRSVSGSSMRYWGQGLTIVTVSS
184	2C08	EVQLVESGGGLVQPGGSLTLSCVASGSTSRINAMGWYRRAPGKQRELVAGISSDGSKVYQD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRRVSGSSMRYWGQGLTIVTVSS
185	2C09	EVQLVESGGGLVQPGGSLTLSCVPSTSSINAMGWYRRAPGKQRELPAIGISSDGTKIYAD SAKVPFTITRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGTSMRYWGQGLTIVTVSS
186	2C010	EVQLVESGGGLVQPGGSLTLSCVASGSTSKINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVAGSSMRYWGQGLTIVTVSS
187	2D02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINALGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
188	2D03	EVQLVESGGGLVQPGGSLTLSCVASGKTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGVSMRYWGQGLTIVTVSS
189	2D04	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAVGWYRRAPGKQRELVAGISSDGSKVYRD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVQGSMSRYWGQGLTIVTVSS
190	2D05	EVQLVESGGGLVQPGGSLTLSCVASGSTSRINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTASGSSMRYWGQGLTIVTVSS
191	2D06	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSSRVWGQGLTIVTVSS
192	2D07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAVGWYRRAPGKQRELVAGISSDGTKVYRD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVQGSMSRYWGQGLTIVTVSS
193	2D09	EVQLVESGGGLVQPGGSLTLSCVASGTTSSINAMGWYRRAPGKQRELVAAGISSDGSKVYND SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVRGSSMRYWGQGLTIVTVSS
194	2D010	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTKSGSSMRYWGQGLTIVTVSS
195	2D011	EVQLVESGGGLVQPGGSLTLSCVASGTTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVWGSSMRYWGQGLTIVTVSS
196	2D012	EVQLVESGGGLVQPGGSLTLSCVASGKTSSINAMGWYRRAPGKQRELVAGISSDGSKVYTD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
197	2E01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPFKQGLPAGISPDGTKAYAD SAKVFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFHTVCGTSMGYWGQGLTIVTVSS
198	2E02	EVQLVESGGGLVQPGGSLTLSCVASGSTSAINAMGWYRRAPGKQRELVAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSQRYWGQGLTIVTVSS
199	2E05	EVQLVESGGGLVQPGGSLTLSCVASGSPSSINAYGWYRRAPGKQRELVAGISSDGSKVYSD

		SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMSYWGQGLTIVTVSS
200	2E06	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAS SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVRGSSMRYWGQGLTIVTVSS
201	2E08	EVQLVESGGGLVQPGGSLTLSCVASGSRSSINAMGWYRRAPGKQRELVAGISADGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTQSGSSMRYWGQGLTIVTVSS
202	2E09	EVQLVESGGGLVQPGGSLTLSCVASGSVSSINAMGWYRRAPGKQRELVAGISSDGSKVYAS SAKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTLSGSSMRYWGQGLTIVTVSS
203	2E010	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFHTVSGSSMRYWGQGLTIVTVSS
204	2E011	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAIGWYRRAPGKQRELVAGISSDGSVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRRVSGSSMRYWGQGLTIVTVSS
205	2F01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRLVSGSSMRYWGQGLTIVTVSS
206	2F02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAVGWYRRAPGKQRELVAGISSDGSKVYAG SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSYMRYWGQGLTIVTVSS
207	2F03	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVGGSSMRYWGQGLTIVTVSS
208	2F06	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAYGWYRRAPGKQRELVAGISSDGSVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTHSGSSMRYWGQGLTIVTVSS
209	2F07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAVGWYRRAPGKQRELVAGISSDGSVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSTSSMRYWGQGLTIVTVSS
210	2F08	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELPAIGISSDGSKVYAD SAKVFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTLGTSMRYWGQGLTIVTVSS
211	2F09	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKLYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
212	2F11	EVQLVESGGGLVQPGGSLTLSCVASGSVSSINAMGWYRRAPGKQRELVAGISSDGSKVYKD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
213	2G03	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSILVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRAWGQGLTIVTVSS
214	2G04	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSILVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRILSGSSMRYWGQGLTIVTVSS
215	2G07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVQGSMSRYWGQGLTIVTVSS
216	2G08	EVQLVESGGGLVQPGGSLTLSCVASGSTSYINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGQSMGYWGQGLTIVTVSS
217	2G09	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSARYWGQGLTIVTVSS
218	2G011	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELPAIGSRDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRYVSGSSMRYWGQGLTIVTVSS
219	2H010	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELAAGISSDGSKLYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSMRYWGQGLTIVTVSS
220	2H011	EVQLVESGGGLVQPGGSLTLSCVASGSTSRINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRRVSGSSMRYWGQGLTIVTVSS
221	2H02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELAAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFHTVSGSSMRYWGQGLTIVTVSS
222	2H03	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRQVSGSSMRYWGQGLTIVTVSS
223	2H04	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELVAGISSDTSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSYMRYWGQGLTIVTVSS
224	2H06	EVQLVESGGGLVQPGGSLTLSCVASGSTSTINAMGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTASGSSMRYWGQGLTIVTVSS
225	2H07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAVGWYRRAPGKQRELVAGISSDGSVYAD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGHSMRYWGQGLTIVTVSS
226	2H08	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQRELAAGISKDGSKVYAD SAKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSRYWGQGLTIVTVSS
227	2E05- M106Y	EVQLVESGGGLVQPGGSLTLSCVASGSPSSINAYGWYRRAPGKQRELVAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSSYWGQGLTIVTVSS
228	2E05- M106Q	EVQLVESGGGLVQPGGSLTLSCVASGSPSSINAYGWYRRAPGKQRELVAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYFFRTVSGSSQSYWGQGLTIVTVSS
229	3A01	EVQLVESGGGLVQPGGSLTLSCAASGSSVKFLSMAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRYTYWGQGLTIVTVSS
230	3A02	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSLAWYRQAPGKKRELVAGISADGSTAYID

		SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
231	3A03	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
232	3A04	EVQLVESGGGLVQPGGSLTLSCAASGSQVSFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
233	3A05	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISEAGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
234	3A06	EVQLVESGGGLVQPGGSLTLRCAASGSKVSFLSMAWYRQAPGKKRELVAGISADGSTDYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
235	3A08	EVQLVESGGGLVQPGGSLTLSCAASGSSVSVFLSMAWYRQAPGKKRELVAGISADGSTDYIR SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
236	3A09	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISADGSVDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
237	3A010	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISADGSTLYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
238	3A011	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSLAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
239	3B01	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISDGDSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
240	3B02	EVQLVESGGGLVQPGGSLTLSCAASGSSVQFLSMAWYRQAPGKKRELVAGISADGSTDYIN SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
241	3B04	EVQLVESGGGLVQPGGSLTLSCAASGSNVSFLSMAWYRQAPGKKRELVAGISARGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
242	3B05	EVQLVESGGGLVQPGGSLTLSCVASGSSVKFLSMAWYRQAPGKKRELVAGISADGSTTYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
243	3B06	EVQLVESGGGLVQPGGSLTLSCAASGSKVSFLSMAWYRQAPGKKRELVAGISKDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
244	3B07	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISADGSTTYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
245	3B09	EVQLVESGGGLVQPGGSLTLSCAASGSHVSFLSMAWYRQAPGKKRELVAGISANGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
246	3B010	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
247	3B011	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISADGSADYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
248	3C01	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFSLMAWYRQAPGKKRELVAGISAHGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWSTTRYTYWGQGLTIVTVSS
249	3C02	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTIYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
250	3C03	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFSLMAWYRQAPGKKRELVAGISRDGSTVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
251	3C04	EVQLVESGGGLVQPGGSLTLSCAASGSHVSFLSMAWYRQAPGKKRELVAGISADGPTYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
252	3C05	EVQLVESGGGLVQPGGSLTLSCVASGTSVSFLSMAWYRQAPGKKRELVAGISADGSTTYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
253	3C06	EVQLVESGGGLVQPGGSLTLSCAASGTSVSFLSLAWYRQAPGKKRELVAGISADGSTDYIA SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
254	3C08	EVQLVESGGGLVQPGGSLTLSCAASGSSVKFLSMAWYRQAPGKKRELVAGISLDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
255	3C09	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISADGSTIYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
256	3C011	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFSLMAWYRQAPGKKRELVAGISAHGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWRTTRYTYWGQGLTIVTVSS
257	3D01	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
258	3D02	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFSLMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
259	3D03	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSMAWYRQAPGKKRELVAGISADGSMYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
260	3D05	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLTIVTVSS
261	3D07	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTDYID

		SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYSWTTRYTYWGQGLVTVSS
262	3D08	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISANGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRNRYTYWGQGLVTVSS
263	3D09	EVQLVESGGGLVQPGGSLTLSCAASGSSVSRFLSMAWYRQAPGKKRELVAGISANGSTTYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYRYWGQGLVTVSS
264	3D010	EVQLVESGGGLVQPGGSLTLSCAASGSSKSFSLMAWYRQAPGKKRELVAGISADGSTSYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
265	3D011	EVQLVESGGGLVQPGGSLTLSCAASGSSVSRFLSMAWYRQAPGKKRELVAGISADGSRDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYKYWGQGLVTVSS
266	3E01	EVQLVESGGGLVQPGGSLTLSCAASGSSVKFLSMAWYRQAPGKKRELVAGISADGSTMYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
267	3E02	EVQLVESGGGLVQPGGSLTLSCAASGSGVRFLSMAWYRQAPGKKRELVAGISPDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
268	3E03	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISDGDSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
269	3E04	EVQLVESGGGLVQPGGSLTLSCAASGSSVHFLSMAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYRYWGQGLVTVSS
270	3E09	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWSTRYTYWGQGLVTVSS
271	3E011	EVQLVESGGGLVQPGGSLTLSCAASGSKVSFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTFWGQGLVTVSS
272	3F03	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSMAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
273	3F05	EVQLVESGGGLVQPGGSLTLSCAASGSKVSFLSMAWYRQAPGKKRELVAGISTDGDSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
274	3F06	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISADGSTSYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWATRYTYWGQGLVTVSS
275	3F08	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISADGSTLYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
276	3F09	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWGTRYTYWGQGLVTVSS
277	3F010	EVQLVESGGGLVQPGGSLTLSCAASYSSVSRFLSMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
278	3F011	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSMAWYRQAPGKKRELVAGISTDGDSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
279	3G01	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSMAWYRQAPGKKRELVAGISADGSTLYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYAYWGQGLVTVSS
280	3G02	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSMAWYRQAPGKKRELVAGISADGRTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
281	3G04	EVQLVESGGGLVQPGGSLTLSCVASGTSVFLSMAWYRQAPGKKRELVAGISADGSTIYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
282	3G06	EVQLVESGGGLVQPGGSLTLSCAASGSSVKFLSMAWYRQAPGKKRELVAGISADGSTLYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
283	3G07	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTSRYTYWGQGLVTVSS
284	3G08	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISKDGDSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
285	3G09	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSMAWYRQAPGKKRELVAGISADGSTDYIG SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
286	3G010	EVQLVESGGGLVQPGGSLTLSCAASGSSVFLSMAWYRQAPGKKRELVAGISVDGDSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
287	3G011	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISADGSTGYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWATRYTYWGQGLVTVSS
288	3H01	EVQLVESGGGLVQPGGSLTLSCVASGSSVKFLSMAWYRQAPGKKRELVAGISDGDSTTYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
289	3H03	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISTDGDSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYALRWTRTRYTYWGQGLVTVSS
290	3H06	EVQLVESGGGLVQPGGSLTLSCAASGSSVQLSMAWYRQAPGKKRELVAGISADGSTDYFD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
291	3H07	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISADGSTSYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
292	3H09	EVQLVESGGGLVQPGGSLTLSCAASKSSVFLSMAWYRQAPGKKRELVAGISADGSTDYID

		SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
293	3H010	EVQLVESGGGLVQPGGSLTSLCAASGSSVSFLSMAWYRQAPGKKRELVAGISADGSTAYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
294	3H011	EVQLVESGGGLVQPGGSLTSLCAASGSSVKFLSMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
295	4A01	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISQDGSSTYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
296	4A02	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISNDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
297	4A04	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISARGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
298	4A05	EVQLVESGGGLVQPGGSLTSLCAASGSSVSFLSLAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
299	4A06	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
300	4A07	EVQLVESGGGLVQPGGSLTSLCAASGSKVSFLSMAWYRQAPGKKRELVAGISADGSTLYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
301	4A08	EVQLVESGGGLVQPGGSLTSLCAASGSSVSFLSMAWYRQAPGKKRELVAGISADGSTNYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
302	4A010	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
303	4A011	EVQLVESGGGLVQPGGSLTSLCAASGSKVSFLSMAWYRQAPGKKRELVAGISADGSTTYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
304	4A09	EVQLVESGGGLVQPGGSLTSLCAASGSSVKFLSMAWYRQAPGKKRELVAGISADGSTDYIG SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
305	4B01	EVQLVESGGGLVQPGGSLTSLCAASGSSVKFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
306	4B02	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTTYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
307	4B04	EVQLVESGGGLVQPGGSLTSLCAASGSSVFLSMAWYRQAPGKKRELVAGVSDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
308	4B05	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGHTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
309	4B06	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTDYFD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
310	4B07	EVQLVESGGGLVQPGGSLTSLCAASGSSVFLSMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
311	4B08	EVQLVESGGGLVQPGGSLTSLCAASGSSVSFMSMAWYRQAPGKKRELVAGISADGSTDYIA SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
312	4B09	EVQLVESGGGLVQPGGSLTSLCAASGSSVSFLSMAWYRQAPGKKRELVAGISADGSTDYIS SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
313	4B011	EVQLVESGGGLVQPGGSLTSLCAASGSSVFLSMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
314	4C01	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
315	4C02	EVQLVESGGGLVQPGGSLTSLCAASGSKVSFLSMAWYRQAPGKKRELVAGISADGSTTYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
316	4C03	EVQLVESGGGLVQPGGSLTSLCAASGSKVSFMSMAWYRQAPGKKRELVAGISVDGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
317	4C05	EVQLVESGGGLVQPGGSLTSLCAASGSSVSNLSMAWYRQAPGKKRELVAGISADGSTAYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
318	4C06	EVQLVESGGGLVQPGGSLTSLCAASNSVSKLSMAWYRQAPGKKRELVAGISADGSTAYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
319	4C07	EVQLVESGGGLVQPGGSLTSLCAASGSKVSFLSMAWYRQAPGKKRELVAGISADGSKDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
320	4C08	EVQLVESGGGLVQPGGSLTSLCVASGSQVSFLSMAWYRQAPGKKRELVAGISADGSTDYFD SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
321	4C010	EVQLVESGGGLVQPGGSLTSLCAASGSKVSFMSMAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
322	4C011	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
323	4D01	EVQLVESGGGLVQPGGSLTSLCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTVYID

		SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYWGQGLVTVSS
324	4D02	EVQLVESGGGLVQPGGSLTLSCAASGSKVSFLSMAWYRQAPGKKRELVAGISARGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYQWTRTRYTYWGQGLVTVSS
325	4D03	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISATGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
326	4D04	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSIAWYRQAPGKKRELVAGISKDSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
327	4D05	EVQLVESGGGLVQPGGSLTLSCAASGSSSSFLSMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
328	4D06	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSMAWYRQAPGKKRELVAGISPDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
329	4D08	EVQLVESGGGLVQPGGSLTLSCAASGSSVNFSLMAWYRQAPGKKRELVAGISADGSTHYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWLTRYTYWGQGLVTVSS
330	4D09	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSMAWYRQAPGKKRELVAGISADGSTDYIL SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYEWTRTRYTYWGQGLVTVSS
331	4D010	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISADGSTDYIH SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
332	4D011	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISVDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
333	4E01	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
334	4E02	EVQLVESGGGLVQPGGSLTLSCAASGSQVSFLSMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWSTTRYTYWGQGLVTVSS
335	4E06	EVQLVESGGGLVQPGGSLTLSCAASGTSVSFLSMAWYRQAPGKKRELVAGISADGSTDYIR SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
336	4E07	EVQLVESGGGLVQPGGSLTLSCAASGSRVSLSMAWYRQAPGKKRELVAGISADGSTMYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
337	4E08	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSMAWYRQAPGKKRELVAGISDTGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYKWTRTRYTYWGQGLVTVSS
338	4E09	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSSAWYRQAPGKKRELVAGISADGSTLYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
339	4E010	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSMAWYRQAPGKKRELVAGISADGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
340	4E011	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISATGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWSTTRYTYWGQGLVTVSS
341	4F02	EVQLVESGGGLVQPGGSLTLSCAASGSTVSFLSMAWYRQAPGKKRELVAGISHDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
342	4F03	EVQLVESGGGLVQPGGSLTLSCAASGSSVQFLSMAWYRQAPGKKRELVAGISYDGDSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
343	4F04	EVQLVESGGGLVQPGGSLTLSCAASRSSVSFLSMAWYRQAPGKKRELVAGISTDGDSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWLTRYTYWGQGLVTVSS
344	4F08	EVQLVESGGGLVQPGGSLTLSCAASGSKVSFLSMAWYRQAPGKKRELVAGISADGSTAYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
345	4F09	EVQLVESGGGLVQPGGSLTLSCAASGSRVSLSMAWYRQAPGKKRELVAGISADGSTDYIE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
346	4F010	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISIDGSTDYIK SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
347	4F011	EVQLVESGGGLVQPGGSLTLSCAASGSKVSFLSMAWYRQAPGKKRELVAGISADGSKDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
348	4G01	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISADGSTVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
349	4G02	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSMAWYRQAPGKKRELVAGISRDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
350	4G03	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSMAWYRQAPGKKRELVAGISADGSTDYIH SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
351	4G05	EVQLVESGGGLVQPGGSLTLSCAASGSSSVILSMAWYRQAPGKKRELVAGISADGSTIYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
352	4G07	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSAWYRQAPGKKRELVAGISANGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
353	4G08	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFLSMAWYRQAPGKKRELVAGISTDGDSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGLVTVSS
354	4G09	EVQLVESGGGLVQPGGSLTLSCAASGSRVSLSMAWYRQAPGKKRELVAGISYDGDSTDYID

		SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTWGQGTTLTVTVSS
355	4G010	EVQLVESGGGLVQPGGSLTLSCAASGHSVSFLSMAWYRQAPGKKRELVAGISADGSTDYIA SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWSTRYTYWGQGTTLTVTVSS
356	4G011	EVQLVESGGGLVQPGGSLTLSCAASGSSVRFSLMAWYRQAPGKKRELVAGISADGSTDYIG SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWSTRYTYWGQGTTLTVTVSS
357	4H01	EVQLVESGGGLVQPGGSLTLSCAASGSSVSFLSMAWYRQAPGKKRELVAGISANGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGTTLTVTVSS
358	4H03	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISADGSTSYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGTTLTVTVSS
359	4H04	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSMAWYRQAPGKKRELVAGVSADGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYEWTRTRYTYWGQGTTLTVTVSS
360	4H05	EVQLVESGGGLVQPGGSLTLSCAASGSSSVRLSMAWYRQAPGKKRELVAGISARGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRSTRYTYWGQGTTLTVTVSS
361	4H06	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISADGSTIYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGTTLTVTVSS
362	4H07	EVQLVESGGGLVQPGGSLTLSCAASGSRVSFLSMAWYRQAPGKKRELVAGISANGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWSTRYTYWGQGTTLTVTVSS
363	4H08	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSMAWYRQAPGKKRELVAGISADGSTDYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWSTRYTYWGQGTTLTVTVSS
364	4H09	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKLSMAWYRQAPGKKRELVAGISADGSTDYRD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRYRYTYWGQGTTLTVTVSS
365	4H011	EVQLVESGGGLVQPGGSLTLSCAASGSSSVRLSMAWYRQAPGKKRELVAGISVDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGTTLTVTVSS
366	4D09- M34L	EVQLVESGGGLVQPGGSLTLSCAASGSSSVKFLSLAWYRQAPGKKRELVAGISADGSTDYIL SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYEWTRTRYTYWGQGTTLTVTVSS
367	4H11- M34L	EVQLVESGGGLVQPGGSLTLSCAASGSSSVRLSLAWYRQAPGKKRELVAGISVDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTRTRYTYWGQGTTLTVTVSS
368	41B11	EVQLVESGGGLVQPGGSLTLSCVASGTSSINAMGWYRRAPGKQRELVAGISSDGSKFVNE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRPAAGSPMRYWGQGTTLTVTVSS
369	41C02	EVQLVESGGGLVQPGGSLTLSCVASGTSSINAIGWYRRAPGKQRELVAGISSDGSSEVYTD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVDGSPLYWGQGTTLTVTVSS
370	41D01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDDSNVYYE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSKRYWGQGTTLTVTVSS
371	41D02	EVQLVESGGGLVQPGGSLTLSCVASGQTYRVNAFGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFSAGSGTEMSYWGQGTTLTVTVSS
372	41D03	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMAWYRRAPGKQRELVAGISSDESTLYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFGSLSGSSTTYWGQGTTLTVTVSS
373	41D07	EVQLVESGGGLVQPGGSLTLSCVASGSASLTNATGWYRRAPGKQRELVAGISSDDSKVYSD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFGSLSGSWTRYWGQGTTLTVTVSS
374	41E01	EVQLVESGGGLVQPGGSLTLSCVASGYPSSLNAMGWYRRAPGKQRELVAGISSDGSQVYGA SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRLVSGSSMSYWGQGTTLTVTVSS
375	41E02	EVQLVESGGGLVQPGGSLTLSCVASGSSSTINAIGWYRRAPGKQRELVAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTGSGTSKSYWGQGTTLTVTVSS
376	41F07	EVQLVESGGGLVQPGGSLTLSCVASGSTSYINAMGWYRRAPGKQRELVAGISSDGSNMVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFSNMSGTTTRYWGQGTTLTVTVSS
377	41G01	EVQLVESGGGLVQPGGSLTLSCVASGSTSSVNALGWYRRAPGKQRELVAGISSDGSKVYTD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVPGSAMGYWGQGTTLTVTVSS
378	42A03	EVQLVESGGGLVQPGGSLTLSCVASGSTSLNAVWYRRAPGKQRELVAGISSDGSKVSAAE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRAESGSSMGYWGQGTTLTVTVSS
379	42A06	EVQLVESGGGLVQPGGSLTLSCVASGSTSSSTNAIGWYRRAPGKQRELVAGISSDGSKVYDD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTLYGSSRSYWGQGTTLTVTVSS
380	42A07	EVQLVESGGGLVQPGGSLTLSCVASGLTSTINAMGWYRRAPGKQRELVAGISSDGSKVYDD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFSPFSGSDTGYWGQGTTLTVTVSS
381	42A08	EVQLVESGGGLVQPGGSLTLSCVASGVSPSKNAIGWYRRAPGKQRELVAGISSDGSVAVVG SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFSTFSGSSISYWGQGTTLTVTVSS
382	42A11	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAVGWYRRAPGKQRELVAGISSDGSVYVSE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTLAGSEMRYWGQGTTLTVTVSS
383	42B06	EVQLVESGGGLVQPGGSLTLSCVASGSTTMNAMAWYRRAPGKQRELVAGISSDSSHVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSGVRYWGQGTTLTVTVSS
384	42B10	EVQLVESGGGLVQPGGSLTLSCVASGSTSKINAIGWYRRAPGKQRELVAGISSDSSIVYTD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRPGAGHSNSYWGQGTTLTVTVSS
385	42C01	EVQLVESGGGLVQPGGSLTLSCVASGQTALNAMGWYRRAPGKQRELVAGISSDGSSEVNTD

		SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRRASGTAMSYWGQGLTIVTVSS
386	42C03	EVQLVESGGGLVQPGGSLTLSCVASGATSSINAI GWYRRAPGKQREL VAGISSDGSKLSSD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFTSASGTDLSYWGQGLTIVTVSS
387	42C07	EVQLVESGGGLVQPGGSLTLSCVASGSTSTINAMGWYRRAPGKQREL VAGISSDNSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRSANGSSKRYWGQGLTIVTVSS
388	42C08	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAMGWYRRAPGKQREL VAGISSDGSRVYFD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFKTIAGAGMRYWGQGLTIVTVSS
389	42C10	EVQLVESGGGLVQPGGSLTLSCVASGSTSLVNAMGWYRRAPGKQREL VAGISSDGSVLVYAE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRYGSGSSLSYWGQGLTIVTVSS
390	42C11	EVQLVESGGGLVQPGGSLTLSCVASGSTSLNNAI GWYRRAPGKQREL VAGISSDGSVYVVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVPGASMKYWGQGLTIVTVSS
391	42D05	EVQLVESGGGLVQPGGSLTLSCVASGSTSPVNAMAWYRRAPGKQREL VAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVDGSAISYWGQGLTIVTVSS
392	42D06	EVQLVESGGGLVQPGGSLTLSCVASGTTSSMNAI GWYRRAPGKQREL VAGISSDGSKLYDE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVKGSGGSYWGQGLTIVTVSS
393	42D07	EVQLVESGGGLVQPGGSLTLSCVASGETSSINAMAWYRRAPGKQREL VAGISSDYSKLYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSRGYWGQGLTIVTVSS
394	42D08	EVQLVESGGGLVQPGGSLTLSCVASGSTSTINAI GWYRRAPGKQREL VAGISSDSSKVYTE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRPGPGSQMAYWGQGLTIVTVSS
395	42E01	EVQLVESGGGLVQPGGSLTLSCVASGSTSYMNAI GWYRRAPGKQREL VAGISSDGSQVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVAGSASGYWGQGLTIVTVSS
396	42E02	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAYGWYRRAPGKQREL VAGISSDGSKVYSD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGSSSYWGQGLTIVTVSS
397	42E05	EVQLVESGGGLVQPGGSLTLSCVASGSTSTINAI GWYRRAPGKQREL VAGISSDGSKVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFINLKGSSMAYWGQGLTIVTVSS
398	42E06	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAI GWYRRAPGKQREL VAGISSDGSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRMVTGSGYGGYWGQGLTIVTVSS
399	42E07	EVQLVESGGGLVQPGGSLTLSCVASGSISSINAMGWYRRAPGKQREL VAGISSDGSVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFKSSYGLPMRYWGQGLTIVTVSS
400	42F01	EVQLVESGGGLVQPGGSLTLSCVASGSTQVNNAMAWYRRAPGKQREL VAGISSDGSQVYYG SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFKTVSGQSLRYWGQGLTIVTVSS
401	42F08	EVQLVESGGGLVQPGGSLTLSCVASGSTASFNAMAWYRRAPGKQREL VAGISSDGSKVYTD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVTGRAARYWGQGLTIVTVSS
402	42F10	EVQLVESGGGLVQPGGSLTLSCVASGSPLSINAI GWYRRAPGKQREL VAGISSDGSKVSAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFGPAIGASRTYWGQGLTIVTVSS
403	42G05	EVQLVESGGGLVQPGGSLTLSCVASGSTTFINAI GWYRRAPGKQREL VAGISSDGSKVYED SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTVSGAPKSYWGQGLTIVTVSS
404	42G07	EVQLVESGGGLVQPGGSLTLSCVASGSTSSINAI GWYRRAPGKQREL VAGISSDRSKVYAD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFHTVSGSSMSYWGQGLTIVTVSS
405	42H05	EVQLVESGGGLVQPGGSLTLSCVASGETDTINAVGWYRRAPGKQREL VAGISSDGSKVYAE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRLEGYSNRYWGQGLTIVTVSS
406	42H08	EVQLVESGGGLVQPGGSLTLSCVASGSTSPINAI GWYRRAPGKQREL VAGISSDGSVVTTE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFRTGSGSSMGYWGQGLTIVTVSS
407	42H11	EVQLVESGGGLVQPGGSLTLSCVASGSITSSNAMGWYRRAPGKQREL VAGISSDGSVHQE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYFFTTVTGSSMSYWGQGLTIVTVSS
408	51A01	EVQLVESGGGLVQPGGSLTLSCAASRYSVSNLSMAWYRQAPGKKREL VAGISADGSTVYVE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYWTERRPYWGQGLTIVTVSS
409	51A02	EVQLVESGGGLVQPGDSTLTLSCAASMSTVSVLSMAWYRQAPGKKREL VAGISSDGSVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAIYYCYAYSWDDAHPYWGQGLTIVTVSS
410	51A03	EVQLVESGGGLVQPGGSLTLSCAASDSYVSLLSMAWYRQAPGKKREL VAGISVDGSTHYVA SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWMTRLTYWGQGLTIVTVSS
411	51A05	EVQLVESGGGLVQPGGSLTLSCAASDSAVSVLSIAWYRQAPGKKREL VAGISTDGSKHYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYDWADAQPYWGQGLTIVTVSS
412	51B01	EVQLVESGGGLVQPGGSLTLSCAASHSSVTSLSLAWYRQAPGKKREL VAGISYDGSKYYAE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWTDRLPYWGQGLTIVTVSS
413	51B04	EVQLVESGGGLVQPGGSLTLSCAASDSVVKFLSMAWYRQAPGKKREL VAGISANGSRTYME SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWATRLPYWGQGLTIVTVSS
414	51B11	EVQLVESGGGLVQPGGSLTLSCAASDPSVWNLSMAWYRQAPGKKREL VAGISPDGSTDYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYKWSNRLPYWGQGLTIVTVSS
415	51C02	EVQLVESGGGLVQPGGSLTLSCAASGTSVMLLSLAWYRQAPGKKREL VAGISPNGSAVYTE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYGWKTRQPYWGQGLTIVTVSS
416	51D01	EVQLVESGGGLVQPGGSLTLSCAASSSPVSNLSLAWYRQAPGKKREL VAGISPDGSTAYME

		SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWPNNRGYWGQGLVTVSS
417	51D03	EVQLVESGGGLVQPGGSLTSLCAASWRVSVLLSVAWYRQAPGKKRELVAGISNDGSTDYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYDWTTRQRYWGQGLVTVSS
418	51E02	EVQLVESGGGLVQPGGSLTSLCAASSSSVQYLSMAWYRQAPGKKRELVAGISTDGSVAVYFD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYNWSYAQPYWGQGLVTVSS
419	51E03	EVQLVESGGGLVQPGGSLTSLCAASGTSVSLLSLAWYRQAPGKKRELVAGISTGGSTHYIE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYNWTDSLQYWGQGLVTVSS
420	51E05	EVQLVESGGGLVQPGGSLTSLCAASLSSVSNLSIAWYRQAPGKKRELVAGISTDGSTVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWTSLPYWGQGLVTVSS
421	51F01	EVQLVESGGGLVQPGGSLTSLCAASMSVSVFLSMAWYRQAPGKKRELVAGISNEGSTYYMD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYKWRSRSTYWGQGLVTVSS
422	51F02	EVQLVESGGGLVQPGGSLTSLCAASKSSVSHLSLAWYRQAPGKKRELVAGISADGSHVYTN SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSQTTRDPYWGQGLVTVSS
423	51F03	EVQLVESGGGLVQPGGSLTSLCAASYTSVLDLSIAWYRQAPGKKRELVAGISDDGSRYYTD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTARDTYWGQGLVTVSS
424	51F04	EVQLVESGGGLVQPGGSLTSLCAASMSDVSVFLSMAWYRQAPGKKRELVAGISAEGSTLYME SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWTSRLSYWGQGLVTVSS
425	51G02	EVQLVESGGGLVQPGGSLTSLCAASESSVSVFLSSAWYRQAPGKKRELVAGISTDGSTVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWTTRSRYWGQGLVTVSS
426	51G04	EVQLVESGGGLVQPGGSLTSLCAASGDSVSVLSMAWYRQAPGKKRELVAGISANGSTSYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYNWTSSRYRYWGQGLVTVSS
427	51G10	EVQLVESGGGLVQPGGSLTSLCAASGSDVWYLSLAWYRQAPGKKRELVAGISDDGSRHYIE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWKTRFPYWGQGLVTVSS
428	51H04	EVQLVESGGGLVQPGGSLTSLCAASKSAVAFLSIAWYRQAPGKKRELVAGISPDGSTVYIE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWTTRYPYWGQGLVTVSS
429	51H05	EVQLVESGGGLVQPGGSLTSLCAASFSAVAYLSMAWYRQAPGKKRELVAGISDDGSTVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYEWTNALPYWGQGLVTVSS
430	52B01	EVQLVESGGGLVQPGGSLTSLCAASVYSVYDLSTAWYRQAPGKKRELVAGISDDGSTVYFD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWITRSPYWGQGLVTVSS
431	52C04	EVQLVESGGGLVQPGGSLTSLCAASGDSVSVFLSMAWYRQAPGKKRELVAGISDEGSTVYIG SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWTTRQYWGQGLVTVSS
432	52D04	EVQLVESGGGLVQPGGSLTSLCAASSSSVSLLSLAWYRQAPGKKRELVAGISDDGSIVYMD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWITRSPYWGQGLVTVSS
433	53A04	EVQLVESGGGLVQPGGSLTSLCAASADSVSVFLSIAWYRQAPGKKRELVAGISDDGSKHYFD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWEESSRQYWGQGLVTVSS
434	53A05	EVQLVESGGGLVQPGGSLTSLCAASASSVTLLSIAWYRQAPGKKRELVAGISTDGSTDYIH SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYTWTRLPYWGQGLVTVTS
435	53A09	EVQLVESGGGLVQPGGSLTSLCAASADSVSVFLSIAWYRQAPGKKRELVAGISDDGSKHYFD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWEESSRQYWGQGLVTVSS
436	53B05	EVQLVESGGGLVQPGGSLTSLCAASGTSVWLLSMAWYRQAPGKKRELVAGISYDGSTVYVE SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWTTRQPYWGQGLVTVSS
437	53B06	EVQLVESGGGLVQPGGSLTSLCAASGSSVSVLSIAWYRQAPGKKRELVAGISDDGSTVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYVWGTRLPYWGQGLVTVSS
438	53C03	EVQLVESGGGLVQPGGSLTSLCAASGTAVSNLSIAWYRQAPGKKRELVAGISDDGSTVYVD SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYEWTNALPYWGQGLVTVSS
439	53C04	EVQLVESGGGLVQPGGSLTSLCAASGSVAVSMLSLAWYRQAPGKKRELVAGISDDGSQVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYRWEDALTYWGQGLVTVSS
440	53H03	EVQLVESGGGLVQPGGSLTSLCAASGMTVFVFLSMAWYRQAPGKKRELVAGISVDGSTVYS SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWTTRYPYWGQGLVTVSS
441	53H04	EVQLVESGGGLVQPGGSLTSLCAASQYSVTFVLSVWYRQAPGKKRELVAGISDDGSNVYID SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWIDSLRYWGQGLVTVSS
442	54B05	EVQLVESGGGLVQPGGSLTSLCAASGETVSVFLSLAWYRQAPGKKRELVAGISTDGSTVYFV SVKGRFTISRDNAKNSVYLQMNLSRAEDTAVYYCYAYSWTTPRAYWGQGLVTVSS

SEQ ID NO.	name	CDR1
443	DL1	GSIFSIASMG
444	DL74	GSIFSIASMG
445	DL31	GSIFSIASMA
446	DL3	ESIFSIINVMA
447	DL80	GSSFSITSMA

448	DL18	SSIFSISMS
449	DL94	SSIFSISMS
450	DL17	GSTLNIKIMA
451	DL46	GSTLNIKIMA
452	DL15	GSTFNIKTMA
453	DL26	GSTFNIKLMA
454	DL83	GSTFNFKIMA
455	DL5	GFMFSSYSMS
456	DL22	GFMFSSYSMS
457	DL85	GFTFSSHMS
458	DL69	GSSFHNTMG
459	DL27	GGRFSYATMG
460	DL51	GSRFYSYATMG
461	DL54	GSTFTSNVMG
462	DL11	GSSVSFLSMA
463	DL19	GSSVSFLSMA
464	DL68	GSSVSFLSMA
465	DL14	GSSVSFLSMA
466	DL67	GSSVSFLSMA
467	DL56	GSSVSFLSMA
468	DL13	GSSVSFLSMA
469	DL77	GSSVSFLSIA
470	DL79	GSSVSFLSMA
471	DL20	GSSVSFLSMA
472	DL41	GSSVSFLSMA
473	DL59	GSSVSFLSMA
474	DL16	GSSVSFLSMA
475	DL6	GSSVSFLSMA
476	DL84	GFTLDYYAIG
477	DL2	GSTSSINAMG
478	DL43	GSTSSINAMG
479	DL92	GITSSVYSMG
480	DL10	GRTSMFNSMG
481	DL82	GRTSMVNSMG
482	DL23	GSVSMFNSMG
483	DL42	GSIFSIAVMG
484	DL45	SGIFSDMSMV
485	DL58	GSISSIIVMG
486	DL70	GSISSIIVMG
487	DL89	GSIFTTNSMG
488	DL38	GSREISTMG
489	DL52	GSREISTMG
490	DL64	GSREISTMG
491	DL33	GSREISTMG
492	DL12	GSIFRGAAMY
493	DL29	GSISSFNFMS
494	DL61	GTIFTASTMG
495	DH1	GSIFSIAVMG

496	DH10	GRTSMFNSMG
497	DH11	GSSVSFLSMA
498	DH12	GSIFRGAAMY
499	DH15	GSTFNIKTMA
500	DH17	GSTLNIKIMA
501	DH18	SSIFSISMS
502	DH2	GSTSSINAMG
503	DH22	GFMFSSYSMS
504	DH23	GSVSMFNSMG
505	DH27	GGRFSYATMG
506	DH29	GSISSFNFMS
507	DH3	ESIFSINVMA
508	DH38	GSREISTMG
509	DH42	GSIFSIAVMG
510	DH43	GSTSSINAMG
511	DH45	SGIFSDMSMV
512	DH5	GFMFSSYSMS
513	DH51	GSRFSYATMG
514	DH54	GSTFTSNVMG
515	DH56	GSSVSFLSMA
516	DH58	GSISSIIVMG
517	DH6	GSSVSFLSMA
518	DH61	GTIFTASTMG
519	DH67	GSSVSFLSMA
520	DH69	GSSFSHNTMG
521	DH70	GSISSIIVMG
522	DH80	GSSFSITSMA
523	DH82	GRTSMVNSMG
524	DH83	GSTFNFKIMA
525	DH84	GFTLDYYAIG
526	DH89	GSIFTTNSMG
527	DH92	GITSSVYSMG
528	DH94	SSIFSISMS
529	1A01	GFTSSINAMG
530	1A03	GSTSSINAMA
531	1A04	GSTSSINAMG
532	1A05	GSPSSINAMG
533	1A06	GSTSSINAMG
534	1A07	GSISSINAMG
535	1A09	GSTSSINAMA
536	1A010	GSTSSINAYG
537	1A011	GSTSSINAIG
538	1A012	GSTSSINAMA
539	1B01	GSTSIINAMG
540	1B02	GSTSSINAMG
541	1B03	GKTSSINAMA
542	1B04	GTTSSINAMG
543	1B05	GSTSSINAMA

544	1B07	GSGSSINAMG
545	1B08	GTTSSINAMG
546	1B09	GSTSSINAMA
547	1B010	GSTSRINAMG
548	1B011	GSTSRINAMG
549	1C01	GSTSSINAMG
550	1C02	GSTSSINAMA
551	1C03	GSTSSINAMA
552	1C04	GNTSSINAMA
553	1C05	GSTSSINAMA
554	1C06	GSTSIINAMG
555	1C07	GSTSSINAMA
556	1C08	GSTSRINAMG
557	1C010	GSTSRINAMG
558	1C011	GTTSSINAMG
559	1C012	GITSSINAMG
560	1D01	GSTSDINAMG
561	1D02	GSTSSINAMA
562	1D03	GSTSSINAIG
563	1D04	GSTSSKNAMG
564	1D06	GSTSSINAMG
565	1D08	GLTSSINAMG
566	1D09	GSTSSINAMA
567	1D010	GSTSSNNAMA
568	1D011	GSTSSINAMA
569	1D012	GSTSHINAMG
570	1E02	GQTSSINAMG
571	1E04	GSTSRINGMG
572	1E05	GSTSVINAMA
573	1E07	GSTSSINAMA
574	1E08	GKTSSINAMG
575	1E09	GSTSSINAMA
576	1E010	GSVSSINAMG
577	1E011	GNTSSINAMG
578	1E012	GSTSSTNAMG
579	1F01	GSTSSINAMG
580	1F02	GSTSSINAMA
581	1F04	GGTSSINAMG
582	1F05	GSTRSINAMG
583	1F06	GTTSSINAMG
584	1F07	GSTSSINAMG
585	1F08	GSTSSINAMA
586	1F09	GNTSSINAMG
587	1F010	GSTSRINAMG
588	1F011	GSTSSINAIG
589	1F012	GLTSSINAMG
590	1G01	GSTSSINAMA
591	1G04	GSTSSTNAMG

592	1G05	GSTSSINAIG
593	1G06	GSTSSINAIG
594	1G07	GSTSSINAMG
595	1G09	GSTSSINAMG
596	1G011	GSTSSINAMA
597	1H01	GSTSSINAMA
598	1H02	GSKSSINAMG
599	1H06	GTTSSINAMG
600	1H07	GSTSSINAFG
601	1H08	GSTFSINAMG
602	1H010	GSTRSINAMG
603	1H011	GSTSSINAIG
604	1H012	GSTSSINAMG
605	2A01	GSTSSINAMG
606	2A03	GTTSSINAMG
607	2A04	GSTSSINAMA
608	2A05	GRTSSINAMG
609	2A06	GSTSSRNAMG
610	2A08	GSTKSINAMG
611	2A09	GSTSSRNAMG
612	2A011	GSTSSINAIG
613	2B01	GSTSLINAMG
614	2B02	GSTSSINAMA
615	2B03	GSTSSINAMG
616	2B05	GTTSSINAMG
617	2B07	GSTSSINAFG
618	2B010	GSTSSRNAMG
619	2B011	GNTSSINAMG
620	2B012	GTTSSINAMG
621	2C01	GSTASINAMG
622	2C02	GSTSSINAVG
623	2C04	GSTSSRNAMG
624	2C06	GSTNSINAMG
625	2C07	GSTSSINAMA
626	2C08	GSTSRINAMG
627	2C09	GSTSNINAMG
628	2C010	GSTSKINAMG
629	2D02	GSTSSINALG
630	2D03	GKTSSINAMG
631	2D04	GSTSSINAVG
632	2D05	GSTSRINAMG
633	2D06	GSTSSINAMG
634	2D07	GSTSSINAVG
635	2D09	GTTSSINAMG
636	2D010	GSTSSINAMG
637	2D011	GTTSSINAMG
638	2D012	GKTSSINAMG
639	2E01	GSTSSINAMG

640	2E02	GSTSAINAMG
641	2E05	GSPSSINAYG
642	2E06	GSTSSINAMG
643	2E08	GSRSSINAMG
644	2E09	GSVSSINAMG
645	2E010	GSTSSINAMA
646	2E011	GSTSSINAIG
647	2F01	GSTSSINAMG
648	2F02	GSTSSINAVG
649	2F03	GSTSSINAMA
650	2F06	GSTSSINAYG
651	2F07	GSTSSINAVG
652	2F08	GSKSSINAMG
653	2F09	GSTSSINAMA
654	2F11	GSVSSINAMG
655	2G03	GSTSSINAMG
656	2G04	GSTSSINAMG
657	2G07	GSTSSINAMA
658	2G08	GSTSYINAMG
659	2G09	GSTSSINAMG
660	2G011	GSTSSINAMG
661	2H010	GSTSSINAMG
662	2H011	GSTSRINAMG
663	2H02	GSTSSINAMA
664	2H03	GSTSSINAMA
665	2H04	GSTSSINAMG
666	2H06	GSTSTINAMG
667	2H07	GSTSSINAVG
668	2H08	GSTSSINAMG
669	2E05-M106Y	GSPSSINAYG
670	2E05-M106Q	GSPSSINAYG
671	3A01	GSSVKFLSMA
672	3A02	GSSVSFLSLA
673	3A03	GSRVSFLSMA
674	3A04	GSQVSFLSMA
675	3A05	GSSVSFLSMA
676	3A06	GSKVSFLSMA
677	3A08	GSSVGFLSMA
678	3A09	GSSVSFLSMA
679	3A010	GSRVSFLSMA
680	3A011	GSSVSFLSLA
681	3B01	GSSVSFLSMA
682	3B02	GSSVQFLSMA
683	3B04	GSNVSFLSMA
684	3B05	GSSVKFLSMA
685	3B06	GKSVSFLSMA
686	3B07	GSRVSFLSMA
687	3B09	GSHVSFLSMA

688	3B010	GSSVSFLSMA
689	3B011	GSSVSFLSMA
690	3C01	GSSVRFLSMA
691	3C02	GSSVRFLSMA
692	3C03	GSSVRFLSMA
693	3C04	GSHVSFLSMA
694	3C05	GTSVSFLSMA
695	3C06	GTSVSFLSIA
696	3C08	GSSVKFLSMA
697	3C09	GSSVSFLSMA
698	3C011	GSSVRFLSMA
699	3D01	GSSVSFLSMA
700	3D02	GSSVRFLSMA
701	3D03	GSSVVFLSMA
702	3D05	GSSVRFLSMA
703	3D07	GSSVRFLSMA
704	3D08	GSSVRFLSMA
705	3D09	GSSVSRLSMA
706	3D010	GSSKSFLSMA
707	3D011	GSSVSRLSMA
708	3E01	GSSVKFLSMA
709	3E02	GSGVRFLSMA
710	3E03	GSSVRFLSMA
711	3E04	GSSVHFLSMA
712	3E09	GSSVRFLSMA
713	3E011	GSKVSFLSMA
714	3F03	GSSVSFLSMA
715	3F05	GSKVSFLSMA
716	3F06	GSRVSFLSMA
717	3F08	GSRVSFLSMA
718	3F09	GSSVRFLSMA
719	3F010	YSSVSRLSMA
720	3F011	GSSVSFLSMA
721	3G01	GSSVSFLSMA
722	3G02	GSSVSFLSMA
723	3G04	GTSVSFLSMA
724	3G06	GSSVKFLSMA
725	3G07	GSSVSFLSMA
726	3G08	GSRVSFLSMA
727	3G09	GSSVSVLSMA
728	3G010	GSSVSFLSMA
729	3G011	GSRVSFLSMA
730	3H01	GSSVKFLSMA
731	3H03	GSSVRFLSMA
732	3H06	GSSVSQLSMA
733	3H07	GSRVSFLSMA
734	3H09	KSSVSFLSMA
735	3H010	GSSVSFLSMA

736	3H011	GSSVKFLSMA
737	4A01	GSSVRFLSMA
738	4A02	GSSVRFLSMA
739	4A04	GSRVSFLSMA
740	4A05	GSSVSFLSLA
741	4A06	GSSVRFLSMA
742	4A07	GSKVSFLSMA
743	4A08	GSSVSFLSMA
744	4A010	GSSVRFLSMA
745	4A011	GSKVSFLSMA
746	4A09	GSSVKFLSMA
747	4B01	GSSVKFLSMA
748	4B02	GSRVSFLSMA
749	4B04	GSSVLFLSMA
750	4B05	GSRVSFLSMA
751	4B06	GSRVSFLSMA
752	4B07	GSSVGFLSMA
753	4B08	GSSVSFMSMA
754	4B09	GSSVSFLSMA
755	4B011	GSSVTFLSMA
756	4C01	GSSVRFLSMA
757	4C02	GSKVSFLSMA
758	4C03	GSKVSFMSMA
759	4C05	GSSVSNLSMA
760	4C06	NSSVSKLSMA
761	4C07	GSKVSFLSMA
762	4C08	GSQVSFLSMA
763	4C010	GSKVSFMSMA
764	4C011	GSRVSFLSMA
765	4D01	GSSVRFLSMA
766	4D02	GSKVSFLSMA
767	4D03	GSSVRFLSMA
768	4D04	GSSVSFLSIA
769	4D05	GSSSSFLSMA
770	4D06	GSSVKFLSMA
771	4D08	GSSVNFLSMA
772	4D09	GSSVKFLSMA
773	4D010	GSSVSFLSMA
774	4D011	GSSVRFLSMA
775	4E01	GSSVSFLSVA
776	4E02	GSQVSFLSMA
777	4E06	GTSVSFLSMA
778	4E07	GSRVSFLSMA
779	4E08	GSSVKFLSMA
780	4E09	GSSVSFLSSA
781	4E010	GSSVKFLSMA
782	4E011	GSSVSFLSMA
783	4F02	GSTVSFLSMA

784	4F03	GSSVQFLSMA
785	4F04	RSSVSFLSMA
786	4F08	GSKVSFLSMA
787	4F09	GSRVSFLSMA
788	4F010	GSSVSFLSMA
789	4F011	GSKVSFLSMA
790	4G01	GSSVRFLSMA
791	4G02	GSSVKFLSMA
792	4G03	GSSVKFLSMA
793	4G05	GSSVSILSMA
794	4G07	GSSVSFLSVA
795	4G08	GSSVRFLSMA
796	4G09	GSRVSFLSMA
797	4G010	GHSVSFLSMA
798	4G011	GSSVRFLSMA
799	4H01	GSSVSFLSMA
800	4H03	GSRVSFLSMA
801	4H04	GSSVKFLSMA
802	4H05	GSSVSRLSMA
803	4H06	GRSVSFLSMA
804	4H07	GRSVSFLSMA
805	4H08	GSSVKFLSMA
806	4H09	GSSVSKLSMA
807	4H011	GSSVSRLSMA
808	4D09-M34L	GSSVKFLSLA
809	4H11-M34L	GSSVSRLSLA
810	41B11	GTSSSINAMG
811	41C02	GTTSSINAIG
812	41D01	GSTSSINAMA
813	41D02	GQTYRVNAFG
814	41D03	GSTSSINAMA
815	41D07	GSASLTNATG
816	41E01	GYPSSLNNAMG
817	41E02	GSSSTINAIG
818	41F07	GSTSYINAMG
819	41G01	GSTSSVNALG
820	42A03	GSTSLSNVAVG
821	42A06	GSTSSSTNAIG
822	42A07	GLTSTINAMG
823	42A08	GVSPSKNAIG
824	42A11	GSTSSINAVG
825	42B06	GSTTMNNAMA
826	42B10	GSTSKINAIG
827	42C01	GQTTALNAMG
828	42C03	GATSSINAIG
829	42C07	GSTSTINAMG
830	42C08	GSTSSINAMG
831	42C10	GSTSLVNAMG

832	42C11	GSTSLNNAIG
833	42D05	GSTSPVNAMA
834	42D06	GTTSSMNAIG
835	42D07	GETSSINAMA
836	42D08	GSTSTINAIG
837	42E01	GSTYSMNAMG
838	42E02	GSPSSINAYG
839	42E05	GSTSTINAIG
840	42E06	GSTSSINAIG
841	42E07	GSISSINAMG
842	42F01	GSTQVNNAMA
843	42F08	GSTASFNAMA
844	42F10	GSPLSINAIG
845	42G05	GSTTFINAIG
846	42G07	GSTSSINAIG
847	42H05	GETDTINAVG
848	42H08	GSTSPINAIG
849	42H11	GSITSSNAMG
850	51A01	RYSVSNLSMA
851	51A02	MSTVSVLSMA
852	51A03	DSYVSLLSMA
853	51A05	DSAVSVLSIA
854	51B01	HSSVTSLSLA
855	51B04	DSVVKFLSMA
856	51B11	DPSVWNLSMA
857	51C02	GTSVMLLSLA
858	51D01	SSPVSNLSLA
859	51D03	WRSVLLLSVA
860	51E02	SSSVQYLSMA
861	51E03	GTSVSLLSLA
862	51E05	LSSVSNLSIA
863	51F01	MYSVSFSLMA
864	51F02	KSSVSHLSLA
865	51F03	YTSVLDLSIA
866	51F04	MSDVSFSLMA
867	51G02	ESSVSFLSSA
868	51G04	GDSVSLLSMA
869	51G10	GSDVWYLSLA
870	51H04	KSAVAFLSIA
871	51H05	FSAVAYLSMA
872	52B01	VYSVYDLSTA
873	52C04	GDSVSFSLMA
874	52D04	SSSVSLLSLA
875	53A04	ADSVSFLSIA
876	53A05	ASSVTLLSIA
877	53A09	ADSVSFLSIA
878	53B05	GTSVWLLSMA
879	53B06	GSSVSILSIA

880	53C03	GTAVSNLSIA
881	53C04	GSAVSMLSLA
882	53H03	GMTVFFLSMA
883	53H04	QYSVTFLSVA
884	54B05	GETVSFLSLA

SEQ. ID NO.	name	CDR2
885	DL1	VITSFSSTNYADSVKG
886	DL74	VITSFSSTNYADSVKG
887	DL31	AITSFSSTNYADSVKG
888	DL3	RITSGGSTNYADSVKG
889	DL80	AITSFGSTNYADSVKD
890	DL18	AITTFDYTNADSVKG
891	DL94	AITSFGSTNYADSVKG
892	DL17	TLTSGGNTNYADSVKG
893	DL46	TLTSGGNTNYADSVKG
894	DL15	TLTSGGNTNYADSVKG
895	DL26	TLTSGGNTNYADSVKG
896	DL83	SLTSEGLTNYRDSVKG
897	DL5	AITTWGSTNYADSVKG
898	DL22	AITSYGSTNYADSVKG
899	DL85	AITTYGSTNYIDSVKG
900	DL69	RITTFGTNYADSVKG
901	DL27	RITSSGFSTNYADSVKG
902	DL51	RITSSGFSTNYADSVKG
903	DL54	NMHSGGSTNYADSVKG
904	DL11	GISVDGSTNYADSVKG
905	DL19	GISVDGSTNYADSVKG
906	DL68	GISVDGSTNYADSVKG
907	DL14	GISVDGSTNYADSVKG
908	DL67	GISVDGSTNYADSVKG
909	DL56	GISTDGSTNYVDSVKG
910	DL13	GISTDGTNYVDSVKD
911	DL77	GISTDGTNYVDSVKD
912	DL79	GISTDGTNYVDSVKD
913	DL20	GISTDGSTNYADSVKG
914	DL41	GISTDGSTNYADSVKG
915	DL59	GISTDGSTNYADSVKG
916	DL16	GISSDGSTNYVDSVKG
917	DL6	GISADGSTDYIDSVKG
918	DL84	GISSDGSTHYVDSVKG
919	DL2	GISSDGSKNYADSVKG
920	DL43	GISSDGSKVYADSVKG
921	DL92	GSSSDGSTHYVDSVRG
922	DL10	IIRSGGSSNYADTVKG
923	DL82	LITSGGSSNYADTVKG
924	DL23	IITSGGSSNYADTVKG

925	DL42	TIFDGSYTNYADSVKG
926	DL45	SITTFGSTNYADPVKG
927	DL58	TITRDGTRNYADSLKG
928	DL70	TISRGGTRTYADSVKG
929	DL89	LIGSAGSTKYADSVKG
930	DL38	RITSGGITKYADSVKG
931	DL52	RITSGGITKYADSVKG
932	DL64	RITSGGITKYADSVKG
933	DL33	RITSGGITKYADSVKG
934	DL12	AITTSGNtsyADSVKG
935	DL29	VITRGGATNYADSVKG
936	DL61	SIAGDGRTNYAESTEG
937	DH1	VITSFSSTNYADSVKG
938	DH10	IIRSGGSSNYADTVKG
939	DH11	GISVDGSTNYADSVKG
940	DH12	AITTSGNtsyADSVKG
941	DH15	TLTSGGNTNYADSVKG
942	DH17	TLTSGGNTNYADSVKG
943	DH18	AITTFDYTNYADSVKG
944	DH2	GISSDGSKNYADSVKG
945	DH22	AITSYGSTNYADSVKG
946	DH23	IITSGGSSNYADTVKG
947	DH27	RITSSGFSTNYADSVKG
948	DH29	VITRGGATNYADSVKG
949	DH3	RITSGGSTNYADSVKG
950	DH38	RITSGGITKYADSVKG
951	DH42	TIFDGSYTNYADSVKG
952	DH43	GISSDGSKVYADSVKG
953	DH45	SITTFGSTNYADPVKG
954	DH5	AITTWGSTNYADSVKG
955	DH51	RITSSGFSTNYADSVKG
956	DH54	NMHSGGSTNYADSVKG
957	DH56	GISTDGSTNYVDSVKG
958	DH58	TITRDGTRNYADSLKG
959	DH6	GISADGSTDYIDSVKG
960	DH61	SIAGDGRTNYAESTEG
961	DH67	GISVDGSTNYADSVKG
962	DH69	RITTFGTNYADSVKG
963	DH70	TISRGGTRTYADSVKG
964	DH80	AITSFGSTNYADSVKD
965	DH82	LITSGGSSNYADTVKG
966	DH83	SLTSEGLTNYRDSVKG
967	DH84	GISSDGSTHYVDSVKG
968	DH89	LIGSAGSTKYADSVKG
969	DH92	GSSSDGSTHYVDSVRG
970	DH94	AITSFGSTNYADSVKG
971	1A01	GISSDGSEFVYADSVKG
972	1A03	GISSDGSKVYADSVKG

973	1A04	GISSDGSKVYEDSVKG
974	1A05	GISSDGSKVYADSVKG
975	1A06	GISSDGSSVYADSVKG
976	1A07	GISSDGSKVYADSVKG
977	1A09	GISSDGSKLYADSVKG
978	1A010	GISSDGSKVYADSVKG
979	1A011	GISSDGSKVYIDSVKG
980	1A012	GISSDGSKVYSDSVKG
981	1B01	GISSDGSKVIADSVKG
982	1B02	GISSDGSKIYADSVKG
983	1B03	GISSDGSKVYTDSVKG
984	1B04	GISSDGSLVYADSVKG
985	1B05	GISSDGSKVYADSVKG
986	1B07	GISSDGSKVYSDSVKG
987	1B08	GISSDGSKVYVDSVKG
988	1B09	GISSDGSKVYVDSVKG
989	1B010	GISSDGSKVYADSVKG
990	1B011	GISSDGSKVYADSVKG
991	1C01	GISSDGSKVYRDSVKG
992	1C02	GISSDGSKVYSDSVKG
993	1C03	GISSDNSKVYADSVKG
994	1C04	GISSDGSKVYADSVKG
995	1C05	GISSDGSKVYADSVKG
996	1C06	GISSDGSKVYEDSVKG
997	1C07	GISSDGSKVYADSVKG
998	1C08	GISSDGSKVYAVSVKG
999	1C010	GVSSDGSKVYADSVKG
1000	1C011	GISSDGSKVYEDSVKG
1001	1C012	GISSDGSKVYAGSVKG
1002	1D01	GISSDKSKVYADSVKG
1003	1D02	GISSNGSKVYADSVKG
1004	1D03	GISSDGSKVLADSVKG
1005	1D04	GISSDGSKVYADSVKG
1006	1D06	GISSDNSKVYADSVKG
1007	1D08	GISSDGSKVYADSVKG
1008	1D09	GISSDGSKVYTDSVKG
1009	1D010	GISSDGSKVYTDSVKG
1010	1D011	GISSDNSKVYADSVKG
1011	1D012	GISSDGSRVYADSVKG
1012	1E02	GISSDGSQVYADSVKG
1013	1E04	GISSDGSKAYADSVKG
1014	1E05	GISSDGSKVYAKSAKG
1015	1E07	GISSDGSKVYNDSVKG
1016	1E08	GISSDGSKVIADSVKG
1017	1E09	GISSDGSKVYTDSVKG
1018	1E010	GISSDGSKVYIDSVKG
1019	1E011	GISSDGSKVYYDSVKG
1020	1E012	GISSDGSKVYVDSVKG

1021	1F01	GISSDGSKVYGDSVKG
1022	1F02	GISSDQSKVYADSAKG
1023	1F04	GISSDGSKVYSDSVKG
1024	1F05	GISSDGSKVYADSVKG
1025	1F06	GISSDGSKVIADSVKG
1026	1F07	GISSDGSKVDADSVKG
1027	1F08	GISSDGSKVYKDSVKG
1028	1F09	GISSNGSKVYADSVKG
1029	1F010	GISSDGSKVYKDSVKG
1030	1F011	GISSDGSKVYADSVKG
1031	1F012	GISSDGSKVYQDSVKG
1032	1G01	GISSDGSKVYAESVKG
1033	1G04	GISSDGSKVLADSVKG
1034	1G05	GISSDGSKYADSVKG
1035	1G06	GISSDGSKVYAVSVKG
1036	1G07	GISSDGSKVADSVKG
1037	1G09	GISSDGSKVYADSVKG
1038	1G011	GISSDGSKVYADSVKG
1039	1H01	GISSDNSKVYADSVKG
1040	1H02	GISSDGSKVYAQSVKG
1041	1H06	GISSDGSKVYVDSVKG
1042	1H07	GISSDGSKVYSDSVKG
1043	1H08	GISSDGSKVLADSVKG
1044	1H010	GISSDGSKVYNDSVKG
1045	1H011	GISSDGSKVYNDSVKG
1046	1H012	GISSDGSKVYVDSVKG
1047	2A01	GISSDGSKVADSVKG
1048	2A03	GISSDGSKVYGDSVKG
1049	2A04	GISSDGSKVYTDSVKG
1050	2A05	GISSDGSKVYNDSVKG
1051	2A06	GISSDGSKVTADSVKG
1052	2A08	GISSDGSKVYRDSVKG
1053	2A09	GISSNGSKVYSDSVKG
1054	2A011	GISSDGSKVYSDSVKG
1055	2B01	GISSDGSKVYADSVKG
1056	2B02	GISSDGSKVYADSVKG
1057	2B03	GISSDGSGLVYADSVKG
1058	2B05	GISSDGTKVYADSVKG
1059	2B07	GISSDGSKVYADSVKG
1060	2B010	GISSDGSKLYLDSVKG
1061	2B011	GISSDGSRVYADSVKG
1062	2B012	GISSDGSKVYNDSVKG
1063	2C01	GISSDGSKVYADSVKG
1064	2C02	GISSDGSKVYVDSVKG
1065	2C04	GISSDGSKLYADSVKG
1066	2C06	GISSDGSKVYKDSVKG
1067	2C07	GISSDGSKVYADSVKG
1068	2C08	GISSDGSKVYQDSVKG

1069	2C09	GISSDGTKIYADSAKV
1070	2C010	GISSDRSKVYADSVKG
1071	2D02	GISSDGSLVYADSVKG
1072	2D03	GISSDGSKVYADSVKG
1073	2D04	GISSDGSKVYRDSVKG
1074	2D05	GISSDGSKVYADSVKG
1075	2D06	GISSDGSKVYSDSVKG
1076	2D07	GISSDGTKVYRDSVKG
1077	2D09	GISSDGSKVYNDSVKG
1078	2D010	GISSDGSKVYADSVKG
1079	2D011	GISSDGSKVYADSVKG
1080	2D012	GISSDGSKVYTDSVKG
1081	2E01	GISPDGTKAYADSAKV
1082	2E02	GISSDGSKVYVDSVKG
1083	2E05	GISSDGSKVYSDSVKG
1084	2E06	GISSDGSKVYASSVKG
1085	2E08	GISADGSKVYADSVKG
1086	2E09	GISSDGSKVYASSAKG
1087	2E010	GISSDGSKVYADSVKG
1088	2E011	GISSDGSSVYADSVKG
1089	2F01	GISSDGSKVYSDSVKG
1090	2F02	GISSDGSKVYAGSVKG
1091	2F03	GISSDNSKVYADSVKG
1092	2F06	GISSDGSAVYADSVKG
1093	2F07	GISSDGSSVYADSVKG
1094	2F08	GISSNGTKVYADSAKV
1095	2F09	GISSDGSKLYADSVKG
1096	2F11	GISSDGSKVYKDSVKG
1097	2G03	GISSDGSLVYADSVKG
1098	2G04	GISSDGSLVYADSVKG
1099	2G07	GISSDGSKVYADSVKG
1100	2G08	GISSDGSKVYADSVKG
1101	2G09	GVSSDGSKVYADSVKG
1102	2G011	GISRDGSKVYADSVKG
1103	2H010	GISSDGSKLYADSVKG
1104	2H011	GISSDGSKVYADSVKG
1105	2H02	GISSDGSKVYADSVKG
1106	2H03	GISSDGSKVYADSVKG
1107	2H04	GISSDTSKVYADSVKG
1108	2H06	GISSDGSKVYADSVKG
1109	2H07	GISSDGSTVYADSVKG
1110	2H08	GISKDGSKVYADSAKG
1111	2E05- M106Y	GISSDGSKVYSDSVKG
1112	2E05- M106Q	GISSDGSKVYSDSVKG
1113	3A01	GISADGSTDYIDSVKG
1114	3A02	GISADGSTAYIDSVKG
1115	3A03	GISRDGSTDYIDSVKG

1116	3A04	GISRDGSTDYIDSVKG
1117	3A05	GISEAGSTDYIDSVKG
1118	3A06	GISADGSTDYVDSVKG
1119	3A08	GISADGSTDYIRSVKG
1120	3A09	GISADGSVDYIDSVKG
1121	3A010	GISADGSTLYIDSVKG
1122	3A011	GISTDGSTDYIDSVKG
1123	3B01	GISGDGSTDYIDSVKG
1124	3B02	GISADGSTDYINSVKG
1125	3B04	GISARGSTDYIDSVKG
1126	3B05	GISADGSTTYIDSVKG
1127	3B06	GISKDGSTDYIDSVKG
1128	3B07	GISADGSTTYIDSVKG
1129	3B09	GISANGSTDYIDSVKG
1130	3B010	GISRDGSTDYIDSVKG
1131	3B011	GISADGSADYIDSVKG
1132	3C01	GISAHGSTDYIDSVKG
1133	3C02	GISADGSTIYIDSVKG
1134	3C03	GISRDGSTVYIDSVKG
1135	3C04	GISADGPTDYIDSVKG
1136	3C05	GISADGSTTYIDSVKG
1137	3C06	GISADGSTDYIASVKG
1138	3C08	GISLDGSTDYIDSVKG
1139	3C09	GISADGSTIYIDSVKG
1140	3C011	GISAHGSTDYIDSVKG
1141	3D01	GISRDGSTDYIDSVKG
1142	3D02	GISRDGSTDYIDSVKG
1143	3D03	GISADGSMDYIDSVKG
1144	3D05	GISADGSTDYIDSVKG
1145	3D07	GISADGSTDYIDSVKG
1146	3D08	GISANGSTDYIDSVKG
1147	3D09	GISANGSTTYIDSVKG
1148	3D010	GISADGSTSYIDSVKG
1149	3D011	GISADGSRDYIDSVKG
1150	3E01	GISADGSTMYIDSVKG
1151	3E02	GISPDGSTDYIDSVKG
1152	3E03	GISGDGSTDYIDSVKG
1153	3E04	GISRDGSTDYIDSVKG
1154	3E09	GISRDGSTDYIDSVKG
1155	3E011	GISRDGSTDYIDSVKG
1156	3F03	GISADGSTDYIDSVKG
1157	3F05	GISTDGSTDYIDSVKG
1158	3F06	GISADGSTSYIDSVKG
1159	3F08	GISADGSTLYIDSVKG
1160	3F09	GISRDGSTDYIDSVKG
1161	3F010	GISADGSTVYIDSVKG
1162	3F011	GISTDGSTDYIDSVKG
1163	3G01	GISADGSTLYIDSVKG

1164	3G02	GISADGRTDYIDSVKG
1165	3G04	GISADGSTIYIDSVKG
1166	3G06	GISADGSTLYIDSVKG
1167	3G07	GISRDGSTDYIDSVKG
1168	3G08	GISKDGSTDYIDSVKG
1169	3G09	GISADGSTDYIGSVKG
1170	3G010	GISVDGSTDYIDSVKG
1171	3G011	GISADGSTGYIDSVKG
1172	3H01	GISGDGSTTYIDSVKG
1173	3H03	GISTDGSTDYIDSVKG
1174	3H06	GISADGSTDYFDSVKG
1175	3H07	GISADGSTSYIDSVKG
1176	3H09	GISADGSTDYIDSVKG
1177	3H010	GISADGSTAYIDSVKG
1178	3H011	GISADGSTVYIDSVKG
1179	4A01	GISQDGSTDYIDSVKG
1180	4A02	GISNDGSTDYIDSVKG
1181	4A04	GISARGSTDYIDSVKG
1182	4A05	GISADGSTDYIDSVKG
1183	4A06	GISRDGSTDYIDSVKG
1184	4A07	GISADGSTLYIDSVKG
1185	4A08	GISADGSTNYIDSVKG
1186	4A010	GISADGSTVYIDSVKG
1187	4A011	GISADGSTTYIDSVKG
1188	4A09	GISADGSTDYIGSVKG
1189	4B01	GISRDGSTDYIDSVKG
1190	4B02	GISADGSTTYIDSVKG
1191	4B04	GVSSDGSTDYIDSVKG
1192	4B05	GISADGHTDYIDSVKG
1193	4B06	GISADGSTDYFDSVKG
1194	4B07	GISADGSTVYIDSVKG
1195	4B08	GISADGSTDYIASVKG
1196	4B09	GISADGSTDYISSVKG
1197	4B011	GISADGSTVYIDSVKG
1198	4C01	GISADGSTVYIDSVKG
1199	4C02	GISADGSTTYIDSVKG
1200	4C03	GISVDGSTDYIDSVKG
1201	4C05	GISADGSTAYIDSVKG
1202	4C06	GISADGSTAYIDSVKG
1203	4C07	GISADGSKDYIDSVKG
1204	4C08	GISADGSTDYFDSVKG
1205	4C010	GISADGSTDYIDSVKG
1206	4C011	GISADGSTVYIDSVKG
1207	4D01	GISADGSTVYIDSVKG
1208	4D02	GISARGSTDYIDSVKG
1209	4D03	GISATGSTDYIDSVKG
1210	4D04	GISKDGSTDYIDSVKG
1211	4D05	GISADGSTVYIDSVKG

1212	4D06	GISPDGSTDYIDSVKG
1213	4D08	GISADGSTHYIDSVKG
1214	4D09	GISADGSTDYILSVKG
1215	4D010	GISADGSTDYIHSVKG
1216	4D011	GISVDGSTDYIDSVKG
1217	4E01	GISRDGSTDYIDSVKG
1218	4E02	GISADGSTVYIDSVKG
1219	4E06	GISADGSTDYIRSVKG
1220	4E07	GISADGSTMYIDSVKG
1221	4E08	GISTDGSTDYIDSVKG
1222	4E09	GISADGSTLYIDSVKG
1223	4E010	GISADGSTDYIDSVKG
1224	4E011	GISATGSTDYIDSVKG
1225	4F02	GISHDGSTDYIDSVKG
1226	4F03	GISYDGSTDYIDSVKG
1227	4F04	GISTDGSTDYIDSVKG
1228	4F08	GISADGSTAYIDSVKG
1229	4F09	GISADGSTDYIESVKG
1230	4F010	GISIDGSTDYIKSVKG
1231	4F011	GISADGSKDYIDSVKG
1232	4G01	GISADGSTVYIDSVKG
1233	4G02	GISRDGSTDYIDSVKG
1234	4G03	GISADGSTDYIHSVKG
1235	4G05	GISADGSTIYIDSVKG
1236	4G07	GISANGSTDYIDSVKG
1237	4G08	GISTDGSTDYIDSVKG
1238	4G09	GISYDGSTDYIDSVKG
1239	4G010	GISADGSTDYIASVKG
1240	4G011	GISADGSTDYIGSVKG
1241	4H01	GISANGSTDYIDSVKG
1242	4H03	GISADGSTSYIDSVKG
1243	4H04	GVSADGSTDYIDSVKG
1244	4H05	GISARGSTDYIDSVKG
1245	4H06	GISADGSTIYIDSVKG
1246	4H07	GISANGSTDYIDSVKG
1247	4H08	GISADGSTDYVDSVKG
1248	4H09	GISADGSTDYRDSVKG
1249	4H011	GISVDGSTDYIDSVKG
1250	4D09- M34L	GISADGSTDYILSVKG
1251	4H11- M34L	GISVDGSTDYIDSVKG
1252	41B11	GISSDGSKVFNESVKG
1253	41C02	GISSDGSEVYTDSVKG
1254	41D01	GISSDDSNVYESVKG
1255	41D02	GISSDGSKVYADSVKG
1256	41D03	GISSDESTLYVDSVKG
1257	41D07	GISSDDSKVYSDSVKG
1258	41E01	GISSDGSQVYGASVKG

1259	41E02	GISSDGSKVYADSVKG
1260	41F07	GISSDGSNMYADSVKG
1261	41G01	GISSDGSKVYTDSVKG
1262	42A03	GISSDGSKVSAESVKG
1263	42A06	GISSDGSKVYDDSVKG
1264	42A07	GISSDGSKVYDDSVKG
1265	42A08	GISSDGSAVYVGSVKG
1266	42A11	GISSDGSYVYESVKG
1267	42B06	GISSDSSHVYADSVKG
1268	42B10	GISSDSSIVYTDSVKG
1269	42C01	GISSDGSEVNTDSVKG
1270	42C03	GISSDGSKLSSDSVKG
1271	42C07	GISSDNSKVYADSVKG
1272	42C08	GISSDGSRVYFDSVKG
1273	42C10	GISSDGSLVYAESVKG
1274	42C11	GISSDGSVVYVDSVKG
1275	42D05	GISSDGSKVYVDSVKG
1276	42D06	GISSDGSKLYDESVKG
1277	42D07	GISSDYSKLYADSVKG
1278	42D08	GISSDSSKVYTESVKG
1279	42E01	GISSDGSQVYVDSVKG
1280	42E02	GISSDGSKVYSDSVKG
1281	42E05	GISSDGSKVYVDSVKG
1282	42E06	GISSDGSKVYADSVKG
1283	42E07	GISSDGSSVYADSVKG
1284	42F01	GISSDGsqVYVGSVKG
1285	42F08	GISSDGSKVYTDSVKG
1286	42F10	GISSDGSKVSADSVKG
1287	42G05	GISSDGSKVYEDSVKG
1288	42G07	GISSDRSKVYADSVKG
1289	42H05	GISSDGSKVYAESVKG
1290	42H08	GISSDGSVVTESVKG
1291	42H11	GISSDGSHVHQESVKG
1292	51A01	GISADGSTVYVESVKG
1293	51A02	GISSDGSTVYIDSVKG
1294	51A03	GISVDGSTHYVASVKG
1295	51A05	GISTDGSKHYIDSVKG
1296	51B01	GISYDGSKYYAESVKG
1297	51B04	GISANGSRTYMESVKG
1298	51B11	GISPDGSTDYVDSVKG
1299	51C02	GISPNGSAVYTESVKG
1300	51D01	GISPDGSTAYMESVKG
1301	51D03	GISNDGSTDYIDSVKG
1302	51E02	GISTDGSAVYFDSVKG
1303	51E03	GISTGGSTHYIESVKG
1304	51E05	GISTDGSTVYIDSVKG
1305	51F01	GISNEGSTYYMDSVKG
1306	51F02	GISADGSHVYTNSVKG

1307	51F03	GISDDGSRYYTDSVKG
1308	51F04	GISAEGSTLYMESVKG
1309	51G02	GISTDGSTVYIDSVKG
1310	51G04	GISANGSTSYIDSVKG
1311	51G10	GISDDGSRHYIESVKG
1312	51H04	GISPDGSTVYIESVKG
1313	51H05	GISDDGSTVYVDSVKG
1314	52B01	GISDDGSTVYFDSVKG
1315	52C04	GISDEGSTVYIGSVKG
1316	52D04	GISDDGSIVYMDSVKG
1317	53A04	GISDDGSKHYFDSVKG
1318	53A05	GISTDGSTDYLHSVKG
1319	53A09	GISDDGSKHYFDSVKG
1320	53B05	GISYDGSTVYVESVKG
1321	53B06	GISDDGSTVYIDSVKG
1322	53C03	GISDDGSTVYVDSVKG
1323	53C04	GISDDGSQVYIDSVKG
1324	53H03	GISVDGSTVYSDSVKG
1325	53H04	GISDDGSNVYIDSVKG
1326	54B05	GISTDGSTVYFVSVKG

SEQ. ID NO.	name	CDR3
1327	DL1	RYFERTD
1328	DL74	RYFERTD
1329	DL31	RYFERTD
1330	DL3	YQGLYAY
1331	DL80	RVFDHVV
1332	DL18	RAFGRDY
1333	DL94	RTMGRDY
1334	DL17	WDGVGGAY
1335	DL46	WDGVGGAY
1336	DL15	WNGVGGAY
1337	DL26	WDGVGGAY
1338	DL83	WDGVGGAY
1339	DL5	RSWNNY
1340	DL22	RSWNNY
1341	DL85	RSWNNY
1342	DL69	ESFGRIWYN
1343	DL27	QHFGTDS
1344	DL51	QQFGTDS
1345	DL54	YGIQRAEGY
1346	DL11	YRWVGRDTY
1347	DL19	YRWVGRDTY
1348	DL68	YRWVGRDTY
1349	DL14	YRWEGRDTY
1350	DL67	YRWEGRNTY
1351	DL56	YRWVGRYTY

1352	DL13	YRWVGRDTY
1353	DL77	YRWVGRDTY
1354	DL79	YRWVGRDTY
1355	DL20	YRWVDRYTY
1356	DL41	YRWIDRYTY
1357	DL59	YRWVDRYTY
1358	DL16	YRWVGRDTY
1359	DL6	YRWTRYTY
1360	DL84	YRWVGGYTY
1361	DL2	FRTVAASSMQY
1362	DL43	FRTVSGSSMRY
1363	DL92	NRGFAGAPSY
1364	DL10	YFQSSY
1365	DL82	YFQSSY
1366	DL23	YFQSSY
1367	DL42	HWTQGSVPKES
1368	DL45	RSYSSDY
1369	DL58	RYGDINY
1370	DL70	RYGDINY
1371	DL89	YDSRSY
1372	DL38	YDNINAY
1373	DL52	YDNINAY
1374	DL64	YDNINAY
1375	DL33	YDNINAY
1376	DL12	WIAGKAY
1377	DL29	RSQLGST
1378	DL61	YYLDYAY
1379	DH1	RYFERTD
1380	DH10	YFQSSY
1381	DH11	YRWVGRDTY
1382	DH12	WIAGKAY
1383	DH15	WNGVGGAY
1384	DH17	WDGVGGAY
1385	DH18	RAFGRDY
1386	DH2	FRTVAASSMQY
1387	DH22	RSWNNY
1388	DH23	YFQSSY
1389	DH27	QHFGTDS
1390	DH29	RSQLGST
1391	DH3	YQGLYAY
1392	DH38	YDNINAY
1393	DH42	HWTQGSVPKES
1394	DH43	FRTVSGSSMRY
1395	DH45	RSYSSDY
1396	DH5	RSWNNY
1397	DH51	QQFGTDS
1398	DH54	YGIQRAEGY
1399	DH56	YRWVGRYTY

1400	DH58	RYGDINY
1401	DH6	YRWTRYTY
1402	DH61	YYLDYAY
1403	DH67	YRWEGRNTY
1404	DH69	ESFGRIWYN
1405	DH70	RYGDINY
1406	DH80	RVFDHVV
1407	DH82	YFQSSY
1408	DH83	WDGVGGAY
1409	DH84	YRWVGGYTY
1410	DH89	YDSRSY
1411	DH92	NRGFAGAPSY
1412	DH94	RTMGRDY
1413	1A01	FRHVSGSSMRY
1414	1A03	FRTVSGSSRY
1415	1A04	FRTVSGSSMRY
1416	1A05	FRTVRGSSMSY
1417	1A06	FRTVSGSSKRY
1418	1A07	FRMVSGSSMRY
1419	1A09	FRTVQGSSMRY
1420	1A010	FRTVYGSSMRY
1421	1A011	FRTVSGSSYRY
1422	1A012	FRTVLGSSMRY
1423	1B01	FRRVSGSSMRY
1424	1B02	FRTVSGSSMRY
1425	1B03	FRTVSGSSARY
1426	1B04	FRIVRGSSMRY
1427	1B05	YRTVSGSSMRY
1428	1B07	FRHVSGSSMRY
1429	1B08	FRFVSGSSMRY
1430	1B09	FRTVSGSSMRY
1431	1B010	FRTKSGSSMRY
1432	1B011	FRTVYGSSMRY
1433	1C01	FRTVSGSSMGY
1434	1C02	FRTVSGSSMRS
1435	1C03	FRTVGGSSMRY
1436	1C04	FRTVSGSSMRY
1437	1C05	FRTVSGSHMRY
1438	1C06	FRAVSGSSMRY
1439	1C07	FRTVSGSSMRY
1440	1C08	FRTVSGSPMRY
1441	1C010	FRTVSGSSMSY
1442	1C011	FRTVSGSSMRY
1443	1C012	FRTVRGSSMRY
1444	1D01	FRTVRGSSMRY
1445	1D02	FRQVSGSSMRY
1446	1D03	FRIVSGSSMGY
1447	1D04	FRTVSGASMRY

1448	1D06	FRTVHGSSMRY
1449	1D08	FRMVSGSSMRY
1450	1D09	FRTISGSSMRY
1451	1D010	FRTRSGSSMRY
1452	1D011	FRTVSGHSMRY
1453	1D012	FRTVSGGSSMRY
1454	1E02	FRTKSGSSMRY
1455	1E04	FRTASGTSMRY
1456	1E05	FNTVSGSSMRY
1457	1E07	FRTVRGSSQRY
1458	1E08	FRTVLGSSMRY
1459	1E09	FRTRSGSSMRY
1460	1E010	FRTVSGLSMRY
1461	1E011	FRTVRGSSQRY
1462	1E012	FRTVSGSSMVY
1463	1F01	FRTVSRSSMRY
1464	1F02	FRTVSGSSMSY
1465	1F04	FRTVSGSSARY
1466	1F05	FHTVSGSSMRY
1467	1F06	FRTVLGSSMRY
1468	1F07	FRTVSGSSMRY
1469	1F08	FRNVSGSSMRY
1470	1F09	FRTVTGSSMRY
1471	1F010	FRTVSGSSMRY
1472	1F011	FRTVKGSSMRY
1473	1F012	FRTNSGSSMRY
1474	1G01	FRTVSGASMRY
1475	1G04	FRTVNLSSMRY
1476	1G05	FRTVTGSSMRY
1477	1G06	FRKVSGSSARY
1478	1G07	FRTYSGSSMRY
1479	1G09	FRTVSKSSMRY
1480	1G011	FKTVSGSSMRY
1481	1H01	FRTRSGSSMRY
1482	1H02	FRTSSGSSMRY
1483	1H06	FRFLSGSSMRY
1484	1H07	FRTVSGSSMRY
1485	1H08	FRLVSGSSMRY
1486	1H010	FRTVSGSSMRF
1487	1H011	FRTQSGSSMRY
1488	1H012	FRTVSGSSMPY
1489	2A01	FRTLSGSSMRY
1490	2A03	FRTVSGSAMRY
1491	2A04	FRTTSGSSMRY
1492	2A05	FRTVSGTSMRY
1493	2A06	FRTRSGSSMRY
1494	2A08	FRTSSGSSMRY
1495	2A09	FRTVSGSSMSY

1496	2A011	FRPVSGSSMRY
1497	2B01	FRHVSGSSMRY
1498	2B02	FRTKSGSSMRY
1499	2B03	FRTVSGSSMRY
1500	2B05	FHTVSGSSMRY
1501	2B07	FRTVRGSSMRY
1502	2B010	FRTVLGSSMRY
1503	2B011	FRTVSGSSMRS
1504	2B012	FRTVRGSSMRY
1505	2C01	FRYVSGSSMRY
1506	2C02	FRTVYGSSMRY
1507	2C04	FRTVLGSSMRY
1508	2C06	YRTVSGSSMRY
1509	2C07	FRSVSGSSMRY
1510	2C08	FRRVSGSSMRY
1511	2C09	FRTVSGTSMRY
1512	2C010	FRTVAGSSMRY
1513	2D02	FRIVSGSSMRY
1514	2D03	FRTVSGVSMRY
1515	2D04	FRTVQGSSMRY
1516	2D05	FRTASGSSMRY
1517	2D06	FRTVSGSSRY
1518	2D07	FRTVQGSSMRY
1519	2D09	FRTVRGSSMRY
1520	2D010	FRTKSGSSMRY
1521	2D011	FRTVWGSSMRY
1522	2D012	FRTRSGSSMRY
1523	2E01	FHTVCGTSMGY
1524	2E02	FRTVSGSSQRY
1525	2E05	FRTVSGSSMSY
1526	2E06	FRTVRGSSMRY
1527	2E08	FRTQSGSSMRY
1528	2E09	FRTLSGSSMRY
1529	2E010	FHTVSGSSMRY
1530	2E011	FRRVSGSSMRY
1531	2F01	FRLVSGSSMRY
1532	2F02	FRTVSGSYMRY
1533	2F03	FRTVGGSSMRY
1534	2F06	FRTHSGSSMRY
1535	2F07	FRTVSTSSMRY
1536	2F08	FRTVLGTSMRY
1537	2F09	FRTVSGSSMRY
1538	2F11	FRTVSGSSMGY
1539	2G03	FRTVSGSSMRA
1540	2G04	FRILSGSSMRY
1541	2G07	FRTVQGSSMRY
1542	2G08	FRTVSGQSMGY
1543	2G09	FRTVSGSSARY

1544	2G011	FRYVSGSSMRY
1545	2H010	FRTVSGSSMRY
1546	2H011	FRRVSGSSMRY
1547	2H02	FHTVSGSSMRY
1548	2H03	FRQVSGSSMRY
1549	2H04	FRTVSGSYMRY
1550	2H06	FRTASGSSMRY
1551	2H07	FRTVSGHSMRY
1552	2H08	FRTVSGSSSRY
1553	2E05- M106Y	FRTVSGSSYSY
1554	2E05- M106Q	FRTVSGSSQSY
1555	3A01	YRWTRRYTY
1556	3A02	YRWTRYTY
1557	3A03	YRWTRRTY
1558	3A04	YRWTRYIY
1559	3A05	YRWTRYTY
1560	3A06	YRWTRRYTY
1561	3A08	YRWTRYTY
1562	3A09	YRWTRYIY
1563	3A010	YRWTRRTY
1564	3A011	YRWTRYTY
1565	3B01	YRWTRYTY
1566	3B02	YRWTRYTY
1567	3B04	YHWTRYTY
1568	3B05	YRWTRRTY
1569	3B06	YRWTRYTY
1570	3B07	YRWTRYTY
1571	3B09	YRWTRYAY
1572	3B010	YRWVTRYTY
1573	3B011	YRWVTRYTY
1574	3C01	YRWSTRYTY
1575	3C02	YRWTRYTY
1576	3C03	YRWTRGTY
1577	3C04	YRWDTRYTY
1578	3C05	YRWTRRTY
1579	3C06	YRWTRYTY
1580	3C08	YRWTRYTY
1581	3C09	YRWTRYTY
1582	3C011	YRWTRYTY
1583	3D01	YRWTRYTY
1584	3D02	YRWTRYTY
1585	3D03	YRWTRYTY
1586	3D05	YRWTRYTY
1587	3D07	YSWTRYTY
1588	3D08	YRWTRYTY
1589	3D09	YRWTRYTY
1590	3D010	YRWTRYTY

1591	3D011	YRWTRYKY
1592	3E01	YRWHTRYTY
1593	3E02	YRWTRYTY
1594	3E03	YRWMTRYTY
1595	3E04	YRWTRYRY
1596	3E09	YRWSTRYTY
1597	3E011	YRWTRYTF
1598	3F03	YRWRTRYTY
1599	3F05	YRWTRYTY
1600	3F06	YRWTRYTY
1601	3F08	YRWHTRYTY
1602	3F09	YRWTRYTY
1603	3F010	YRWTRYTY
1604	3F011	YRWRTRYTY
1605	3G01	YRWTRYAY
1606	3G02	YRWRTRYTY
1607	3G04	YRWTRYTY
1608	3G06	YRWTRYTY
1609	3G07	YRWTRYTY
1610	3G08	YRWTRYTY
1611	3G09	YRWTRYTY
1612	3G010	YRWRTRYTY
1613	3G011	YRWTRYTY
1614	3H01	YRWTRYTY
1615	3H03	LRWTRYTY
1616	3H06	YRWTRYTY
1617	3H07	YRWRTRYTY
1618	3H09	YRWTRYTY
1619	3H010	YRWTRYTY
1620	3H011	YRWTRYTY
1621	4A01	YRWRTRYTY
1622	4A02	YRWTRYTY
1623	4A04	YRWSTRYTY
1624	4A05	YRWTRYTY
1625	4A06	YRWTRYTY
1626	4A07	YRWTRYRY
1627	4A08	YRWRTRYTY
1628	4A010	YRWTRYKY
1629	4A011	YRWTRYTY
1630	4A09	YRWTRYTY
1631	4B01	YRWTRYTY
1632	4B02	YRWTRYTY
1633	4B04	YRWRTRYTY
1634	4B05	YRWTRYTH
1635	4B06	YRWTRYTY
1636	4B07	YRWTRYTY
1637	4B08	YRWTRYTY
1638	4B09	YSWTRYTY

1639	4B011	YRWTRRGTY
1640	4C01	YRWKTRYTY
1641	4C02	YRWTRRFTY
1642	4C03	YRWRTRYTY
1643	4C05	YRWTRRRTY
1644	4C06	YRWSTRYTY
1645	4C07	YRWTRRLTY
1646	4C08	YRWTRRYTY
1647	4C010	YRWTRRLTY
1648	4C011	YRWTRRYTY
1649	4D01	YRWTRRRTY
1650	4D02	YQWTRRYTY
1651	4D03	YRWTRRYTY
1652	4D04	YRWTRRMTY
1653	4D05	YRWTRRRTY
1654	4D06	YRWTRRYRY
1655	4D08	YRWLTRYTY
1656	4D09	YEWTRRYTY
1657	4D010	YRWRTRYTY
1658	4D011	YRWRTRYTY
1659	4E01	YRWRTRYTY
1660	4E02	YRWSTRYTY
1661	4E06	YRWTRRLTY
1662	4E07	YRWTRRLTY
1663	4E08	YKWTRRYTY
1664	4E09	YRWTRRSTY
1665	4E010	YRWRTRYTY
1666	4E011	YRWSTRYTY
1667	4F02	YRWTRRYTY
1668	4F03	YRWRTRYTY
1669	4F04	YRWLTRYTY
1670	4F08	YRWRTRYTY
1671	4F09	YRWTRRYTY
1672	4F010	YRWTRRYRY
1673	4F011	YRWTRRYTY
1674	4G01	YRWPTRYTY
1675	4G02	YRWTRRHTY
1676	4G03	YRWTRRYTY
1677	4G05	YRWHTRYTY
1678	4G07	YRWTRRYTY
1679	4G08	YRWTRRYRY
1680	4G09	YRWTRRRTY
1681	4G010	YRWSTRYTY
1682	4G011	YRWSTRYTY
1683	4H01	YRWRTRYTY
1684	4H03	YRWTRRYTY
1685	4H04	YEWTRRYTY
1686	4H05	YRWTRRSTY

1687	4H06	YRWTRYTY
1688	4H07	YRWSTRYTY
1689	4H08	YRWSTRYTY
1690	4H09	YRWTRYTY
1691	4H011	YRWTRLTY
1692	4D09-M34L	YEWTRYTY
1693	4H11-M34L	YRWTRLTY
1694	41B11	FRPAAGSPMR
1695	41C02	FRTVDGSPLRY
1696	41D01	FRTVSGSSKRY
1697	41D02	FSAGSGTEMSY
1698	41D03	FGSLSGSSTTY
1699	41D07	FGSVSGSWTRY
1700	41E01	FRLVSGSSMSY
1701	41E02	FRTGSGTSKSY
1702	41F07	FSNMSGTTRRY
1703	41G01	FRTVPGSAMGY
1704	42A03	FRAESGSSMGY
1705	42A06	FRTLYGSSRSY
1706	42A07	FSPFSGSDTGY
1707	42A08	FSTFSGSSISY
1708	42A11	FRTLAGESEMY
1709	42B06	FRTVSGSGVRY
1710	42B10	FRPGAGHSNSY
1711	42C01	FRRASGTAMSY
1712	42C03	FTSASGTDLSY
1713	42C07	FRSANGSSKRY
1714	42C08	FKTIAGAGMR
1715	42C10	FRYSGSSLSY
1716	42C11	FRTVPGASMKY
1717	42D05	FRTVDGSAISY
1718	42D06	FRTVKGSGGSY
1719	42D07	FRTVSGSSRGY
1720	42D08	FRPGPGSQMAY
1721	42E01	FRTVAGSASGY
1722	42E02	FRTVSGSSYSY
1723	42E05	FINLKGSSMAY
1724	42E06	FRMTGSGYGGY
1725	42E07	FKSSYGLPMRY
1726	42F01	FKTVSGQSLRY
1727	42F08	FRTVTGRAARY
1728	42F10	FGPAIGASRTY
1729	42G05	FRTVSGAPKSY
1730	42G07	FHTVSGSSMSY
1731	42H05	FRRLEGYSNRY
1732	42H08	FRTGSGSSMGY
1733	42H11	FTTVTGSSMSY

1734	51A01	YYWTERRPY
1735	51A02	YSWDDAHPY
1736	51A03	YRWMTRLTY
1737	51A05	YDWADAQPY
1738	51B01	YSWTDRLPY
1739	51B04	YRWATRLPY
1740	51B11	YKWSNRLPY
1741	51C02	YGWKTRQPY
1742	51D01	YRWPNRRGY
1743	51D03	YDWTTQRQY
1744	51E02	YNWSYAQPY
1745	51E03	YNWTDSLQY
1746	51E05	YSWTTSLPY
1747	51F01	YKWRSRSTY
1748	51F02	YSQTTRDPY
1749	51F03	YRWTARDTY
1750	51F04	YRWTSRLSY
1751	51G02	YSWTTRSRY
1752	51G04	YNWTSRYRY
1753	51G10	YSWKTRFPY
1754	51H04	YSWTTRYPY
1755	51H05	YEWTNALPY
1756	52B01	YSWITRSPY
1757	52C04	YSWTTRRQY
1758	52D04	YSWITRSPY
1759	53A04	YRWEESRQY
1760	53A05	YTWTTRLPY
1761	53A09	YRWEESRQY
1762	53B05	YSWTTRQPY
1763	53B06	YVWGTRLPY
1764	53C03	YEWTNALPY
1765	53C04	YRWEDALTY
1766	53H03	YSWTTRYPY
1767	53H04	YSWIDSLRY
1768	54B05	YSWTTPRAY

<u>SEQ ID NO:</u>	<u>Description</u>	<u>AA Sequence</u>
1769	Anti-HSA sdAb clone 6C	EVQLVESGGGLVQPNGSLRLSCAASGFTFSRFGMSWVRQAPGKGLEWVSS ISGSGSDTLYADSVKGREFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSRSSQGTLVTVSS
1770	Anti-HSA sdAb clone 7A	EVQLVESGGGLVQPNGSLRLSCAASGFTFSKFGMSWVRQAPGKGLEWVSS ISGSGADTLYADSLKGREFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSKSSQGTLVTVSS

1771	Anti-HSA sdAb clone 7G	EVQLVESGGGLVQPGNISRLSCAASGFTYSSFGMSWVRQAPGKGLEWVSS ISGSGSDTLYADSVKGRFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSKSSQGTTLVTVSS
1772	Anti-HSA sdAb clone 8H	EVQLVESGGGLVQPGNISRLSCAASGFTFSKFGMSWVRQAPGKGLEWVSS ISGSGTDTLYADSVKGRFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSRSSQGTTLVTVSS
1773	Anti-HSA sdAb clone 9A	EVQLVESGGGLVQPGNISRLSCAASGFTFSRFGMSWVRQAPGKGLEWVSS ISGSGSDTLYADSVKGRFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSKSSQGTTLVTVSS
1774	Anti-HSA sdAb clone 10G	EVQLVESGGGLVQPGNISRLSCAASGFTFSKFGMSWVRQAPGKGLEWVSS ISGSGRDTLYADSVKGRFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSVSSQGTTLVTVSS
1775	wt anti-HSA	EVQLVESGGGLVQPGNISRLSCAASGFTFSFGMSWVRQAPGKGLEWVSS ISGSGSDTLYADSVKGRFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSRSSQGTTLVTVSS
1776	Anti-HSA sdAb clone 6CE	EVQLVESGGGLVQPGNISRLSCAASGFTFSRFGMSWVRQAPGKGLEWVSS ISGSGSDTLYAESVKGRFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSRSSQGTTLVTVSS
1777	Anti-HSA sdAb clone 8HE	EVQLVESGGGLVQPGNISRLSCAASGFTFSKFGMSWVRQAPGKGLEWVSS ISGSGTDTLYAESVKGRFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSRSSQGTTLVTVSS
1778	Anti-HSA sdAb clone 10GE	EVQLVESGGGLVQPGNISRLSCAASGFTFSKFGMSWVRQAPGKGLEWVSS ISGSGRDTLYAESVKGRFTISRDNAKTTLYLQMNSLRPEDTAVYYCTIGG SLSVSSQGTTLVTVSS
1779	wt anti-HSA CDR1	GFTFSSFGMS
1780	wt anti-HSA CDR2	SISGSGSDTLYADSVK
1781	wt anti-HSACDR3	GGSLSR
1782	CDR1 variant 1	GFTFSRFGMS
1783	CDR1 variant 2	GFTFSKFGMS
1784	CDR1 variant 3	GFTYSSFGMS
1785	CDR2 variant 1	SISGSGADTLYADSLK
1786	CDR2 variant 2	SISGSGTDTLYADSVK
1787	CDR2 variant 3	SISGSGRDTLYADSVK
1788	CDR2 variant 4	SISGSGSDTLYAESVK
1789	CDR2 variant 5	SISGSGTDTLYAESVK
1790	CDR2 variant 6	SISGSGRDTLYAESVK
1791	CDR3 variant 1	GGSLSK
1792	CDR3 variant 2	GGSLSV

<u>SEQ ID</u> <u>NO:</u>	<u>Description</u>	<u>AA Sequence</u>
1793	Anti-CD3, clone 2B2	EVQLVESGGGLVQPGGSLKLSCAASGFTFNKYAINWVRQAPGKGLEWVAR IRSKYNNYATYYADQVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HANFGNSYISYWAYWGQGTLLTVTVSSGGGSGGGGSGGGGSGTQTVVTQEP SLTVSPGGTVTLTCASSTGAVTSGNYPNWVQKPGQAPRGLIGGTFKFLVPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCTLWYSNRWVFGGGTKLTVL
1794	Anti-CD3, clone 9F2	EVQLVESGGGLVQPGGSLKLSCAASGFENKYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSYISYWAYWGQGTLLTVTVSSGGGSGGGGSGGGGSGTQTVVTQEP SLTVSPGGTVTLTCGSSFGAVTSGNYPNWVQKPGQAPRGLIGGTFKFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYDNRWVFGGGTKLTVL
1795	Anti-CD3, clone 5A2	EVQLVESGGGLVQPGGSLKLSCAASGFTFNKYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSHISYWAYWGQGTLLTVTVSSGGGSGGGGSGGGGSGTQTVVTQEP SLTVSPGGTVTLTCGSSTGYVTSGNYPNWVQKPGQAPRGLIGGTSFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYSNRWIFGGGTKLTVL
1796	Anti-CD3, clone 6A2	EVQLVESGGGLVQPGGSLKLSCAASGFENKYAMNWVRQAPGKGLEWVAR IRSKSNNYATYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSYISYWAYWGQGTLLTVTVSSGGGSGGGGSGGGGSGTQTVVTQEP SLTVSPGGTVTLTCGSSFGAVTSGNYPNWVQKPGQAPRGLIGGTFKFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYSNSWVFGGGTKLTVL
1797	Anti-CD3, clone 2D2	EVQLVESGGGLVQPGGSLKLSCAASGFTFNTYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYKDSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSPISYWAYWGQGTLLTVTVSSGGGSGGGGSGGGGSGTQTVVTQEP SLTVSPGGTVTLTCGSSTGAVVSGNYPNWVQKPGQAPRGLIGGTEFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYSNRWVFGGGTKLTVL
1798	Anti-CD3, clone 3F2	EVQLVESGGGLVQPGGSLKLSCAASGFTYNKYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYADEVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSPISYWAYWGQGTLLTVTVSSGGGSGGGGSGGGGSGTQTVVTQEP SL

		TVSPGGTVTLTCGSSKGAVTSGNYPNWVQQKPGQAPRGLIGGTKE LAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCTLWYSNRWVFGGGTKLTVL
1799	Anti-CD3, clone 1A2	EVQLVESGGGLVQPGGSLKLSCAASGNTFNKYAMNWVRQAPGKGLEWVAR IRSKYNNYETYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HTNFGNSYISYWAYWGQGT LVT VSSGGGSGGGGSGGGGSQT VVTQEPSL TVSPGGTVTLTCGSSTGAVTSGYYPNWVQQKPGQAPRGLIGGT YFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYC VLWYSNRWVFGGGT KLTVL
1800	Anti-CD3, clone 1C2	EVQLVESGGGLVQPGGSLKLSCAASGFTFNKYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYADAVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSQISYWAYWGQGT LVT VSSGGGSGGGGSGGGGSQT VVTQEPSL TVSPGGTVTLTCGSSTGAVTDGNYPNWVQQKPGQAPRGLIGGI KFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYC VLWYSNRWVFGGGT KLTVL
1801	Anti-CD3, clone 2E4	EVQLVESGGGLVQPGGSLKLSCAASGFTFNKYAVNWVRQAPGKGLEWVAR IRSKYNNYATYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSYISYWAYWGQGT LVT VSSGGGSGGGGSGGGGSQT VVTQEPSL TVSPGGTVTLTCGESTGAVTSGNYPNWVQQKPGQAPRGLIGGT KI LAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYC VLWYSNRWVFGGGT KLTVL
1802	Anti-CD3, clone 10E4	EVQLVESGGGLVQPGGSLKLSCAASGFTFNKYPMNWVRQAPGKGLEWVAR IRSKYNNYATYYADSVKDRFTISRDDSKNTAYLQMNNLK NEDTAVYYCVR HGNFNNSYISYWAYWGQGT LVT VSSGGGSGGGGSGGGGSQT VVTQEPSL TVSPGGTVTLTCGSSTGAVTKGNYPNWVQQKPGQAPRGLIGGT KMLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYC ALWYSNRWVFGGGT KLTVL
1897	Anti-CD3, clone 2H2	EVQLVESGGGLVQPGGSLKLSCAASGFTFNGYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYADEVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSPISYWAYWGQGT LVT VSSGGGSGGGGSGGGGSQT VVTQEPSL TVSPGGTVTLTCGSSTGAVVSGNYPNWVQQKPGQAPRGLIGGT EFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYC VLWYSNRWVFGGGT KLTVL
1898	Anti-CD3, clone 2A4	EVQLVESGGGLVQPGGSLKLSCAASGNTFNKYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGDSYISYWAYWGQGT LVT VSSGGGSGGGGSGGGGSQT VVTQEPSL

		TVSPGGTVTLTCGSSTGAVTHGNYPNWVQQKPGQAPRGLIGGTVLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYSNRWVFGGGTKLTVL
1803	Anti-CD3, clone 10B2	EVQLVESGGGLVQPGGSLKLSCAASGFTFNKYAMNWVRQAPGKGLEWVAR IRSGYNNYATYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSYISYWAYWGQGTLLTVSSGGGGSGGGSGGGGSQTVVTQEPSL TVSPGGTVTLTCGSYTGAVTSGNYPNWVQQKPGQAPRGLIGGTFKNAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYANRWVFGGGTKLTVL
1804	Anti-CD3, clone 1G4	EVQLVESGGGLVQPGGSLKLSCAASGFEFNKYAMNWVRQAPGKGLEWVAR IRSKYNNYETYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSLISYWAYWGQGTLLTVSSGGGGSGGGSGGGGSQTVVTQEPSL TVSPGGTVTLTCGSSSGAVTSGNYPNWVQQKPGQAPRGLIGGTFKFGAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYSNRWVFGGGTKLTVL
1805	wt anti-CD3	EVQLVESGGGLVQPGGSLKLSCAASGFTFNKYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSYISYWAYWGQGTLLTVSSGGGGSGGGSGGGGSQTVVTQEPSL TVSPGGTVTLTCGSSTGAVTSGNYPNWVQQKPGQAPRGLIGGTFKFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYSNRWVFGGGTKLTVL
1806	Anti-CD3, clone 2G5	EVQLVESGGGLVQPGGSLKLSCAASGFTFNKYALNWVRQAPGKGLEWVAR IRSKYNNYATEYADSVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSPISYWAYWGQGTLLTVSSGGGGSGGGSGGGGSQTVVTQEPSL TVSPGGTVTLTCGSSTGAVTSGNYPNWVQQKPGQAPRGLIGGTNFLAPGT PERFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYSNRWAFGGGTKLTVL
1807	Anti-CD3, clone 8A5	EVQLVESGGGLVQPGGSLKLSCAASGFTFNEYAMNWVRQAPGKGLEWVAR IRSKYNNYATYYADDVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVR HGNFGNSGISYWAYWGQGTLLTVSSGGGGSGGGSGGGGSQTVVTQEPSL TVSPGGTVTLTCGSSTGAVTVGNYPNWVQQKPGQAPRGLIGGTEFLAPGT PARFSGSLLGGKAALTLSGVQPEDEAEYYCVLWYSNRWVFGGGTKLTVL

Linkers

<u>SEQ ID</u> <u>NO:</u>	<u>Description</u>	<u>AA Sequence</u>
1808	Linker	GGGGSGGG
1809	Linker	(GS) n
1810	Linker	(GGS) n

1811	Linker	(GGGS) _n
1812	Linker	(GGSG) _n
1813	Linker	(GGSGG) _n
1814	Linker	(GGGGS) _n
1815	Linker	(GGGGG) _n
1816	Linker	(GGG) _n
1817	Linker	(GGGSGGGSGGGSGGGGS)
1818	Linker	GGGSGGGSGGGGS
1819	6X Histidine	HHHHHH

CD3 Binding Domain CDR Sequences

SEQ ID NO:	CD3 Binding Domain CDR	Sequence
1820	HC CDR1 variant 1	GNTFNKYAMN
1821	HC CDR1 variant 2	GFEFNKYAMN
1822	HC CDR1 variant 3	GFMFNKYAMN
1823	HC CDR1 variant 4	GFTYNKYAMN
1824	HC CDR1 variant 5	GFTFNKYAMN
1825	HC CDR1 variant 6	GFTFNKYAMN
1826	HC CDR1 variant 7	GFTFNKYAMN
1827	HC CDR1 variant 8	GFTFNKYAMN
1828	HC CDR1 variant 9	GFTFNKYPMN
1829	HC CDR1 variant 10	GFTFNKYAVN
1830	HC CDR1 variant 11	GFTFNKYAIN
1831	HC CDR1 variant 12	GFTFNKYALN

1832	HC CDR2 variant 1	RIRSGYNNYATYYADSVK
1833	HC CDR2 variant 2	RIRSKSNYATYYADSVK
1834	HC CDR2 variant 3	RIRSKYNKYATYYADSVK
1835	HC CDR2 variant 4	RIRSKYNNYETYYADSVK
1836	HC CDR2 variant 5	RIRSKYNNYATEYADSVK
1837	HC CDR2 variant 6	RIRSKYNNYATYYKDSVK
1838	HC CDR2 variant 7	RIRSKYNNYATYYADEVK
1839	HC CDR2 variant 8	RIRSKYNNYATYYADAVK
1840	HC CDR2 variant 9	RIRSKYNNYATYYADQVK
1841	HC CDR2 variant 10	RIRSKYNNYATYYADDVK
1842	HC CDR3 variant 1	HANFGNSYISYWAY
1843	HC CDR3 variant 2	HTNFGNSYISYWAY
1844	HC CDR3 variant 3	HGNFNNSYISYWAY
1845	HC CDR3 variant 4	HGNFGDSYISYWAY
1846	HC CDR3 variant 5	HGNFGNSHISYWAY
1847	HC CDR3 variant 6	HGNFGNSPISYWAY
1848	HC CDR3 variant 7	HGNFGNSQISYWAY
1849	HC CDR3 variant 8	HGNFGNSLISYWAY
1850	HC CDR3 variant 9	HGNFGNSGISYWAY
1851	HC CDR3 variant 10	HGNFGNSYISYWAT
1852	LC CDR1 variant 1	ASSTGAVTSGNYPN
1853	LC CDR1 variant 2	GESTGAVTSGNYPN
1854	LC CDR1 variant 3	GSYTGAVTSGNYPN
1855	LC CDR1 variant 4	GSSFAGVTSNYPN
1856	LC CDR1 variant 5	GSSKGAVTSGNYPN
1857	LC CDR1 variant 6	GSSSGAVTSGNYPN
1858	LC CDR1 variant 7	GSSTGYVTSGNYPN

1859	LC CDR1 variant 8	GSSTGAVVSGNYPN
1860	LC CDR1 variant 9	GSSTGAVTDGNYPN
1861	LC CDR1 variant 10	GSSTGAVTKGNYPN
1862	LC CDR1 variant 11	GSSTGAVTHGNYPN
1863	LC CDR1 variant 12	GSSTGAVTVGNYPN
1864	LC CDR1 variant 13	GSSTGAVTSGYYPN
1865	LC CDR2 variant 1	GIKFLAP
1866	LC CDR2 variant 2	GTEFLAP
1867	LC CDR2 variant 3	GTYFLAP
1868	LC CDR2 variant 4	GTSFLAP
1869	LC CDR2 variant 5	GTNFLAP
1870	LC CDR2 variant 6	GTKLLAP
1871	LC CDR2 variant 7	GTKELAP
1872	LC CDR2 variant 8	GTKILAP
1873	LC CDR2 variant 9	GTKMLAP
1874	LC CDR2 variant 10	GTKVLAP
1875	LC CDR2 variant 11	GTKFNAP
1876	LC CDR2 variant 12	GTKFGAP
1877	LC CDR2 variant 13	GTKFLVP
1878	LC CDR3 variant 1	TLWYSNRWV
1879	LC CDR3 variant 2	ALWYSNRWV
1880	LC CDR3 variant 3	VLWYDNRWV
1881	LC CDR3 variant 4	VLWYANRWV
1882	LC CDR3 variant 5	VLWYSNSWV
1883	LC CDR3 variant 6	VLWYSNRWI
1884	LC CDR3 variant 7	VLWYSNRWA
1890	Exemplary anti-DLL3	EVQLVESGGGLVQPGGSLKLSKAASGFTFNKYAINWVRQAPGKGLEWVARIRSKYNNYA TYYADQVKDRFTISRDDSKNTAYLQMNNLKTEDTAVYYCVRHANFGNSYISYWAYWGQG

	trisppecific protein (anti-CD3:anti-ALB:anti-DLL3 configuration) (CAT)	TLVTVSSGGGGSGGGSGGGGSQT VVTQEP SLTVSPGGTVTLTCA SSTGAVTSGNYPNW VQ QKPGQAPRGLIGG TKFLVP GTPARFSGSLLGGKAALTL SGVQPEDEAEYYCTLWYSN RWVFGGGTKLTVLGGGGSGGGSEVQLVESGGGLVQPGNSLR LSCAASGFTFSKFGMSWV RQAPKGLEWVSSI SSGSRDTLYADSVKGRFTISRDN AKTTLYLQMNSLRPEDTAVYYC TIGGSLSVSSQGT LVTVSSGGGGSGGGSEVQLVESGGGLVQPGGSLT LSCAASSSSVSL LSLAWYRQAPGKKREL VAGISDDGSIVYMDSVKGRFTISRDN AKNSVYLQMNSLRAEDT AVYYCYAYSWITRSPYWGQGT LVTVSSHHHHHH
1891	Exemplary anti-DLL3 trisppecific protein (anti-DLL3:anti-ALB:anti-CD3 configuration) (TAC)	EVQLVESGGGLVQPGGSLT LSCAASSSSVSL LSLAWYRQAPGKKREL VAGISDDGSIVY MDSVKGRFTISRDN AKNSVYLQMNSLRAEDTAVYYCYAYSWITRSPYWGQGT LVTVSSG GGGSGGGSEVQLVESGGGLVQPGNSLR LSCAASGFTFSKFGMSWVRQAPKGLEWVSSI SSGSRDTLYADSVKGRFTISRDN AKTTLYLQMNSLRPEDTAVYYCTIGGSLSVSSQGT LVTVSSGGGGSGGGSEVQLVESGGGLVQPGGSLK LSCAASGFTFNKYAINWVRQAPKG L EWVARIRSKYNNYATYYADQVKDRFTISRDDS KNTAYLQMN LKTEDTAVYYCVRHANF GNSYISYWAYWGQGT LVTVSSGGGGSGGGSGGGGSQT VVTQEP SLTVSPGGTVTLTCA SSTGAVTSGNYPNWVQ QKPGQAPRGLIGG TKFLVP GTPARFSGSLLGGKAALTL SGVQPEDEAEYYCTLWYSNRWVFGGGTKLTVLHHHHHH

DLL3 Protein UniProtKB Accession Q9NYJ7 (SEQ ID NO: 1885)

```
>sp|Q9NYJ7|DLL3_HUMAN Delta-like protein 3 OS=Homo sapiens OX=9606 GN=DLL3
PE=1 SV=1
MVSPRMSGLLSQTVILALIFLPQTRPAGVFELQIHSFGPGPGAPRSPCSARLPCRLFF
RVCLKPGLSEEAESPCALGAALSARGPVYTEQPGAPAPDLPLPDGLLQVPFRDAWPGETF
SFIIETWREELGDQIGGPAWSLLARVAGRRRLAAGGPWARDIQRAGAWELRFSYRARCEP
PAVGTACTRLCRPRSAPSRCPGLRPCAPLEDECEAPLVCRAAGCSPEHGFCEQPGECRCL
EGWTGPLCTVPVSTSSCLSPRGPSATTGCLVPGP GPCDGNPCANGGSCSETPRSFECTC
PRGFYGLRCEVSGVT CADGPCFNGGLCVGGADPDSAYICHCPPGFGQSNCEKRVDRCSLQ
PCRNGGLCLDLGHALRCRCRAGFAGPRCEHDLDDCAGRACANGGTCVEGGGAHRCSCALG
FGGRDCRERADPCAARPCAHGGRCYAHFSGLVACAPGYMGARCEFFVHPDGASALPAAP
PGLRPGDPQRYLLPPLGGLVAAGVAGAAALLLVHVRRRGHSQDAGSRLLAGTPEPSVHAL
PDALNNLRTEGSGDGPSSVDWNRPEDVDPQGIYVISAPSIYAREVATPLFPLHTGRA
GQRQHLLFPYPSSILSVK
```

51X5 (SEQ ID NO: 1886)

```
EVQLVESGGGLVQPGGSLT LSCAASLSSVSVLSIAWYRQAPGKKREL VAGISTDGSTVYIDSVKGRFTISRDN AKNSV
YLQMNSLRAEDTAVYYCYAYSWTTS LPYWGQGT LVTVSS
```

51X5 CDR1 (SEQ ID NO: 1887)

```
LSSVSVLSIA
```

51X5 CDR2 (SEQ ID NO: 1888)

```
GISTDGSTVYIDSVKG
```

51X5 CDR3 (SEQ ID NO: 1889)

```
YSWTTS LPY
```

```
>NP_058637.1 delta-like protein 3 isoform 1 precursor [Homo sapiens] (SEQ ID
No. 1892)
MVSPRMSGLLSQTVILALIFLPQTRPAGVFELQIHSFGPGPGAPRSPCSARLPCRLFFRVCLKPGLSE
EAAESPCALGAALSARGPVYTEQPGAPAPDLPLPDGLLQVPFRDAWPGETFSFIIETWREELGDQIGGPAW
SLLARVAGRRRLAAGGPWARDIQRAGAWELRFSYRARCEPPAVGTACTRLCRPRSAPSRCPGLRPCAPL
EDECEAPLVCRAAGCSPEHGFCEQPGECRCLGWTGPLCTVPVSTSSCLSPRGPSATTGCLVPGP GPCDGNPCANGGSCSETPRSFECTC
```

NPCANGGSCSETPRSFECTCPRGFYGLRCEVSGVTCADGPCFNGGLCVGGADPDSAYICHCPPGFQGSNC
EKRVDRCSLQPCRNGGLCLDLGHALRCRCRAGFAGPRCEHDLDDCAGRACANGGTCVEGGGAHRCSCALG
FGGRDCRERADFCAARPCAHGGRCYAHFSGLVACAPGYMGARCEFFVHPDGASALPAAPPGLRPGDPQR
YLLPPALGLLVAAGVAGAALLLVHVRRRGHSQDAGSRLLAGTPEPSVHALPDALNNLRTQEGSGDGPSSS
VDWNRPEDVDPQGIYVISAPSIYAREVATPLFPPLHTGRAGQRQHLLFPYPSSILSVK

DLL3 Protein Sequence (SEQ ID NO: 1893)

RSPCSARLPCRLFFRVCLKPGLSEEAESPCALGAALSARGPVYTEQPGAPAPDLPLPDGLLQVFRDAWPGTFSFII
ETWREELGDQIGGPAWSLLARVAGRRRLAAGGPWARDIQRAGAWELRFSYRARCEPPAVGTACTRLCRPRSAPSRGCP
GLRPCAPLEDECEAPLVCRAGCSPHGFCEQPGECRCLEGWTGPLCTVPVSTSSCLSPRGPSATTGCLVPGPGPCDG
NPCANGGSCSETPRSFECTCPRGFYGLRCEVSGVTCADGPCFNGGLCVGGADPDSAYICHCPPGFQGSNCEKRVDRC
LQPCRNGGLCLDLGHALRCRCRAGFAGPRCEHDLDDCAGRACANGGTCVEGGGAHRCSCALGFGGDRDCRERADFCAAR
PCAHGGRCYAHFSGLVACAPGYMGARCEFFVHPDGASALPAAPPGLRPGDPQRYL

CLAIMS**WHAT IS CLAIMED IS:**

1. A DLL3 targeting trispecific protein, wherein said protein comprises
 - (a) a first domain (A) which specifically binds to human CD3;
 - (b) a second domain (B) which is a half-life extension domain; and
 - (c) a third domain (C) which specifically binds to a DLL3 protein.
2. The DLL3 targeting trispecific protein of claim 1, wherein the domains are linked in the order H2N-(A)-(B)-(C)-COOH, H2N-(A)-(C)-(B)-COOH, H2N-(B)-(A)-(C)-COOH, H2N-(B)-(C)-(A)-COOH, H2N-(C)-(B)-(A)-COOH, or H2N-(C)-(A)-(B)-COOH.
3. The DLL3 targeting trispecific protein of claim 1 or 2, wherein the third domain (C) comprises an affinity matured binding molecule.
4. The DLL3 targeting trispecific protein of claim 3, wherein the affinity matured binding molecule is derived from a parental molecule that specifically binds to the DLL3 protein.
5. The DLL3 targeting trispecific protein of claim 3 or 4, wherein the affinity matured binding molecule is derived from the parental molecule that specifically binds to DLL3, after a round of affinity maturation.
6. The DLL3 targeting trispecific protein of claim 5, wherein the round of affinity maturation comprises panning a phage display library against the DLL3 protein.
7. The DLL3 targeting trispecific protein of claim 6, wherein the phage display library is generated by mutating one or more residues of the parental molecule.
8. The DLL3 targeting trispecific protein of claim 7, wherein the phage display library expresses one or more molecules derived from the parental molecule.
9. The DLL3 targeting trispecific protein of claim 8, wherein the affinity matured binding molecule is selected from the one or more molecules derived from the parental molecule.
10. The DLL3 targeting trispecific protein of any one of claims 3-9, wherein the affinity matured DLL3 binding molecule has a greater binding affinity toward the DLL3 protein than a binding affinity of the parental molecule toward the DLL3 protein.
11. The DLL3 targeting trispecific protein of claim 10, wherein the affinity matured binding DLL3 binding molecule has a binding affinity toward the DLL3 protein that is about 2-fold about 50-fold greater than the binding affinity of the parental molecule toward the DLL3 protein.
12. The DLL3 targeting trispecific protein of claim 10, wherein the affinity matured binding DLL3 binding molecule has a binding affinity toward the DLL3 protein that is about 3-fold greater than the binding affinity of the parental molecule toward the DLL3 protein.

13. The DLL3 targeting trispecific protein of any one of claims 1-12, wherein the third domain (C) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886.
14. The DLL3 targeting trispecific protein of any one of claims 1-13, wherein the third domain (C) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-52.
15. The DLL3 targeting trispecific protein of any one of claims 1-14, wherein the third domain (C) comprises a CDR1, a CDR2, and a CDR3.
16. The DLL3 targeting trispecific protein of claim 15, wherein the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887.
17. The DLL3 targeting trispecific protein of claim 15 or 16, wherein the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888.
18. The DLL3 targeting trispecific protein of any one of claims 15, 16, and 17, wherein the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889, or one or more substitutions relative to a sequence selected from SEQ ID Nos. 1327-1768 and 1889.
19. The DLL3 targeting trispecific protein of claim 15, wherein the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 495-528, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 495-528.
20. The DLL3 targeting trispecific protein of claim 15 or 19, wherein the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 937-970, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 937-970.
21. The DLL3 targeting trispecific protein of any one of claims 15, 19, and 20, wherein the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1379-1412, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1379 to 1412.
22. The DLL3 targeting trispecific protein of claim 15, wherein the third domain (C) comprises a sequence that is at least about 80% identical to a sequence selected from the group consisting of SEQ ID Nos. 53-86.

23. The DLL3 targeting trispecific protein of claim 22, wherein the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 529-809, or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 529-809.
24. The DLL3 targeting trispecific protein of claim 22 or 23, wherein the CDR2 comprises a sequence that has one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 971 to 1251.
25. The DLL3 targeting trispecific protein of claim 23 or 24, wherein the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1379-1412, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1379 to 1412.
26. The DLL3 targeting trispecific protein of claim 15, wherein the third domain (C) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 87-367.
27. The DLL3 targeting trispecific protein of claim 26, wherein the CDR1 comprises a sequence selected from the group consisting of SEQ ID Nos. 810-884, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 810 to 884.
28. The DLL3 targeting trispecific protein of claim 26 or 27, wherein the CDR2 comprises a sequence selected from the group consisting of SEQ ID Nos. 1252 to 1326, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1252 to 1326.
29. The DLL3 targeting trispecific protein of claim 26, 27, or 28, wherein the CDR3 comprises a sequence selected from the group consisting of SEQ ID Nos. 1692 to 1768, or one or more amino acid substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1692 to 1768.
30. The DLL3 targeting trispecific protein of claim 15, wherein the third domain (C) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 368-442.
31. A DLL3 targeting trispecific protein, wherein said protein comprises
- (a) a first domain (A) which specifically binds to human CD3;
 - (b) a second domain (B) which is a half-life extension domain; and
 - (c) a third domain (C) which specifically binds to DLL3, wherein the third domain comprises the sequence of SEQ ID No.68 or is derived from SEQ ID No.68.
32. The DLL3 targeting trispecific protein of claim 31, wherein the third domain (C) is derived from SEQ ID No.68.

33. The DLL3 targeting trispecific protein of claim 32, wherein SEQ ID No.68 comprises a CDR1, a CDR2, and a CDR3.
34. The DLL3 targeting trispecific protein of claim 33, wherein the CDR1 comprises the following sequence: GX₁X₂X₃X₄X₅NX₆X₇X₈.
35. The DLL3 targeting trispecific protein of claim 33 or 34, wherein the CDR2 comprises the following sequence: GJ₁SJ₂J₃J₄J₅J₆J₇J₈J₉J₁₀SJ₁₁KJ₁₂ (SEQ ID No. 1895).
36. The DLL3 targeting trispecific protein of claim 33, 34, or 35, wherein the CDR3 comprises the following sequence: Z₁Z₂Z₃Z₄Z₅Z₆Z₇Z₈Z₉Z₁₀Z₁₁.
37. The DLL3 targeting trispecific protein of any one of claims 34-36, wherein:
- X₁ is A, E, F, G, I, K, L, N, Q, R, S, T, V, or Y;
 - X₂ is A, G, I, K, P, R, S, T, or V;
 - X₃ is A, D, F, K, L, N, P, Q, R, S, T, or Y;
 - X₄ is A, D, F, H, I, K, L, M, N, P, R, S, T, V, or Y;
 - X₅ is F, I, K, L, M, N, R, S, T, or V;
 - X₆ is A, or G;
 - X₇ is F, I, L, M, T, V, or Y; and
 - X₈ is A, or G.
38. The DLL3 targeting trispecific protein of any one of claims 34-37, wherein:
- J₁ is I, or V;
 - J₂ is A, K, P, R, or S;
 - J₃ is D, or N;
 - J₄ is D, E, G, K, N, Q, R, S, T, or Y;
 - J₅ is S, or T;
 - J₆ is A, E, F, H, I, K, L, N, Q, R, S, T, V, or Y;
 - J₇ is A, I, L, M, V, or Y;
 - J₈ is D, F, H, I, L, N, S, T, V, or Y;
 - J₉ is A, D, E, F, G, I, K, L, N, Q, R, S, T, V, or Y;
 - J₁₀ is A, D, E, G, K, Q, S, or V;
 - J₁₁ is A, or V; and
 - J₁₂ is G, or V.
39. The DLL3 targeting trispecific protein of any one of claims 34-38, wherein:
- Z₁ is F, or Y;
 - Z₂ is G, H, I, K, N, R, S, or T;

Z₃ is A, F, H, I, K, L, M, N, P, Q, R, S, T, or Y;
 Z₄ is A, E, F, G, H, I, K, L, M, N, Q, R, S, T, V, or Y;
 Z₅ is A, C, D, E, G, H, I, K, L, N, P, Q, R, S, T, W, or Y;
 Z₆ is G, K, L, R, or T;
 Z₇ is A, G, H, L, Q, R, S, T, V, or Y;
 Z₈ is A, D, E, G, H, P, Q, S, T, W, or Y;
 Z₉ is A, G, I, K, L, M, N, Q, R, S, T, V, or Y;
 Z₁₀ is A, G, K, P, R, S, T, or V; and
 Z₁₁ is A, F, S, or Y.

40. A DLL3 targeting trispecific protein, wherein said protein comprises
- (a) a first domain (A) which specifically binds to human CD3;
 - (b) a second domain (B) which is a half-life extension domain; and
 - (c) a third domain (C) which specifically binds to DLL3, wherein the third domain comprises the sequence of SEQ ID No.75 or is derived from SEQ ID No.75.
41. The DLL3 targeting trispecific protein of claim 40, wherein SEQ ID No.75 comprises a CDR1, a CDR2, and a CDR3.
42. The DLL3 targeting trispecific protein of claim 41, wherein the CDR1 comprises the following sequence: X₁X₂X₃X₄X₅X₆X₇SX₈A.
43. The DLL3 targeting trispecific protein of claim 41 or 42, wherein the CDR2 comprises the following sequence: GJ₁SJ₂J₃GJ₄J₅J₆YJ₇J₈SVKG (SEQ ID NO: 1894).
44. The DLL3 targeting trispecific protein of any one of claims 41, 42, and 43, wherein the CDR3 comprises the following sequence: Z₁Z₂Z₃Z₄Z₅Z₆Z₇Z₈Z₉.
45. The DLL3 targeting trispecific protein of any one of claims 42-44, wherein:
- X₁ is A, D, E, F, G, H, K, L, M, N, Q, R, S, V, W, or Y;
 - X₂ is D, E, H, K, M, P, R, S, T, or Y;
 - X₃ is A, D, G, H, K, N, P, Q, R, S, T, V, or Y;
 - X₄ is K, S, or V;
 - X₅ is A, F, G, H, K, L, M, N, Q, R, S, T, V, W, or Y;
 - X₆ is D, F, H, I, K, L, M, N, Q, R, S, V, or Y;
 - X₇ is L, or M; and
 - X₈ is I, L, M, S, T, or V.
46. The DLL3 targeting trispecific protein of any one of claims 42-45, wherein:

J₁ is I, or V;
J₂ is A, D, E, G, H, I, K, L, N, P, Q, R, S, T, V, or Y;
J₃ is A, D, E, G, H, N, R, or T;
J₄ is H, P, R, or S;
J₅ is A, H, I, K, M, N, Q, R, T, or V;
J₆ is A, D, G, H, I, L, M, N, S, T, V, or Y;
J₇ is A, F, I, L, M, R, S, T, V, or Y;
J₈ is A, D, E, G, H, K, L, N, R, S, or V.

47. The DLL3 targeting trispecific protein of any one of claims 42-46, wherein:

Z₁ is L, or Y;
Z₂ is D, E, G, H, K, N, Q, R, S, T, V, or Y;
Z₃ is Q, or W;
Z₄ is A, D, E, G, H, I, K, L, M, P, R, S, T, or V;
Z₅ is A, D, E, G, N, R, S, T, or Y;
Z₆ is A, P, R, or S;
Z₇ is A, D, F, G, H, L, M, N, Q, R, S, T, V, or Y;
Z₈ is A, G, I, K, P, Q, R, S, or T; and
Z₉ is F, H, or Y.

48. The DLL3 targeting trispecific protein of any one of claims 1-47, wherein the third domain (C) comprises a humanized antibody or an antigen binding fragment thereof.

49. The DLL3 targeting trispecific protein of any one of claims 1-48, wherein the third domain (C) comprises a single domain antibody, a VHH domain, a scFv, a VH domain, a VL domain, a Fab, a Fab', a non-Ig domain, a ligand, a knottin, or a small molecule entity that specifically binds to DLL3.

50. The DLL3 targeting trispecific protein of any one of claims 49, wherein the third domain (C) comprises the single domain antibody.

51. The DLL3 targeting trispecific protein of any one of claims 1-50, wherein the second domain (B) binds a bulk serum protein.

52. The DLL3 targeting trispecific protein of claim 51, wherein the second domain (B) comprises a single domain antibody, a VHH domain, a scFv, a VH domain, a VL domain, a Fab, a Fab', a non-Ig domain, a ligand, a knottin, or a small molecule entity that specifically binds to the bulk serum protein.

53. The DLL3 targeting trispecific protein of claim 52, wherein the second domain (B) comprises the single domain antibody that specifically binds to the bulk serum protein.
54. The DLL3 targeting trispecific protein of claim 53, wherein the bulk serum protein comprises albumin, transferrin, IgG1, IgG2, IgG4, IgG3, IgA monomer, Factor XIII, Fibrinogen, IgE, pentameric IgM, or Igκ free light chain.
55. The DLL3 targeting trispecific protein of claim 54, wherein the bulk serum protein comprises the albumin.
56. The DLL3 targeting trispecific protein of claim 55, wherein the second domain (B) comprises a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1769-1778.
57. The DLL3 targeting trispecific protein of claim 56, wherein the second domain (B) comprises a sequence that is at least about 75% identical to SEQ ID No.1774.
58. The DLL3 targeting trispecific protein of any one of claims 1-57, wherein the first domain (A) comprises a single domain antibody, a VHH domain, a scFv, a VH domain, a VL domain, a Fab, a Fab', a non-Ig domain, a ligand, a knottin, or a small molecule entity that specifically binds to CD3.
59. The DLL3 targeting trispecific protein of claim 58, wherein the first domain (A) comprises a sequence selected from the group consisting of SEQ ID Nos. 1793-1807.
60. The DLL3 targeting trispecific protein of any one of claims 1-59, wherein the third domain (C) comprises the following formula:

$$f1-r1-f2-r2-f3-r3-f4$$

wherein, r1 is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887; r2 is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888; and r3 is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889; and wherein f1, f2, f3 and f4 are framework residues.

61. The DLL3 targeting trispecific protein of claim 60, wherein the third domain (C) comprises a sequence that is at least 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886.
62. The DLL3 targeting trispecific protein of any one of claims 1-61, wherein domains C and B are connected by linker L1 and domains B and A are connected by linker L2.
63. The DLL3 targeting trispecific protein of claim 62, wherein linkers L1 and L2 are each independently selected from (GS)_n (SEQ ID No.1809), (GGS)_n (SEQ ID No.1810), (GGGS)_n

(SEQ ID No.1811), (GGSG)_n (SEQ ID No.1812), (GGSGG)_n (SEQ ID No.1813), or (GGGS)_n (SEQ ID No.1814), wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10 or GGGSGGGG (SEQ ID No. 1808).

64. The DLL3 targeting trispecific protein of claim 63, wherein linkers L1 and L2 are each independently (GGGS)₄ (SEQ ID No.1817), (GGGS)₃ (SEQ ID No.1818), or GGGSGGGG (SEQ ID No. 1808).

65. The DLL3 targeting trispecific protein of any one claims 1-64, wherein the protein binds to DLL3 with a binding affinity (K_d) of about 0.1 nM to about 50 nM.

66. The DLL3 targeting trispecific protein of any one of claims 1-65, wherein the protein binds to human DLL3, cynomolgus DLL3, or both human and cynomolgus DLL3.

67. The DLL3 targeting trispecific protein of any one of claims 1-66, wherein the protein is less than about 80 kDa.

68. The DLL3 targeting trispecific protein of any one of claims 1-67, wherein the protein is about 50 to about 75 kDa.

69. The DLL3 targeting trispecific protein of any one of claims 1-68, wherein the protein is less than about 60 kDa.


70. The DLL3 targeting trispecific protein of any one of claims 1-69, wherein the protein has an elimination half-time of at least about 50 hours.

71. The DLL3 targeting trispecific protein of any one of claims 1-70, wherein the protein has an elimination half-time of at least about 100 hours.

72. The DLL3 targeting trispecific protein of any one of claims 1-69, wherein the protein has an elimination half-life of at least about 25 hours, at least about 50 hours, or at least about 100 hours when administered to a human subject.

73. The DLL3 targeting trispecific protein of any one of claims 1-72, wherein the domains are linked in the order H2N-(A)-(B)-(C)-COOH.

74. A DLL3 binding protein comprising the following formula:



wherein, r1 is a complementarity determining region 1 (CDR1) and is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 443-884 and 1887; r2 is a CDR2 and is identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 885-1326 and 1888; and r3 is a CDR3 and identical to or comprises one or more amino acid residue substitutions relative to a sequence selected from the group consisting of SEQ ID Nos. 1327-1768 and 1889; and wherein f1, f2, f3 and f4 are framework residues.

75. The DLL3 binding protein of claim 74, comprising a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886.
76. The DLL3 binding protein of claim 74 or 75, comprising a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 1-52.
77. The DLL3 binding protein of claim 74 or 75, comprising a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 53-86.
78. The DLL3 binding protein of claim 74 or 75, comprising a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 87-367.
79. The DLL3 binding protein of claim 74 or 75, comprising a sequence that is at least about 75% identical to a sequence selected from the group consisting of SEQ ID Nos. 368-442.
80. A DLL3 binding protein that is derived from a parental DLL3 binding protein comprising the sequence of SEQ ID No. 68 or comprises the sequence of SEQ ID No. 68.
81. A DLL3 binding protein that is derived from a parental DLL3 binding protein comprising the sequence of SEQ ID No. 75 or comprises the sequence of SEQ ID No. 75.
82. A pharmaceutical composition comprising (i) the DLL3 targeting trispecific protein according to any one of claims 1-73 or the DLL3 binding protein according to any one of claims 74-81, and (ii) a pharmaceutically acceptable carrier.
83. A method for preparing a DLL3 targeting trispecific binding protein according to any one of claims 1-73, the method comprising: i) providing a DLL3 protein or a fragment thereof; ii) exposing a recombinant library of DLL3 binding proteins to the DLL3 protein or a fragment thereof; iii) selecting from the library a DLL3 binding protein which specifically binds to said oligomer or derivative thereof; and (iv) preparing the DLL3 targeting trispecific protein using the DLL3 binding protein identified in step (iii).
84. The method of 83, wherein the recombinant library of DLL3 binding proteins is exposed to the DLL3 protein *in vitro* by screening the recombinant library with said DLL3 protein.
85. The method of claim 83 or 84, wherein the recombinant library is expressed on the surface of a bacteriophage.
86. The method of claim 83 or 84, wherein the recombinant library is expressed on the surface of yeast cells.
87. The method of claim 83, wherein the recombinant library is expressed on the surface of bacterial cells.
88. The method of claim 83 or 84, wherein the recombinant library is expressed as RNA-protein fusions.
89. The method of any one of claims 83-88, wherein the recombinant library is an scFv library or an Fab library.

90. The method of any one of claims 83-88, wherein the recombinant antibody library is a single domain library.
91. A process for the production of a DLL3 targeting trispecific protein according to any one of claims 1-73, said process comprising culturing a host transformed or transfected with a vector comprising a nucleic acid sequence encoding the DLL3 trispecific protein according to any one of claims 1-73 under conditions allowing the expression of the DLL3 targeting trispecific protein and recovering and purifying the produced protein from the culture.
92. A method for preparing a DLL3 binding protein according to any one of claims 74-81, the method comprising: i) providing a DLL3 protein or a fragment thereof; ii) exposing a recombinant library of DLL3 binding proteins to the DLL3 protein or a fragment thereof ; iii) selecting from the library a DLL3 binding protein which specifically binds to said oligomer or derivative thereof.
93. The method of 92, wherein the recombinant library of DLL3 binding proteins is exposed to the DLL3 protein *in vitro* by screening the recombinant library with said DLL3 protein.
94. The method of claim 92 or 93, wherein the recombinant library is expressed on the surface of a bacteriophage.
95. The method of claim 92 or 93, wherein the recombinant library is expressed on the surface of yeast cells.
96. The method of claim 93, wherein the recombinant library is expressed on the surface of bacterial cells.
97. The method of claim 92 or 93, wherein the recombinant library is expressed as RNA-protein fusions.
98. The method of any one of claims 92-97, wherein the recombinant library is an scFv library or an Fab library.
99. The method of any one of claims 92-97, wherein the recombinant antibody library is a single domain library.
100. A process for the production of a DLL3 binding protein according to any one of claims 74-81, said process comprising culturing a host transformed or transfected with a vector comprising a nucleic acid sequence encoding the DLL3 binding protein according to any one of claims 74-81 under conditions allowing the expression of the DLL3 binding protein and recovering and purifying the produced protein from the culture.
101. A method for the treatment or amelioration of a proliferative disease, or a tumorous disease, comprising the administration of the DLL3 targeting trispecific protein according to any one of claims 1-73, or a DLL3 binding protein according to any one of claims 74-81, or a pharmaceutical composition according to claim 82, to a subject in need thereof.

102. The method of claim 101, wherein the subject is human.
103. The method of claim 102, wherein the method further comprises administration of an agent in combination with the DLL3 targeting trispecific protein according to any one of claims 1-73, the DLL3 binding protein according to any one of claims 74-81, or the pharmaceutical composition according to claim 82.
104. The method of any one of claims 101-103, wherein the DLL3 targeting trispecific protein or the DLL3 binding protein selectively binds to tumor cells expressing DLL3.
105. The method of claim 104, wherein the DLL3 targeting trispecific protein mediates T cell killing of tumor cells expressing DLL3.
106. The method of any one of claims 101-105, wherein the tumorous disease comprises a solid tumor disease.
107. The method of claim 106, wherein the solid tumor disease comprises lung cancer, gastric cancer, ovarian cancer, or triple negative breast cancer.
108. The method of claim 107, wherein the solid tumor disease is metastatic.
109. A method for the treatment or amelioration of a proliferative disease, or a tumorous disease, comprising administration of a DLL3 targeting trispecific protein comprising a DLL3 binding domain comprising sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886, or a DLL3 binding protein comprising a sequence selected from the group consisting of SEQ ID Nos. 1-442 and 1886.
110. The method of claim 109, wherein the DLL3 targeting trispecific protein or the DLL3 binding protein selectively binds to tumor cells expressing DLL3.
111. The method of claim 110, wherein the DLL3 targeting trispecific protein directs T cell killing of tumor cells expressing DLL3.
112. The method of any one of claims 109-111, wherein the tumorous disease comprises a solid tumor disease.
113. The method of claim 112, wherein the solid tumor disease comprises lung cancer, gastric cancer, ovarian cancer, or triple negative breast cancer.
114. The method of claim 113, wherein the solid tumor disease is metastatic.
115. A method for the treatment or amelioration of a proliferative disease, or a tumorous disease, comprising administration of a DLL3 targeting trispecific protein comprising a DLL3 binding domain comprising a sequence as set forth in SEQ ID No. 68 or 75 or a DLL3 binding protein comprising a sequence as set forth in SEQ ID No. 68 or 75.
116. The method of any one of claims 101-115, comprising administering the DLL3 targeting trispecific protein or the DLL3 binding domain at a dose of up to 10 mg/kg.

117. The method of any one of claims 101-116, wherein the protein is administered at least once a week.
118. The method of any one of claims 101-117, wherein the protein is administered twice per week.
119. The method of any one of claims 101-116, wherein the protein is administered every other week.
120. The method of any one of claims 101-116, wherein the protein is administered every three weeks.
121. A DLL3 binding protein comprising an amino acid sequence as set forth in SEQ ID No. 1890 or SEQ ID No. 1891.
122. The DLL3 binding protein of any one of claims 1-81 and 104, wherein the protein is capable of binding a DLL3 sequence comprising an amino acid sequence as set forth in any one of SEQ ID Nos. 1892 and 1893.