





**FIG. 1**



264






FIG. 4




FIG. 5A




FIG. 5B




FIG. 6A






FIG. 6B



Mean $\pm$ SEM	Resting LVOT-G (mmHg)				
	Baseline	Week 2	Week 4	Week 6	Week 10
Placebo (n=13)	52.1	45.0	47.1	49.0	44.0
Cohort 1 (n=14)	53.8	24.3	27.3	13.9	13.4
p-Value vs Placebo	-	0.007	0.025	<0.0001	0.0003
Cohort 2 (n=14)	58.2	15.5	16.1	10.9	15.1
p-Value vs Placebo	-	0.0002	0.0006	<0.0001	0.0004

FIG. 7



Mean ± SEM	Valsalva LVOT-G (mmHg)				
	Baseline	Week 2	Week 4	Week 6	Week 10
Placebo (n=13)	84.6	71.3	71.3	73.4	76
Cohort 1 (n=14)	74.4	51.3	46.1	37.1	38.1
p-Value vs Placebo	-	0.097	0.038	0.0003	0.001
Cohort 2 (n=14)	82.3	32.3	31.5	30.3	29.8
p-Value vs Placebo	-	0.0005	0.0005	<0.0001	<0.0001

FIG. 8




FIG. 9

Lateral E/e' Baseline to week 10




FIG. 10






FIG. 11






FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26

- Site-read echo-guided dose titration criteria
 - Up-titration if LVEF $\geq 50\%$ plus at least one of the following
 - Resting LVOT-G ≥ 30 mmHg
 - Valsalva LVOT-G ≥ 50 mmHg
 - Down-titration if LVEF $< 50\%$
 - Interruption if LVEF $< 40\%$






FIG. 27



Data Presented as Mean $\pm$ 95% Confidence Interval
Echocardiographic Data from Site Reads

FIG. 28



Data Presented as Mean ± 95% Confidence Interval
Echocardiographic Data from Site Reads

FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34





FIG. 35



Data presented as mean + SD. P-values from paired t-test comparing post-treatment and baseline.
Abbreviations: OSS = overall summary score, CSS = clinical summary score, TSS = total symptom score, PLS = physical limitation score, SLS = social limitation score, QoL = quality of life

FIG. 36




FIG. 37




FIG. 38




FIG. 39





FIG. 40



A: All Patients ; B: On BT ; C: Patients with BTRW Attempt ; D: Patients on BT without an attempt at BTRW **FIG. 41**




FIG. 42




FIG. 43





FIG. 44






FIG. 45B




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57B




FIG. 57D

FIG. 57A





FIG. 57C



* Focused Echocardiogram; † Titration Visit

FIG. 58

FIG. 59A




FIG. 59B




FIG. 59C




FIG. 60A




FIG. 60B




FIG. 61A




FIG. 62A




FIG. 62B




FIG. 63




FIG. 64A




FIG. 64B




FIG. 64C




FIG. 64D




FIG. 64E

