
Claims

1. A compound of formula (I), or a salt, solvate, stereoisomer, tautomer, or isotopically labelled derivative thereof, or any mixtures thereof:



(I),

wherein in (I):

R^1 is selected from the group consisting of optionally substituted phenyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted benzyl, optionally substituted heteroaryl, and -(CH_2)(optionally substituted heteroaryl);


each occurrence of R^2 is independently selected from the group consisting of H and C_1-C_6 alkyl;

R^3 is selected from the group consisting of C_1-C_6 alkyl, and C_3-C_8 cycloalkyl, wherein the alkyl or cycloalkyl is optionally substituted with at least one substituent selected from the group consisting of C_1-C_6 alkyl, C_3-C_8 cycloalkyl, halogen, cyano, -OH, C_1-C_6 alkoxy, C_3-C_8 cycloalkoxy, C_1-C_6 haloalkoxy, C_3-C_8 halocycloalkoxy, optionally substituted phenyl, optionally substituted heteroaryl, optionally substituted heterocyclyl, -$C(=O)OR^6$, -$OC(=O)R^6$, -SR^6, -$S(=O)R^6$, -$S(=O)_2R^6$, -$S(=O)_2NR^6R^6$, -$N(R^6)S(=O)_2R^6$, -$N(R^6)C(=O)R^6$, -$C(=O)NR^6R^6$, and -NR^6R^6;


R^{4a} is selected from the group consisting of H, C_1-C_6 alkyl, C_3-C_8 cycloalkyl, and phenyl, wherein the alkyl, cycloalkyl, or phenyl is optionally substituted with at least one substituent selected from the group consisting of C_1-C_6 alkyl, C_3-C_8 cycloalkyl, halogen, cyano, -OH, C_1-C_6 alkoxy, C_3-C_8 cycloalkoxy, C_1-C_6 haloalkoxy, C_3-C_8 halocycloalkoxy, -NR^6R^6, and optionally substituted phenyl;

R^{4b} is selected from the group consisting of H and optionally substituted C_1-C_6 alkyl;

R^5 is selected from the group consisting of:



and



,

wherein each ring A is independently selected from the group consisting of benzene, pyridine, pyrimidine, pyridazine, and pyrazine;

each occurrence of R^6 is independently selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted phenyl, and optionally substituted hetereoaryl;

each occurrence of R^7 is independently selected from the group consisting of H, halogen, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted C_1-C_6 alkoxy, and optionally substituted C_3-C_8 cycloalkoxy;

each occurrence of R^8 is independently selected from the group consisting of halogen, -CN, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_3-C_8 cycloalkoxy, heterocyclyl, heteroaryl, -S(optionally substituted C_1-C_6 alkyl), -SO(optionally substituted C_1-C_6 alkyl), -SO_2(optionally substituted C_1-C_6 alkyl), -C(=O)OH, -C(=O)O(optionally substituted C_1-C_6 alkyl), -C(=O)O(optionally substituted C_3-C_8 cycloalkyl), -O(optionally substituted C_1-C_6 alkyl), -O(optionally substituted C_3-C_8 cycloalkyl), -NH_2, -NH(optionally substituted C_1-C_6 alkyl), -NH(optionally substituted C_3-C_8 cycloalkyl), -N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_1-C_6 alkyl), -N(optionally substituted C_3-C_8 cycloalkyl)(optionally substituted C_3-C_8 cycloalkyl), -N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_3-C_8 cycloalkyl), -C(=O)NH_2, -C(=O)NH(optionally substituted C_1-C_6 alkyl), -C(=O)NH(optionally substituted C_3-C_8 cycloalkyl), -C(=O)N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_1-C_6 alkyl), -C(=O)N(optionally substituted C_3-C_8 cycloalkyl)(optionally substituted C_3-C_8 cycloalkyl), and -C(=O)N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_3-C_8 cycloalkyl;

each occurrence of R^9 is independently selected from the group consisting of H, halogen, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted C_1-C_6 alkoxy, and optionally substituted C_3-C_8 cycloalkoxy;

each occurrence of n is independently 0, 1, 2, 3, or 4; and

R^{10} is selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, and optionally substituted C_3-C_8 cycloalkyl.

2. The compound of claim 1, wherein each occurrence of R^{4b} is independently selected from the group consisting of H and CH_3.

3. The compound of claim 1, wherein each occurrence of heteroaryl is independently optionally substituted with at least one substituent selected from the group consisting of C_1-C_6 alkyl, C_3-C_8 cycloalkyl, phenyl, C_1-C_6 hydroxyalkyl, (C_1-C_6 alkoxy)-C_1-C_6 alkyl, C_1-C_6 haloalkyl, C_1-C_6 haloalkoxy, halogen, -CN, -OR^b, -$N(R^b)(R^b)$, -NO_2, -$C(=O)N(R^b)(R^b)$, -$C(=O)OR^b$, -$OC(=O)R^b$, -SR^b, -$S(=O)R^b$, -$S(=O)_2R^b$, $N(R^b)S(=O)_2R^b$, -$S(=O)_2N(R^b)(R^b)$, acyl, and C_1-C_6 alkoxycarbonyl, wherein each occurrence of R^b is independently H, C_1-C_6 alkyl, or C_3-C_8 cycloalkyl, wherein in R^b the alkyl or cycloalkyl is optionally substituted with at least one substituent selected from the group consisting of halogen, -OH, C_1-C_6 alkoxy, and heteroaryl; or substituents on two adjacent carbon atoms combine to form -$O(CH_2)_{1\text{-}3}O$-.

4. The compound of claim 1, wherein each occurrence of alkyl or cycloalkyl is independently optionally substituted with at least one substituent selected from the group consisting of C_1-C_6 alkyl, C_3-C_8 cycloalkyl, halogen, cyano (-CN), -OR^a, optionally substituted phenyl, optionally substituted heteroaryl, optionally substituted heterocyclyl, -$C(=O)OR^a$, -$OC(=O)R^a$, -SR^a, -$S(=O)R^a$, -$S(=O)_2R^a$, -$S(=O)_2NR^aR^a$, -$N(R^a)S(=O)_2R^a$, -$N(R^a)C(=O)R^a$, -$C(=O)NR^aR^a$, and -$N(R^a)(R^a)$, wherein each occurrence of R^a is independently H, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, or optionally substituted heteroaryl, or two R^a groups combine with the N to which they are bound to form a heterocycle.



5. The compound of claim 1, wherein R^1 is phenyl optionally substituted with at least one substituent selected from the group consisting of C_1-C_6 alkyl, halogen, C_1-C_3 haloalkyl, and -CN.

6. The compound of claim 1, wherein R^1 is selected from the group consisting of phenyl, 3-chlorophenyl, 4-chlorophenyl, 3-fluorophenyl, 4-fluorophenyl, 3,4-difluorophenyl, 3,5-difluorophenyl, 2,4,5-trifluorophenyl, 3,4,5-trifluorophenyl, 3,4-



dichlorophenyl, 3-chloro-4-fluorophenyl, 4-chloro-3-fluorophenyl, 4-chloro-3-methylphenyl, 3-chloro-4-methylphenyl, 4-fluoro-3-methylphenyl, 3-fluoro-4-methylphenyl, 4-chloro-3-methoxyphenyl, 3-chloro-4-methoxyphenyl, 4-fluoro-3-methoxyphenyl, 3-fluoro-4-methoxyphenyl, 3-trifluoromethylphenyl, 4-trifluoromethylphenyl, 3-trifluoromethyl-4-fluorophenyl, 4-trifluoromethyl-3-fluorophenyl, 3-cyanophenyl, 4-cyanophenyl, 3-cyano-4-fluorophenyl, 4-cyano-3-fluorophenyl, 3-difluoromethyl-4-fluorophenyl, and 4-difluoromethyl-3-fluorophenyl.

7. The compound of claim 1, wherein R^2 is selected from the group consisting of H and methyl.



8. The compound of claim 1, which is selected from the group consisting of:


(Id) and

(Ic).





















9. The compound of claim 1, which is selected from the group consisting of:




(If) and

(Ie).

10. The compound of claim 1, which is selected from the group consisting of:


(Ih) and

(Ig).

11. The compound of claim 1, wherein R^5 is selected from the group consisting of:


, and 
.

12. The compound of claim 1, which is selected from the group consisting of:

3-(3-chloro-4-fluorophenyl)-1-methyl-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((1-methoxyisoquinolin-4-yl)methyl)-1-methylurea;

3-(4-fluoro-3-methylphenyl)-1-((1-methoxyisoquinolin-4-yl)methyl)-1-methylurea;

3-(4-fluoro-3-methylphenyl)-1-methyl-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-oxo-1,2-dihydroisoquinolin-4-

yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-methoxyisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(isoquinolin-4-ylmethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((1-ethoxyisoquinolin-4-yl)methyl)-1-ethylurea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-isopropyl-1-((1-methoxyisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((1-methoxyisoquinolin-4-yl)methyl)-1-propylurea;

3-(3-chloro-4-fluorophenyl)-1-(2-hydroxyethyl)-1-((1-methoxyisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-isopropyl-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-hydroxyethyl)-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)-1-propylurea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-(2-hydroxyethoxy)isoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(cyclopropylmethyl)-1-((1-methoxyisoquinolin-4-yl)methyl)urea;

3-(4-fluoro-3-methylphenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-butyl-3-(3-chloro-4-fluorophenyl)-1-((1-methoxyisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-cyclopropyl-1-((1-methoxyisoquinolin-4-yl)methyl)urea;

(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-propylurea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)propyl)urea

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)propyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(cyclopropyl(1-methoxyisoquinolin-4-yl)methyl)-1-ethylurea;

3-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)-1-((1-methoxyisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-cyclopropyl-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(4-fluoro-3-methylphenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-propylurea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)-2-methylpropyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(cyclopropyl(1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)-1-ethylurea;

3-(3-chloro-4-fluorophenyl)-1-((1-methoxyisoquinolin-4-yl)methyl)-1-(3-methoxypropyl)urea;

1-benzyl-3-(3-chloro-4-fluorophenyl)-1-((1-methoxyisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(3-methoxypropyl)-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

1-butyl-3-(3-chloro-4-fluorophenyl)-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(cyclopropylmethyl)-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2-methyl-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)propyl)urea;

3-(3-chloro-4-fluorophenyl)-1-cyclopropyl-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-methoxyisoquinolin-4-yl)(phenyl)methyl)urea;

1-butyl-3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(cyclopropylmethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-cyclopropyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)(phenyl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2,2,2-trifluoro-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2,2,2-trifluoro-1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(3-methoxypropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-(3-methoxypropyl)urea;

1-butyl-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(cyclopropylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-((1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-((1-(pyridin-2-ylmethoxy)isoquinolin-4-yl)methyl)urea;

3-(4-fluoro-3-(trifluoromethyl)phenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4,5-trifluorophenyl)urea;

3-(3,4-difluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(2-Chloropyridin-4-yl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-Methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2,2-difluoroethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-(2,2-difluoroethyl)-3-(4-fluoro-3-methylphenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-cyano-4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(ethyl-d5)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

N-(2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethyl)acetamide;

(3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-(2,2,2-trifluoroethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-cyanoethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-N-methylpropanamide;

3-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-N,N-dimethylpropanamide;

3-(3-chloro-4-fluorophenyl)-1-(2-(methylsulfonyl)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-ethoxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(3-cyanopropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-

N-methylacetamide;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

3-(3-chloro-4-fluorophenyl)-1-(2-(2-methoxyethoxy)ethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-(2-methoxyethoxy)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-ethoxyethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydro-2,6-naphthyridin-4-yl)ethyl)urea;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)acetamide;

3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-((tetrahydro-2H-pyran-4-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-isobutyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(5-(methylamino)pyrido[3,4-b]pyrazin-8-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(5-methoxypyrido[3,4-b]pyrazin-8-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-N,N-dimethylacetamide;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(5-oxo-5,6-dihydropyrido[3,4-b]pyrazin-8-

yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(4-hydroxybutyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(8-oxo-7,8-dihydro-1,7-naphthyridin-5-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-isobutyl-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(((R)-tetrahydrofuran-2-yl)methyl)urea;

1-(3-aminopropyl)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-(2-((2,2,2-trifluoroethyl)amino)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(((S)-tetrahydrofuran-2-yl)methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(2-((2,2,2-trifluoroethyl)amino)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-((tetrahydrofuran-3-yl)methyl)urea;

1-(1-(8-chloro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6-chloro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(7-methoxy-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6-methoxy-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-4-

yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-ethyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-propyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-isopropyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-cyclopropyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(2-(2-methoxyethyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(cyclopentylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(cyclohexylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-hydroxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-((2,2-difluoroethyl)amino)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(2-(3-methoxypropyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-((1-acetylpiperidin-4-yl)methyl)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((1-(methylsulfonyl)piperidin-4-yl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(2-(2-hydroxyethyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(2-(3-hydroxypropyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-((1-methylpiperidin-4-yl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-

yl)ethyl)ureido)propanoic acid;

3-(3-chloro-4-fluorophenyl)-1-(3-hydroxy-2,2-dimethylpropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((R)-3-hydroxybutyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((S)-3-hydroxybutyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((R)-2-hydroxypropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((S)-2-hydroxypropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-N-methylpropane-1-sulfonamide;

3-(3-chloro-4-fluorophenyl)-1-(((1r,4r)-4-hydroxycyclohexyl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(3-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((4-cis-hydroxycyclohexyl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

4-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)butanoic acid;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-oxo-2-(2,2,2-trifluoroethyl)-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-isobutyl-1-(1-(1-oxo-2-(2,2,2-trifluoroethyl)-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(4-fluoro-3-methylphenyl)-1-methyl-1-(1-(3-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(methylamino)isoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(dimethylamino)isoquinolin-4-yl)ethyl)urea;

3-(4-fluorophenyl)-1-isobutyl-1-(1-(1-oxo-2-(2,2,2-trifluoroethyl)-1,2-

dihydroisoquinolin-4-yl)ethyl)urea;

3-(4-fluoro-3-methylphenyl)-1-methyl-1-(1-(3-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-(1-(1-aminoisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-(ethylamino)isoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-((2-hydroxyethyl)amino)isoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(1-((2-aminoethyl)amino)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(((1-methyl-1H-1,2,4-triazol-3-yl)methyl)amino)isoquinolin-4-yl)ethyl)urea;

1-(1-(1-(((1H-1,2,4-triazol-3-yl)methyl)amino)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(7-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)urea;

1-(1-(1-(((2H-1,2,3-triazol-4-yl)methyl)amino)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(5-methoxy-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-((1H-1,2,3-triazol-4-yl)methyl)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-((4H-1,2,4-triazol-3-yl)methyl)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-(1-(2-((1H-1,2,4-triazol-3-yl)methyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

1-(1-(7-chloro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-

methylurea;

3-(3-chloro-4-fluorophenyl)-1-((2,2-dimethyl-1,3-dioxan-5-yl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-((2,2-dimethyl-1,3-dioxan-5-yl)methyl)-3-(4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-((2,2-dimethyl-1,3-dioxan-5-yl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-phenylurea;

1-(1-(2-((1H-1,2,3-triazol-4-yl)methyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

3-(3-chloro-4-fluorophenyl)-1-((2,2-dimethyl-1,3-dioxan-5-yl)methyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(3-hydroxy-2-(hydroxymethyl)propyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-isobutylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-(3-hydroxypropyl)urea;

3-(4-chlorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(4-bromophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxy-2-(hydroxymethyl)propyl)urea;

1-(1-(1-(1H-1,2,4-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

3-cyclopentyl-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-(1-(1-(1H-1,2,4-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-isobutylurea;

1-(1-(1-(1H-1,2,4-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-isobutylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-2-ylmethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-3-ylmethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-4-ylmethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-2-ylmethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-4-ylmethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(methylsulfonyl)isoquinolin-4-yl)ethyl)urea;

4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)-N-methylisoquinoline-1-carboxamide;

4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)-N,N-dimethylisoquinoline-1-carboxamide;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyrimidin-5-ylmethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyrimidin-4-ylmethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-5-ylmethyl)urea;

4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)isoquinoline-1-carboxylic acid;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-(hydroxymethyl)isoquinolin-4-yl)ethyl)-1-methylurea;

4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)isoquinoline-1-carboxamide;

3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(1-cyanoisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-methylisoquinolin-4-yl)ethyl)urea;

1-(1-(1-(1H-1,2,3-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

1-(1-(1-(1H-1,2,3-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-isobutylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)-6,7-difluoroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)-6,7-difluoroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-isobutylurea;

1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-(3-hydroxypropyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(2-hydroxy-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

2-(1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)ureido)ethane-1-sulfonamide;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

2-(3-(4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

2-(3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-phenylurea;

3-(4-chlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethyl-3-(4-fluorophenyl)urea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethyl-3-phenylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-fluorophenyl)-1-methylurea;

3-(3-chlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-trifluorophenyl)urea;

3-(3,5-dichlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(2-chloropyridin-4-yl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2-fluorophenyl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-ethylurea;

1-(1-(6,7-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluoro-3-methylphenyl)-1-methylurea;

3-(3-cyano-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(6,7-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2,3-difluorophenyl)-1-methylurea;

1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-methylurea;

1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-phenylurea;

3-(3,5-dichloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluoro-3-methylphenyl)-1-methylurea;

1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-trifluorophenyl)urea;

3-(4-Chlorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

3-(3,5-dichlorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(pyridin-4-yl)urea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(pyridin-3-yl)urea;

3-(3,5-dichloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-benzyl-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(2-chloropyridin-4-yl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-fluorophenyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2-fluorophenyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2,3-difluorophenyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chlorophenyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-ethylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-ethylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-phenyl-1-ethylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-ethylurea;

3-(3-cyano-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(methyl-d_3)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(methyl)urea;

3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(methyl-d_3)urea;

3-(3-chlorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(methyl)urea;

3-(3-chlorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(methyl-d_3)urea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-((S)-1-phenylethyl)urea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorobenzyl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorobenzyl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-((R)-1-phenylethyl)urea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-trifluorobenzyl)urea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3-chloro-4-

fluorobenzyl)urea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(1H-indol-6-yl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-((S)-1-phenylethyl)urea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-((R)-1-phenylethyl)urea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorobenzyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorobenzyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4,5-trifluorobenzyl)-1-methylurea;

3-(3-chloro-4-fluorobenzyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(1H-indol-6-yl)-1-methylurea;

1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-(difluoromethyl)-4-fluorophenyl)-1-methylurea;

1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-(difluoromethyl)-4-fluorophenyl)-1-methylurea;

or a salt, solvate, isotopically labelled derivative, stereoisomer, or tautomer thereof, or any mixtures thereof.

13. The compound of claim 1, which is selected from the group consisting of:

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(4-fluoro-3-methylphenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-

propylurea;

(R)-3-(4-fluoro-3-methylphenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-propylurea;

(R)-3-(4-fluoro-3-(trifluoromethyl)phenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4,5-trifluorophenyl)urea;

(R)-3-(3,4-difluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(2-Chloropyridin-4-yl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-1-Methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2-(trifluoromethyl)pyridin-4-yl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2,2-difluoroethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-1-(2,2-difluoroethyl)-3-(4-fluoro-3-methylphenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-cyano-4-fluorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(ethyl-d5)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-(2,2,2-trifluoroethyl)urea;

(R)-3-(4-chlorophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(4-bromophenyl)-1-methyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-

yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)propyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)propyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)propyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)propyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)-2-methylpropyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-methoxyisoquinolin-4-yl)-2-methylpropyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(cyclopropyl(1-methoxyisoquinolin-4-yl)methyl)-1-ethylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(cyclopropyl(1-methoxyisoquinolin-4-yl)methyl)-1-ethylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(cyclopropyl(1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)-1-ethylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(cyclopropyl(1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)-1-ethylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2-methyl-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)propyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2-methyl-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)propyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-cyclopropyl-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-cyclopropyl-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-methoxyisoquinolin-4-yl)(phenyl)methyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-methoxyisoquinolin-4-yl)(phenyl)methyl)urea;

(R)-1-butyl-3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-1-butyl-3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(cyclopropylmethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(cyclopropylmethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-cyclopropyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-cyclopropyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)(phenyl)methyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-((1-oxo-1,2-dihydroisoquinolin-4-yl)(phenyl)methyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2,2,2-trifluoro-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2,2,2-trifluoro-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2,2,2-trifluoro-1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(2,2,2-trifluoro-1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(3-methoxypropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(3-methoxypropyl)-1-(1-(1-oxo-1,2-

dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-(3-methoxypropyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-(3-methoxypropyl)urea;

(R)-1-butyl-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-1-butyl-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(cyclopropylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(cyclopropylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-N,N-dimethylpropanamide;

(S)-3-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-N,N-dimethylpropanamide;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-(methylsulfonyl)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-(methylsulfonyl)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-ethoxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-ethoxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-cyanoethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-cyanoethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(3-cyanopropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(3-cyanopropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-

4-yl)ethyl)urea;

(R)-3-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-N-methylpropanamide;

(S)-3-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)-N-methylpropanamide;

(R)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(S)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-(2-methoxyethoxy)ethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-(2-methoxyethoxy)ethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-(2-methoxyethoxy)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-(2-methoxyethoxy)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-ethoxyethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-ethoxyethyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)urea;

(R)-N-(2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethyl)acetamide;

(S)-N-(2-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-

yl)ethyl)ureido)ethyl)acetamide;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-((tetrahydro-2H-pyran-4-yl)methyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-((tetrahydro-2H-pyran-4-yl)methyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-isobutyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-isobutyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(5-(methylamino)pyrido[3,4-b]pyrazin-8-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(5-(methylamino)pyrido[3,4-b]pyrazin-8-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(5-methoxypyrido[3,4-b]pyrazin-8-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(5-methoxypyrido[3,4-b]pyrazin-8-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)urea;

(R)-1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)- (3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-(2,2,2-trifluoroethyl)urea;

(S)- (3-(3-chloro-4-fluorophenyl)-1-(1-(1-methoxyisoquinolin-4-yl)ethyl)-1-(2,2,2-trifluoroethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-ethyl-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-

yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(2-((2,2,2-trifluoroethyl)amino)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(2-((2,2,2-trifluoroethyl)amino)ethyl)urea;

(R)-1-(1-(8-chloro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(8-chloro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6-chloro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6-chloro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(7-methoxy-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(7-methoxy-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6-methoxy-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6-methoxy-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-ethyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-ethyl-1-oxo-1,2-dihydroisoquinolin-

4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-propyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-propyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-isopropyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-isopropyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-cyclopropyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(2-cyclopropyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(cyclopentylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(cyclopentylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(cyclohexylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(cyclohexylmethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-hydroxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-hydroxyethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-((2,2-difluoroethyl)amino)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-((2,2-difluoroethyl)amino)ethyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-1-((1-acetylpiperidin-4-yl)methyl)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-1-((1-acetylpiperidin-4-yl)methyl)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-

dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-((1-(methylsulfonyl)piperidin-4-yl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-((1-(methylsulfonyl)piperidin-4-yl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxy-2,2-dimethylpropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxy-2,2-dimethylpropyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((R)-3-hydroxybutyl)-1-(1(R)-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((R)-3-hydroxybutyl)-1-(1(S)-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((S)-3-hydroxybutyl)-1-(1(R)-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((S)-3-hydroxybutyl)-1-(1(S)-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((R)-2-hydroxypropyl)-1-(1(R)-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((R)-2-hydroxypropyl)-1-((S)1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((S)-2-hydroxypropyl)-1-(1(R)-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

3-(3-chloro-4-fluorophenyl)-1-((S)-2-hydroxypropyl)-1-(1(S)-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(3-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(3-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-4-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)butanoic acid;

(S)-4-(3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-

yl)ethyl)ureido)butanoic acid;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(methylamino)isoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(methylamino)isoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(dimethylamino)isoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(dimethylamino)isoquinolin-4-yl)ethyl)urea;

(R)-3-(4-fluoro-3-methylphenyl)-1-methyl-1-(1-(3-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(4-fluoro-3-methylphenyl)-1-methyl-1-(1-(3-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-1-(1-(1-aminoisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(1-aminoisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-(ethylamino)isoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-(ethylamino)isoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-((2-hydroxyethyl)amino)isoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-((2-hydroxyethyl)amino)isoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(((1-methyl-1H-1,2,4-triazol-3-yl)methyl)amino)isoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(((1-methyl-1H-1,2,4-triazol-3-yl)methyl)amino)isoquinolin-4-yl)ethyl)urea;

(R)-1-(1-(1-(((1H-1,2,4-triazol-3-yl)methyl)amino)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(1-(((1H-1,2,4-triazol-3-yl)methyl)amino)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-oxo-1,2-dihydro-2,7-

naphthyridin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-isobutyl-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-isobutyl-1-(1-(1-oxo-1,2-dihydro-2,7-naphthyridin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)-1-(1-(1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)urea;

(R)-1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)urea;

(S)-1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)urea;

(R)-1-(1-(1-(((2H-1,2,3-triazol-4-yl)methyl)amino)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(1-(((2H-1,2,3-triazol-4-yl)methyl)amino)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-((1H-1,2,3-triazol-4-yl)methyl)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-1-((1H-1,2,3-triazol-4-yl)methyl)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-1-(1-(2-((1H-1,2,4-triazol-3-yl)methyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(2-((1H-1,2,4-triazol-3-yl)methyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-((2,2-dimethyl-1,3-dioxan-5-yl)methyl)-1-(1-(1-oxo-

1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-((2,2-dimethyl-1,3-dioxan-5-yl)methyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-1-(1-(2-((1H-1,2,3-triazol-4-yl)methyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(2-((1H-1,2,3-triazol-4-yl)methyl)-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-((2,2-dimethyl-1,3-dioxan-5-yl)methyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-((2,2-dimethyl-1,3-dioxan-5-yl)methyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-isobutylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-isobutylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-

(3-hydroxypropyl)urea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-(3-hydroxypropyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxy-2-(hydroxymethyl)propyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxy-2-(hydroxymethyl)propyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-2-ylmethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-2-ylmethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-3-ylmethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-3-ylmethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-4-ylmethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyridin-4-ylmethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-2-ylmethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-2-ylmethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-4-ylmethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-4-ylmethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(methylsulfonyl)isoquinolin-4-

yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-(methylsulfonyl)isoquinolin-4-yl)ethyl)urea;

(R)-4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)-N-methylisoquinoline-1-carboxamide;

(S)-4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)-N-methylisoquinoline-1-carboxamide;

(R)-4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)-N,N-dimethylisoquinoline-1-carboxamide;

(S)-4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)-N,N-dimethylisoquinoline-1-carboxamide;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyrimidin-4-ylmethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(pyrimidin-4-ylmethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-5-ylmethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(thiazol-5-ylmethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-(hydroxymethyl)isoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-(hydroxymethyl)isoquinolin-4-yl)ethyl)-1-methylurea;

(R)-4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)isoquinoline-1-carboxamide;

(S)-4-(1-(3-(3-chloro-4-fluorophenyl)-1-methylureido)ethyl)isoquinoline-1-carboxamide;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-2-methyl-1-oxo-1,2-

dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-cyanoisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(1-cyanoisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(R)-1-(1-(1-(1H-1,2,4-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-isobutylurea;

(S)-1-(1-(1-(1H-1,2,4-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-isobutylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)isoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-((1-methyl-1H-1,2,4-triazol-3-

yl)methoxy)isoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-methylisoquinolin-4-yl)ethyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-methyl-1-(1-(1-methylisoquinolin-4-yl)ethyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(R)-1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)-6,7-difluoroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)-6,7-difluoroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)-1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)-6,7-difluoroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)urea;

(S)-1-(1-(1-((1H-1,2,4-triazol-3-yl)methoxy)-6,7-difluoroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-(3-hydroxypropyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-

yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

(S)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-(3-hydroxypropyl)urea;

(R)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-isobutylurea;

(S)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-isobutylurea;

(R)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-(3-hydroxypropyl)urea;

(S)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-(3-hydroxypropyl)urea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(2-hydroxy-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(2-hydroxy-1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(S)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(R)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(S)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(7-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(R)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-

yl)ethyl)ureido)ethane-1-sulfonamide;

(S)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(R)-2-(1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)ureido)ethane-1-sulfonamide;

(S)-2-(1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)ureido)ethane-1-sulfonamide;

(R)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(S)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(R)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(S)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(R)-2-(3-(4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(S)-2-(3-(4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(R)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(S)-2-(3-(3-chloro-4-fluorophenyl)-1-(1-(8-fluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)ureido)ethane-1-sulfonamide;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-phenylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-phenylurea;

(R)-3-(4-chlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(4-chlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethyl-3-(4-fluorophenyl)urea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethyl-3-(4-

fluorophenyl)urea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethyl-3-phenylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethyl-3-phenylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-ethylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-methylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-fluorophenyl)-1-methylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-fluorophenyl)-1-methylurea;

(R)-3-(3-chlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-trifluorophenyl)urea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-trifluorophenyl)urea;

(R)-3-(3,5-dichlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3,5-dichlorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(2-chloropyridin-4-yl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(2-chloropyridin-4-yl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2-fluorophenyl)-1-

methylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2-fluorophenyl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-ethylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-ethylurea;

(R)-1-(1-(1-(1H-1,2,3-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(S)-1-(1-(1-(1H-1,2,3-triazol-1-yl)isoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-methylurea;

(R)-1-(1-(6,7-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluoro-3-methylphenyl)-1-methylurea;

(S)-1-(1-(6,7-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluoro-3-methylphenyl)-1-methylurea;

(R)-3-(3-cyano-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-cyano-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(6,7-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2,3-difluorophenyl)-1-methylurea;

(S)-1-(1-(6,7-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2,3-difluorophenyl)-1-methylurea;

(R)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

(S)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-methylurea;

(R)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-methylurea;

(S)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-methylurea;

(R)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-phenylurea;

(S)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-phenylurea;

(R)-3-(3,5-dichloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3,5-dichloro-4-fluorophenyl)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluoro-3-methylphenyl)-1-methylurea;

(S)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluoro-3-methylphenyl)-1-methylurea;

(R)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-trifluorophenyl)urea;

(S)-1-(1-(7,8-Difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-trifluorophenyl)urea;

(R)-3-(4-Chlorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(4-Chlorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(S)-3-(3-chloro-4-fluorophenyl)-1-(1-(6,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-isobutylurea;

(R)-3-(3,5-dichlorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3,5-dichlorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-3-(3,5-dichloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3,5-dichloro-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-fluorophenyl)-1-methylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-fluorophenyl)-1-

methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2,3-difluorophenyl)-1-methylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(2,3-difluorophenyl)-1-methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chlorophenyl)-1-methylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chlorophenyl)-1-methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-ethylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorophenyl)-1-ethylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-ethylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorophenyl)-1-ethylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-phenyl-1-ethylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-phenyl-1-ethylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-ethylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-chloro-4-fluorophenyl)-1-ethylurea;

(R)-3-(3-cyano-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-cyano-4-fluorophenyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorobenzyl)-1-methylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorobenzyl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-

trifluorobenzyl)urea;

(S)1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3,4,5-trifluorobenzyl)urea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3-chloro-4-fluorobenzyl)urea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methyl-3-(3-chloro-4-fluorobenzyl)urea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(1H-indol-6-yl)-1-methylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(1H-indol-6-yl)-1-methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorobenzyl)-1-methylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4-difluorobenzyl)-1-methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorobenzyl)-1-methylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(4-fluorobenzyl)-1-methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4,5-trifluorobenzyl)-1-methylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3,4,5-trifluorobenzyl)-1-methylurea;

(R)-3-(3-chloro-4-fluorobenzyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(S)-3-(3-chloro-4-fluorobenzyl)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-1-methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(1H-indol-6-yl)-1-methylurea;

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(1H-indol-6-yl)-1-methylurea;

(R)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-(difluoromethyl)-

4-fluorophenyl)-1-methylurea;

(S)-1-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-(difluoromethyl)-4-fluorophenyl)-1-methylurea;

(R)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-(difluoromethyl)-4-fluorophenyl)-1-methylurea; and

(S)-1-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)-3-(3-(difluoromethyl)-4-fluorophenyl)-1-methylurea;

or a salt, solvate, isotopically labelled derivative, stereoisomer, or tautomer thereof, or any mixtures thereof.

14. A compound selected from the group consisting of:

1-(4-fluoro-3-methylphenyl)-3-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

1-(3-chloro-4-fluorophenyl)-3-((1-methoxyisoquinolin-4-yl)methyl)urea;

1-(4-fluoro-3-methylphenyl)-3-((1-methoxyisoquinolin-4-yl)methyl)urea;

1-(3-chloro-4-fluorophenyl)-3-((1-oxo-1,2-dihydroisoquinolin-4-yl)methyl)urea;

1-(3-chloro-4-fluorophenyl)-3-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-(3-chloro-4-fluorophenyl)-3-(3-hydroxy-1-(1-methoxyisoquinolin-4-yl)propyl)urea;

1,3-dimethyl-1-(1-(1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-(3-chloro-4-fluorophenyl)-3-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

1-(3-cyano-4-fluorophenyl)-3-(1-(6,7-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea; and

1-(3-chloro-4-fluorophenyl)-3-(1-(7,8-difluoro-1-oxo-1,2-dihydroisoquinolin-4-yl)ethyl)urea;

or a salt, solvate, isotopically labeled derivative, stereoisomer, or tautomer thereof, or any mixtures thereof.

15. A pharmaceutical composition comprising at least one compound of claim 1 and a pharmaceutically acceptable carrier.

16. The pharmaceutical composition of claim 15, further comprising at least one additional agent useful for treating hepatitis infection.

17. The pharmaceutical composition of claim 16, wherein the at least one additional agent comprises at least one agent selected from the group consisting of reverse transcriptase inhibitor, capsid inhibitor, cccDNA formation inhibitor, RNA destabilizer, oligomeric nucleotides targeted against the HBV genome, immunostimulators, GalNAc-siRNA conjugate targeted against an HBV gene transcript.

18. Use of a pharmaceutical composition comprising a therapeutically effective amount of at least one compound of claim 1 in the manufacture of a medicament for the treatment and prevention of hepatitis B virus (HBV) infection in a subject in need thereof.

19. The use of claim 18, wherein the subject is further infected with hepatitis D virus (HDV).

20. The use of claim 18, wherein the at least one compound is to be administered to the subject in a pharmaceutically acceptable composition.

21. The use of claim 18, wherein the subject is to be further administered at least one additional agent useful for treating the hepatitis B virus infection.

22. The use of claim 21, wherein the at least one additional agent comprises at least one agent selected from the group consisting of reverse transcriptase inhibitor, capsid inhibitor, cccDNA formation inhibitor, RNA destabilizer, oligomeric nucleotides targeted against the HBV genome, immunostimulators, GalNAc-siRNA conjugate targeted against an HBV gene transcript.

23. The use of claim 21, wherein the subject is to be co-administered the at least one compound and the at least one additional agent.

24. The use of claim 21, wherein the at least one compound and the at least one additional agent are coformulated.

25. Use of a pharmaceutical composition comprising a therapeutically effective amount of at least one compound of claim 1 in the manufacture of a medicament for the treatment of hepatitis B virus (HBV) infection in a hepatitis B virus-infected subject in need thereof, wherein the composition is for inhibiting expression and/or function of a viral capsid protein directly or indirectly.

26. The use of claim 25, wherein the subject is further infected with hepatitis D virus (HDV).

27. The use of claim 25, wherein the at least one compound is to be administered to the subject in a pharmaceutically acceptable composition.

28. The use of claim 25, wherein the subject is to be further administered at least one additional agent useful for treating the hepatitis B viral infection.

29. The use of claim 28, wherein the at least one additional agent comprises at least one agent selected from the group consisting of reverse transcriptase inhibitor, capsid inhibitor, cccDNA formation inhibitor, RNA destabilizer, oligomeric nucleotides targeted against the HBV genome, immunostimulators, GalNAc-siRNA conjugate targeted against an HBV gene transcript.

30. The use of claim 28, wherein the subject is to be co-administered the at least one compound and the at least one additional agent.

31. The use of claim 28, wherein the at least one compound and the at least one additional agent are coformulated.

32. The use of claim 18 or 25, wherein the subject is a mammal.

33. The use of claim 32, wherein the mammal is a human.

34. A pharmaceutical composition comprising a therapeutically effective amount of at least one compound of claim 1 for use in therapy.