

FIG. 1
Compound I Form B, XRPD Diffractogram




FIG. 2
Compound I Form B, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
4.32	2.38	23.60	28.64
8.95	2.56	23.80	6.1
9.51	2.33	24.07	3.82
9.83	10.41	24.36	11.39
10.37	7.7	25.37	7.56
10.58	4.96	25.58	6.27
11.21	5.73	25.74	24.12
11.77	5.49	26.31	5.21
13.01	4.1	26.51	3.4
13.40	21.04	26.78	3.92
13.69	7.35	27.10	3.01
14.03	4.49	27.36	2.53
14.33	4.4	27.84	2.68
14.78	13.64	28.12	5.39
15.43	1.41	28.70	5.42
15.79	24.83	29.41	2.11
16.20	23.89	29.67	2.41
16.56	8.57	29.86	3.22
16.73	35.51	30.85	1.43
17.03	74.86	31.33	2.86
17.32	67.69	31.87	3.29
17.74	55.03	31.99	3.51
18.01	22.65	32.36	1.27
18.38	2.08	32.77	2.39
19.00	100	33.95	4.75
19.62	33.42	34.26	3.51
20.25	6.13	34.49	1.73
20.45	10.29	35.05	1.59
20.83	5.76	35.53	3.27
21.03	7.87	36.39	1.8
21.32	24.22	36.60	3.84
21.76	2.85	37.24	5.15
22.01	5.69	37.72	2.22
22.28	5.32	38.55	2.35
22.67	9.05	39.05	2.32
23.06	3.04		
23.40	2.79		

SUBSTITUTE SHEET (RULE 26)

FIG. 3
Compound I Form B, DSC & TGA Thermogram




FIG. 4
Compound I Form A, XRPD Diffractogram




FIG. 5

Compound I Form A, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
4.72	2.31	22.10	36.31
5.41	6.66	22.34	84.71
7.92	6.24	22.86	6
9.46	19.31	23.30	10.63
9.88	9.38	24.13	9.47
10.90	3.67	24.27	7.98
11.85	3.05	25.27	5.44
12.89	9.52	26.05	3.6
13.40	4.11	26.42	4.16
13.70	7.63	27.03	7.34
14.02	14.41	27.99	4.71
15.46	17.04	28.48	8.32
15.98	6.63	29.79	4.13
16.27	34.79	30.23	3.33
16.55	5.61	31.01	2.96
17.06	100	31.36	4.83
17.95	2.42	32.39	4.15
18.52	28.02	33.66	7.57
18.70	66.07	34.88	2.89
19.10	7.89	36.41	6.17
19.47	25.6	38.18	6.34
19.90	49.03	38.79	4.77
20.56	2.39		
21.31	13.41		

FIG. 6
Compound I Form A, DSC Thermogram




FIG. 7
Compound I Form C, XRPD Diffractogram





FIG. 8

Compound I Form C, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
8.5968	8.18	23.1441	4.56
8.7715	29.7	24.2464	3.13
9.2166	4.89	24.7742	5.59
10.6438	21.54	25.1467	5.05
12.5512	4.54	26.1974	14.56
14.2874	15.79	27.5529	26.67
14.5478	8.58	28.2235	1.25
15.0668	21.24	28.8021	6.81
15.3725	2.02	29.2054	5.34
17.252	30.5	30.3916	6.69
17.6808	11.39	31.8511	3.05
17.9449	100	32.4429	4.17
18.3069	36.23	33.4199	4.15
18.4428	38.64	34.9298	3.68
19.0805	4.45	35.3256	3.26
19.3086	15.05	35.8468	2.02
19.7135	2.55	37.0538	2.59
19.9457	6	38.2488	5.07
21.33	38.45	38.8126	2.82
21.8022	70.77	39.3086	3.21
22.5372	17.23		
22.6993	9.41		

FIG. 9
Compound I Form C, DSC Thermogram






FIG. 11

Compound I Form F, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
4.2009	9.93	19.4119	37
8.389	6.03	20.4308	25.47
9.3401	16.45	20.6791	19.64
9.7053	15.25	21.0936	50.73
10.313	9.18	21.5416	15.05
11.3592	7.01	22.257	11.36
11.8588	6.31	23.2335	10.6
12.6048	10.33	23.828	13.07
12.9859	7.93	25.0935	13.95
14.0575	13.5	25.7941	46.7
14.2686	13.01	26.689	18.52
15.9348	98.33	28.2507	10.6
16.352	47.29	28.6687	7.55
16.7814	100	31.181	10.75
17.3092	41.9	34.0514	9.48
17.8498	23.94	35.2749	12.49
18.4663	7.84	37.2555	10.6
19.0408	70.73		

FIG. 12
Compound I Form F, DSC Thermogram




FIG. 13
Compound I THF solvate Form H, XRPD Diffractogram





FIG. 14

Compound I THF solvate Form H, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
7.9171	21.19	25.0068	47.63
8.5885	3.55	25.597	42.31
9.7248	3.31	26.2282	8.28
10.9703	20	26.4296	2.91
11.9527	19.02	26.8483	2.62
12.3666	31.58	27.289	5.9
12.991	14.84	27.7244	1.71
13.6135	1.56	27.9638	2.87
15.0665	2.15	28.2507	7.25
15.7057	28.93	28.8163	9.58
15.8672	6.45	29.4594	2.8
16.9685	31.14	29.8907	5.98
17.1242	25.42	31.0021	2.36
17.2278	100	31.7155	2.65
17.9791	9.49	32.1902	1.48
18.882	54.69	32.6338	1.65
19.134	20.78	33.443	2.89
19.5062	3.45	33.9164	2.14
19.8393	4.83	34.1782	4.34
20.3703	34.09	34.8012	4.15
20.6363	23.29	35.1149	3.71
20.858	62.9	35.854	2.87
21.7795	2.34	36.3536	2.76
22.1284	7.66	37.2366	2.74
22.5189	3.45	38.0423	1.9
22.983	6.78	38.8331	3.04
23.5185	47.73		
24.0099	2.41		

FIG. 15
Compound I THF solvate Form H, DSC & TGA Thermogram







FIG. 17

Compound I Form J, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
5.9983	24.73	21.3847	3.86
8.9348	3.34	21.9291	20.93
9.771	6.57	22.3163	8.6
10.1779	2.31	22.6476	5.72
11.7769	2.04	23.2174	4.41
13.0994	28.01	23.6222	2.68
13.6539	16.78	23.9781	7.47
13.9044	4.17	24.6701	4.09
14.4123	1.73	25.2853	6.76
14.7806	1.76	26.0389	2.22
15.6203	19.77	26.6487	5.51
16.218	2.35	27.4251	10.89
16.6847	9.89	28.0026	5.3
17.0445	8.17	28.7636	4.29
17.272	100	29.1083	3.55
17.7455	1.79	29.6541	2.5
18.0542	13.4	30.1576	2.33
18.3253	18.88	30.8903	4.94
18.8187	23.87	32.8973	2.06
19.0841	17.42	35.2322	1.75
19.8242	46.18	35.9291	3.44
20.0847	81.02	36.7109	2.34
20.4723	5.43	39.1978	4.88
20.9422	5.38		

FIG. 18
Compound I Form J, DSC Thermogram







FIG. 20

Compound I AcOH solvate Form K, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
7.2844	14.87	23.9649	29.34
8.3842	30.59	24.1475	32.39
10.7841	26.41	25.0082	2.86
11.0485	21.09	25.2471	11.93
12.9607	16	25.552	10.44
14.4412	5.57	26.1599	19.41
14.8829	9.98	26.5591	7.56
15.1971	21.84	26.9464	49.94
15.978	62.58	27.7318	10.56
16.653	29.46	28.7786	3.71
16.8288	92.13	29.0797	29.67
18.5435	10.35	29.4257	7.65
18.9805	16.82	30.0352	16.64
19.1035	34.85	31.076	4.75
19.2515	15.46	31.7403	7.05
19.4353	100	32.16	5.09
19.8508	19.81	33.7048	10.57
20.306	32.83	34.5729	4.03
21.0342	9.8	35.2096	5.6
21.6105	5.61	35.524	6.27
21.9875	34.95	35.8015	4.27
22.2697	80.11	36.879	3.47
23.1425	11.44	38.5404	8.25
23.6221	35.03		

FIG. 21

Compound I AcOH solvate Form K, DSC & TGA Thermogram







FIG. 23

Compound I Form L, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
9.8106	2.45	24.5218	19.3
10.5892	3.99	25.1419	7.78
11.6928	9.14	26.0947	16.11
13.0741	12.89	26.7205	4.83
13.6496	20.32	27.4813	16.22
14.5521	36.25	27.9842	5.63
15.5056	51.44	28.5897	10.21
16.5659	1.76	29.4212	4.57
17.2365	18.85	30.7553	4.97
18.559	22.96	31.7439	3.36
19.3655	100	33.0304	3.22
19.7464	78.33	35.3031	5.77
20.5913	20.2	36.3914	4.03
21.336	8.68	37.2898	3.06
21.6661	10.59	38.4567	1.8
22.2146	32.2	39.4205	1.79
23.1876	10.94		
23.55	5.66		

FIG. 24
Compound I Form L, DSC Thermogram







FIG. 26

Compound I Dioxane solvate Form M, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
4.3768	0.3	23.7233	3.85
5.4428	4.06	23.9565	9.36
9.7107	0.76	24.3708	6.27
9.7107	0.76	24.7858	1.3
10.6812	28.88	25.0976	14.39
11.1911	4.27	25.4686	5.89
12.4423	5.68	25.7606	2.78
13.9537	6.96	26.3062	5.79
14.4796	13.61	26.8719	46.91
15.3224	60.93	26.9399	23.45
16.2019	21.25	27.586	1.55
17.511	65.93	28.145	2.22
18.1249	6.49	28.6619	23.92
18.7947	20.21	29.4561	10.59
19.1367	10.44	29.913	1.22
19.547	55.66	30.173	1.66
19.8038	38.39	31.0216	7.13
20.0852	48.14	32.5	1.9
20.3878	26.22	32.825	1.75
20.7491	100	33.228	1.72
21.4909	27.97	33.748	1.37
21.9821	7.23	34.1154	4.37
22.0374	3.61	35.6514	6.86
22.296	14.48	37.3788	4.45
22.5466	12.02	38.0456	10.11
22.8945	5.19		
23.6637	7.7		

FIG. 27
Compound I Dioxane solvate Form M, DSC & TGA Thermogram






FIG. 29

Compound I Acetone solvate Form Q, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
7.8329	37.48	25.1992	32.72
8.4759	7.31	25.4453	84.4
9.9559	16.34	25.8732	10.29
11.0463	42.51	26.1614	5.74
11.7523	16.56	26.417	11.35
12.0378	31.63	26.7543	18.01
12.8498	36.46	27.2115	10.89
13.3552	5.58	27.928	16.25
14.8984	7.72	29.042	1.26
15.8642	62.13	29.354	1.21
17.0046	100	29.9009	5.87
17.2129	71.77	30.2304	10.01
17.4893	60.55	31.1151	13.03
18.5229	7.35	31.668	1.88
18.8435	95.81	32.1411	5.89
19.2667	27.66	33.3745	6
19.623	3.3	34.1675	4.9
20.0908	32.78	34.6411	3.57
20.3035	49.16	34.9543	4.1
20.5872	96.31	35.5966	13.21
21.5894	3.83	36.3053	6.66
22.0953	18.89	37.0444	3.96
22.5194	11.6	37.5811	6.1
23.0467	10.91	38.1735	8.78
23.9547	39.11	39.2091	6.15
24.429	4.27		




FIG. 31

. Compound I MeOH solvate Form R, XRPD Peak Table

Angle/ ° 2 θ	Rel. Int. [%]	Angle/ ° 2 θ	Rel. Int. [%]
6.8042	17.05	26.182	1.1
10.137	2.52	26.3985	13.82
10.556	31.49	26.663	2.86
11.7745	9.2	26.7305	1.43
12.6001	12.18	26.9225	3.57
13.4081	7.18	26.9907	1.78
13.6357	3.96	27.0785	15.86
13.8352	2.11	27.1471	7.93
14.6403	52.92	27.417	0.61
15.147	2.9	27.872	1.07
17.017	0.76	28.158	0.75
17.6882	15.48	28.7251	1.78
18.1622	5.83	29.2967	1.56
18.6884	2.39	29.51	1
19.4251	4.06	30.1559	4.84
19.9768	11.36	30.9471	6.02
20.3535	60.37	31.026	3.01
20.4362	100	31.3272	2.02
21.9519	8.99	32.0929	1.98
22.231	8.86	32.6465	2.59
22.3559	5.19	33.777	1.27
22.4122	2.59	34.216	0.54
22.7415	1.89	34.5429	2.3
22.9526	4.02	34.775	1.02
23.3039	28.85	35.4206	1.74
23.6956	1.42	35.7264	4.66
24.115	1.07	36.4239	3.67
24.3269	7.98	37.9154	2.16
25.0391	2.48	39.2971	5.17
25.3627	1.76		
25.9253	3.45		

FIG. 32
Compound I MeOH solvate Form R, DSC & TGA Thermogram

