

SEQUENCE LISTING

<110> PeptiAID Inc.
JAPAN AS REPRESENTED BY THE DIRECTOR-GENERAL OF NATIONAL INSTITUTE
OF INFECTIOUS DISEASES

<120> PEPTIDE AND PEPTIDE-CONTAINING COMPOSITION

<130> FA1745-22027

<150> JP 2021-047773

<151> 2021-03-22

<150> JP 2021-192510

<151> 2021-11-26

<160> 218

<170> PatentIn version 3.5

<210> 1

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for Ala, Glu, N-methyl-alanine or N-methyl-glutamic
acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl amino acid

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for Ser or alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for an amino acid having a side chain of unsubstituted or substituted aromatic ring

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for any amino acid

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for an amino acid having a side chain of unsubstituted or substituted aromatic ring

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for any amino acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for any basic amino acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<400> 1

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys
1 5 10

<210> 2

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-alanine

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 2

Xaa Xaa Ser Xaa Tyr Ser Tyr Tyr Arg Arg Xaa Cys Xaa
1 5 10

<210> 3
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN

<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 3

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys
1 5 10

<210> 4
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MOD_RES
 <222> (12)..(12)
 <223> AMIDATION

<400> 4

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys
 1 5 10

<210> 5
 <211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 5

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys
1 5 10

<210> 6
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MOD_RES
 <222> (12)..(12)
 <223> AMIDATION

<400> 6

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Xaa	Xaa	Cys
1				5					10		

<210> 7
 <211> 12
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN

<222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MOD_RES
 <222> (12)..(12)
 <223> AMIDATION

 <400> 7

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys
 1 5 10

<210> 8
 <211> 12
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MOD_RES
 <222> (12)..(12)
 <223> AMIDATION

<400> 8

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys
 1 5 10

<210> 9
 <211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>

<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 9

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys
1 5 10

<210> 10
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 10

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Ala Xaa Xaa Cys
1 5 10

<210> 11
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN

<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 11

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Ala Xaa Xaa Cys
1 5 10

<210> 12
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MOD_RES
 <222> (12)..(12)
 <223> AMIDATION

<400> 12

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys
 1 5 10

<210> 13
 <211> 12

<212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

 <220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MOD_RES
 <222> (12)..(12)
 <223> AMIDATION

 <400> 13

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Ala Xaa Xaa Cys
1 5 10

<210> 14
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 14

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Ala Xaa Xaa Cys
1 5 10

<210> 15
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for L-alpha,gamma-diamino-butyric acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN

<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 15

Xaa Xaa Ser Xaa Tyr Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 16
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-alpha,beta-diamino-propionic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 16

Xaa Xaa Ser Xaa Tyr Xaa Tyr Tyr Glu Arg Xaa Cys Xaa
1 5 10

<210> 17
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-heptanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)

<223> AMIDATION

<400> 17

Xaa Xaa Ser Xaa Tyr Lys Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 18

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 18

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Ala Arg Xaa Cys Xaa
1 5 10

<210> 19
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 19

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 20
<211> 13
<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 20

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 21

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-arginine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 21

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 22
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 22

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 23

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 23

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Xaa	Xaa	Xaa	Xaa	Cys	Xaa
1				5						10		

<210> 24
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN

<222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 24

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
 1 5 10

 <210> 25
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

 <220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 25

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Lys Xaa Xaa Cys Xaa
1 5 10

<210> 26
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for D-aspartic acid

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 26

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Lys Xaa Xaa Cys Xaa
1 5 10

<210> 27

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 27

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 28
 <211> 13
 <212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for D-aspartic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 28

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 29
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 29

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 30
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for D-aspartic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 30

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa

1

5

10

<210> 31

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 31

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Ala Xaa Xaa Cys Xaa
 1 5 10

<210> 32
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>
<221> MUTAGEN

<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 32

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Ala Xaa Xaa Cys Xaa
1 5 10

<210> 33
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 33

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 34
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid
 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine
 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine
 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine
 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine
 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid
 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine
 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine
 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid
 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine
 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid
 <220>

<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 34

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 35
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 35

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Xaa	Lys	Xaa	Xaa	Cys	Xaa
1				5					10			

<210> 36
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN

<222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 36

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 37
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 37

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Ala Arg Xaa Cys Xaa
 1 5 10

<210> 38
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid
 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine
 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine
 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine
 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine
 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid
 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine
 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine
 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid
 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION
 <400> 38

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Ala Xaa Xaa Cys Xaa
 1 5 10

<210> 39
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 39

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Ala Xaa Xaa Cys Xaa
1 5 10

<210> 40
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN

<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 40

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 41
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 41

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Xaa	Xaa	Cys	Xaa
1				5						10		

<210> 42
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 42

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 43
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 43

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 44

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 44

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 45
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 45

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 46
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 46

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Lys Xaa Xaa Cys Xaa

1

5

10

<210> 47

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 47

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 48

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 48

Xaa Xaa Ser Xaa Xaa Xaa Tyr Xaa Ala Arg Xaa Cys Xaa
1 5 10

<210> 49
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 49

Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Tyr	Xaa	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 50
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl- phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 50

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Arg Xaa Cys Xaa

1

5

10

<210> 51

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 51

Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 52
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 52

Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 53
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
 <221> MUTAGEN

<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 53

Xaa	Xaa	Ser	Xaa	Xaa	Glu	Tyr	Xaa	Ala	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 54
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 54

Xaa	Xaa	Ser	Xaa	Xaa	Glu	Tyr	Xaa	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 55
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 55

Xaa Xaa Ser Xaa Xaa Glu Tyr Tyr Ala Arg Xaa Cys Xaa
1 5 10

<210> 56

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 56

Xaa Xaa Ser Xaa Xaa Glu Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 57
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 57

Xaa Xaa Ser Xaa Xaa Glu Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 58
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for 3-pyridyl-L-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 58

Xaa Xaa Ser Xaa Xaa Ser Tyr Xaa Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 59
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for 3-pyridyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 59

Xaa Xaa Ser Xaa Xaa Ser Tyr Xaa Ala Arg Xaa Cys Xaa
 1 5 10

<210> 60
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 60

Xaa Xaa Ser Xaa Xaa Ser Tyr Xaa Ala Arg Xaa Cys Xaa
1 5 10

<210> 61
<211> 13

<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 61

Xaa Xaa Ser Xaa Xaa Ser Tyr Xaa Xaa Arg Xaa Cys Xaa
1 5 10

<210> 62
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 62

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Ala Arg Xaa Cys Xaa
1 5 10

<210> 63
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 63

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Ala Arg Xaa Cys Xaa
 1 5 10

<210> 64
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

 <220>
 <221> MUTAGEN

<222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 64

Xaa	Xaa	Ser	Xaa	Xaa	Ser	Tyr	Tyr	Ala	Lys	Xaa	Cys	Xaa
1				5					10			

<210> 65
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 65

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Ala Lys Xaa Cys Xaa
1 5 10

<210> 66
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 66

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Ala Xaa Xaa Cys Xaa
1 5 10

<210> 67

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 67

Xaa	Xaa	Ser	Xaa	Xaa	Ser	Tyr	Tyr	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 68
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 68

Xaa	Xaa	Ser	Xaa	Xaa	Ser	Tyr	Tyr	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 69
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN

<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 69

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 70
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 70

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 71
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 71

Xaa	Xaa	Ser	Xaa	Xaa	Ser	Tyr	Tyr	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 72

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 72

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 73
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 73

Xaa	Xaa	Ser	Xaa	Xaa	Ser	Tyr	Tyr	Xaa	Lys	Xaa	Cys	Xaa
1				5					10			

<210> 74
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN

<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 74

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 75
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 75

Xaa Xaa Ser Xaa Xaa Ser Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 76
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for D-serine

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 76

Xaa Xaa Ser Xaa Xaa Xaa Tyr Xaa Ala Arg Xaa Cys Xaa
1 5 10

<210> 77

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-serine

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 77

Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Tyr	Xaa	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 78
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-serine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 78

Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Tyr	Tyr	Ala	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 79
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN

<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-serine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 79

Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 80
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-serine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 80

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 81
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 81

Xaa Xaa Ser Xaa Xaa Xaa Tyr Xaa Ala Arg Xaa Cys Xaa
1 5 10

<210> 82

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 82

Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Tyr	Xaa	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 83
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 83

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Arg Xaa Cys Xaa
 1 5 10

<210> 84
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN

<222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 84

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Arg Xaa Cys Xaa
 1 5 10

<210> 85
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 85

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Lys Xaa Cys Xaa
1 5 10

<210> 86
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 86

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Lys Xaa Cys Xaa
1 5 10

<210> 87

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 87

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 88
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 88

Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 89

<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 89

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 90
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)

<223> AMIDATION

<400> 90

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 91

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 91

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 92
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 92

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 93
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN

<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 93

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 94
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 94

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 95
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for (S)-2-amino-3-(4-(2-aminoethoxy)-phenyl) propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 95

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Ala Arg Xaa Cys Xaa
1 5 10

<210> 96

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for (S)-2-amino-3-(4-(2-aminoethoxy)-phenyl) propanoic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 96

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 97
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for 3-pyridyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 97

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Ala Arg Xaa Cys Xaa
1 5 10

<210> 98
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for 3-pyridyl-L-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 98

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Arg Xaa Cys Xaa
1 5 10

<210> 99

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 99

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 100
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 100

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Lys Xaa Cys Xaa
 1 5 10

<210> 101
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-arginine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 101

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 102

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 102

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 103

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 103

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 104
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 104

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Lys Xaa Cys Xaa
 1 5 10

<210> 105
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN

<222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 105

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 106

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for D-aspartic acid

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 106

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 107

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (8)..(8)
<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 107

Xaa Xaa Xaa Xaa Xaa Ser Tyr Xaa Ala Arg Xaa Cys Xaa
1 5 10

<210> 108
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 108

Xaa Xaa Xaa Xaa Xaa Ser Tyr Xaa Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 109
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN

<222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 109

Xaa	Xaa	Xaa	Xaa	Xaa	Ser	Tyr	Tyr	Ala	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 110
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 110

Xaa Xaa Xaa Xaa Xaa Ser Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 111
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 111

Xaa Xaa Xaa Xaa Xaa Ser Tyr Tyr Xaa Arg Xaa Cys Xaa
1 5 10

<210> 112

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 112

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Xaa	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 113
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 113

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Lys Xaa Cys Xaa
 1 5 10

<210> 114
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (8)..(8)
 <223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 114

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 115
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (8)..(8)

<223> Xaa stands for beta-(1-naphthyl)-L-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 115

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 116

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 116

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Ala Arg Xaa Cys Xaa
1 5 10

<210> 117
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 117

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Ala Lys Xaa Cys Xaa
 1 5 10

<210> 118
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN

<222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 118

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Ala	Xaa	Xaa	Cys	Xaa
1				5					10			

<210> 119
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 119

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa

<210> 120
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 120

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 121
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 121

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 122
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN

<222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 122

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 123
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 123

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Lys Xaa Cys Xaa
 1 5 10

<210> 124
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-arginine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 124

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 125

<211> 13

<212> PRT

<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 125

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 126

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 126

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 127
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> primer for RT-PCR

<400> 127
acaggtacgt taatagttaa tagcgt 26

<210> 128
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> primer for RT-PCR

<400> 128
atattgcagc agtacgcaca ca 22

<210> 129
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> probe

<400> 129

acactagcca tccttactgc gcttcg

26

<210> 130
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> N-2 forward primer for RT-PCR

<400> 130
ttacaaacat tggccgcaaa

20

<210> 131
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N-2 reverse primer for RT-PCR

<400> 131
gcgcgacatt ccgaagaa

18

<210> 132
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN

<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 132

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Xaa Xaa Cys Xaa
1 5 10

<210> 133
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 133

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Xaa Xaa Cys Xaa
1 5 10

<210> 134
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-arginine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 134

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Xaa Xaa Cys Xaa
1 5 10

<210> 135

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 135

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Ala Xaa Xaa Cys Xaa
 1 5 10

<210> 136
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 136

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 137
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 137

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 138
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-arginine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 138

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 139

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 139

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 140
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 140

Xaa Xaa Ser Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 141

<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 141

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 142
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 142

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 143

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 143

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Arg	Xaa	Cys	Xaa
1				5					10			

<210> 144
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-phenylalanine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 144

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Lys Xaa Cys Xaa
1 5 10

<210> 145
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN

<222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 145

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Xaa	Xaa	Cys	Xaa
1				5						10		

<210> 146
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-phenylalanine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 146

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 147

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-phenylalanine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 147

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 148
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 148

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Xaa	Xaa	Cys	Xaa
1				5						10		

<210> 149
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN

<222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyrlic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 149

Xaa Xaa Ser Xaa Tyr Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 150
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyric acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 150

Xaa Xaa Xaa Xaa Tyr Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 151
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for D-aspartic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for L-alpha,gamma-diamino-butyric acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-arginine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 151

Xaa Xaa Ser Xaa Tyr Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 152

<211> 13

<212> PRT

<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for L-alpha,gamma-diamino-butyric acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 152

Xaa Xaa Xaa Xaa Tyr Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 153

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 153

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

 <210> 154
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

 <220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 154

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 155
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<400> 155

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa

1

5

10

<210> 156
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 156

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 157
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN

<222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 157

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 158
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 158

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 159
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 159

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 160
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 160

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 161
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN

<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 161

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 162
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 162

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 163
 <211> 13

<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<400> 163

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 164
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 164

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 165
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN

<222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyric acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 165

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 166
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyric acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 166

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 167
 <211> 13

<212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

 <220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyric acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-arginine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>

<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 167

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 168
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyrlic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 168

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 169
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN

<222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyric acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 169

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Arg Xaa Cys Xaa
 1 5 10

<210> 170
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyric acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)

<223> AMIDATION

<400> 170

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 171

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for D-aspartic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for L-alpha,gamma-diamino-butyric acid

<220>

<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-arginine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 171

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 172
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for L-alpha,gamma-diamino-butyric acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 172

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 173
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN

<222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for 4-amino-1-(carboxymethyl)piperidin-4-carboxylic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 173

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 174

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-glycine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 174

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 175

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-D-glutamic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 175

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 176
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-aspartic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 176

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 177
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for 3-pyridyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 177

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 178
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for 3-pyridyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
 <221> MUTAGEN

<222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 178

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

 <210> 179
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

 <220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for 3-pyridyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-alanine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 179

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 180
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for 3-pyridyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-alanine

<220>
 <221> MUTAGEN
 <222> (7)..(7)
 <223> Xaa stands for (S)-2-amino-3-(4-hydroxy-methylphenyl) -propanoic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 180

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 181

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for 3-pyridyl-L-alanine

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 181

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 182
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for 3-pyridyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-alanine

<220>
 <221> MUTAGEN
 <222> (7)..(7)
 <223> Xaa stands for (S)-2-amino-3-(4-hydroxy-methylphenyl) -propanoic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 182

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 183
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for
(S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)

<223> Xaa stands for D-aspartic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 183

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa

1 5 10

<210> 184

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-alanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 184

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 185
 <211> 13

<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for
(S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-D-alanine

<220>
<221> MUTAGEN
<222> (7)..(7)
<223> Xaa stands for (S)-2-amino-3-(4-hydroxy-methylphenyl) -propanoic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 185

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 186
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>

<221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methylglycine

 <220>
 <221> MUTAGEN
 <222> (7)..(7)
 <223> Xaa stands for (S)-2-amino-3-(4-hydroxy-methylphenyl) -propanoic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 186

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 187
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

<220>
 <221> MUTAGEN
 <222> (7)..(7)
 <223> Xaa stands for (S)-2-amino-3-(4-hydroxy-methylphenyl) -propanoic acid

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 187

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 188
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 188

Xaa Xaa Xaa Xaa Xaa Pro Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 189

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for 3-pyridyl-L-alanine

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for 4-amino-1-(carboxymethyl)piperidin-4-carboxylic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 189

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 190
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for 3-pyridyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for 2-methyl-serine

<220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES

<222> (13)..(13)
<223> AMIDATION

<400> 190

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 191
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for 3-pyridyl-L-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glycine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 191

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 192
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for 3-pyridyl-L-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-D-glutamic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 192

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa

1

5

10

<210> 193

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for 3-pyridyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 193

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 194

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for 3-pyridyl-L-alanine

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 194

Xaa Xaa Xaa Xaa Xaa Pro Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 195
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for 3-pyridyl-L-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 195

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 196
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine
 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine
 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid
 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine
 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for 4-amino-1-(carboxymethyl)piperidin-4-carboxylic acid
 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine
 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid
 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine
 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid
 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION
 <400> 196

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 197
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for
(S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for 2-methyl-serine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
<221> MUTAGEN

<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 197

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 198
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for
(S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glycine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 198

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 199
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN

<222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 199

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 200
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for
(S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-D-aspartic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>

<221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 200

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Xaa	Xaa	Cys	Xaa
1				5							10	

<210> 201
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
 <221> MUTAGEN
 <222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 201

Xaa Xaa Xaa Xaa Xaa Pro Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 202

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for 4-carboxy-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 202

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 203

<211> 13

<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for 2-methyl-serine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for 4-carboxy-L-phenylalanine

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for (S)-2-amino-3-(piperidin-4-yl)-propanoic acid

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 203

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 204
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for 3-pyridyl-L-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for 4-amino-1-(carboxymethyl)piperidin-4-carboxylic acid

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 204

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 205
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for 3-pyridyl-L-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN

<222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for 2-methyl-serine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 205

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 206
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for 3-pyridyl-L-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for N-methyl-glycine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 206

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Xaa	Xaa	Cys	Xaa
1				5					10			

<210> 207

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for 3-pyridyl-L-alanine

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-D-glutamic acid

<220>

<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 207

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 208
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for 3-pyridyl-L-alanine

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 208

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Xaa	Xaa	Cys	Xaa
1				5						10		

<210> 209
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for 3-pyridyl-L-alanine

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 209

Xaa Xaa Xaa Xaa Xaa Pro Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 210

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for
(S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for 4-amino-1-(carboxymethyl)piperidin-4-carboxylic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 210

 Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 211
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

<220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for 2-methyl-serine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 211

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 212
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> artificial peptide

 <220>
 <221> MUTAGEN

<222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-glycine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

<400> 212

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 213

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN

<222> (1)..(1)

<223> Xaa stands for N-methyl-glutamic acid

<220>

<221> MUTAGEN

<222> (2)..(2)

<223> Xaa stands for N-methyl-L-norleucine

<220>

<221> MUTAGEN

<222> (3)..(3)

<223> Xaa stands for alpha-methyl-alanine

<220>

<221> MUTAGEN

<222> (4)..(4)

<223> Xaa stands for
(S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-D-glutamic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>
<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 213

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 214
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for

(S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

<220>

<221> MUTAGEN

<222> (5)..(5)

<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>

<221> MUTAGEN

<222> (6)..(6)

<223> Xaa stands for N-methyl-D-aspartic acid

<220>

<221> MUTAGEN

<222> (9)..(9)

<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>

<221> MUTAGEN

<222> (10)..(10)

<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN

<222> (11)..(11)

<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>

<221> MUTAGEN

<222> (13)..(13)

<223> Xaa stands for D-glutamic acid

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 214

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa

1

5

10

<210> 215

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> artificial peptide

<220>

<221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

 <220>
 <221> MUTAGEN
 <222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for
 (S)-2-amino-3-(2,3-dihydro-1H-indene-2-yl)-propanoic acid

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MOD_RES
 <222> (13)..(13)
 <223> AMIDATION

 <400> 215

Xaa Xaa Xaa Xaa Xaa Pro Tyr Tyr Xaa Xaa Xaa Cys Xaa

<210> 216
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
<221> MUTAGEN
<222> (6)..(6)
<223> Xaa stands for 2-methyl-serine

<220>
<221> MUTAGEN
<222> (9)..(9)
<223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

<220>
<221> MUTAGEN
<222> (10)..(10)
<223> Xaa stands for D-lysine

<220>

<221> MUTAGEN
<222> (11)..(11)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (13)..(13)
<223> Xaa stands for D-glutamic acid

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 216

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 217
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> artificial peptide

<220>
<221> MUTAGEN
<222> (1)..(1)
<223> Xaa stands for N-methyl-glutamic acid

<220>
<221> MUTAGEN
<222> (2)..(2)
<223> Xaa stands for N-methyl-L-norleucine

<220>
<221> MUTAGEN
<222> (3)..(3)
<223> Xaa stands for alpha-methyl-alanine

<220>
<221> MUTAGEN
<222> (4)..(4)
<223> Xaa stands for beta-cyclohexyl-L-alanine

<220>
<221> MUTAGEN
<222> (5)..(5)
<223> Xaa stands for 4-fluoro-L-phenylalanine

<220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for N-methyl-D-aspartic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

<400> 217

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Tyr	Xaa	Xaa	Xaa	Cys	Xaa
1				5						10		

<210> 218
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> artificial peptide

<220>
 <221> MUTAGEN
 <222> (1)..(1)
 <223> Xaa stands for N-methyl-glutamic acid

<220>
 <221> MUTAGEN
 <222> (2)..(2)
 <223> Xaa stands for N-methyl-L-norleucine

<220>
 <221> MUTAGEN

<222> (3)..(3)
 <223> Xaa stands for alpha-methyl-alanine

 <220>
 <221> MUTAGEN
 <222> (4)..(4)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (5)..(5)
 <223> Xaa stands for 4-fluoro-L-phenylalanine

 <220>
 <221> MUTAGEN
 <222> (6)..(6)
 <223> Xaa stands for D-glutamic acid

 <220>
 <221> MUTAGEN
 <222> (9)..(9)
 <223> Xaa stands for (S)-2-amino-5-ureidopentanoic acid

 <220>
 <221> MUTAGEN
 <222> (10)..(10)
 <223> Xaa stands for D-lysine

 <220>
 <221> MUTAGEN
 <222> (11)..(11)
 <223> Xaa stands for beta-cyclohexyl-L-alanine

 <220>
 <221> MUTAGEN
 <222> (13)..(13)
 <223> Xaa stands for D-glutamic acid

 <400> 218

Xaa Xaa Xaa Xaa Xaa Xaa Tyr Tyr Xaa Xaa Xaa Cys Xaa
 1 5 10