


*Fig. 1*




Fig. 2

+

3/7




Fig. 3

+

438

450	452	454	457	458
COMMAND	PHYSICAL ADDRESS	LOGICAL ADDRESS	HOST WRITE	RECLAMATION WRITE
456-1 WRITE-1	PA-1	LA-1	HW-1	RW-1
456-2 WRITE-2	PA-2	LA-2	HW-2	RW-2
456-3 WRITE-3	PA-3	LA-3	HW-3	RW-3
• • •	• • •	• • •	• • •	• • •
456-N WRITE-N	PA-N	LA-N	HW-N	RW-N

Fig. 4

5/7

534

	552 PHYSICAL ADDRESS	560 DATA VALIDITY	562 ERASE COUNT	564 STATUS INFORMATION
566-1	PA-1	DV-1	EC-1	SI-1
566-2	PA-2	DV-2	EC-2	SI-2
566-3	PA-3	DV-3	EC-3	SI-3
	• • •	• • •	• • •	• • •
566-M	PA-M	DV-M	EC-M	SI-M

Fig. 5

+


636

	652 PHYSICAL ADDRESS	654 LOGICAL ADDRESS
670-1	PA-1	LA-1
670-2	PA-2	LA-2
670-3	PA-3	LA-3
	• • •	• • •
670-R	PA-R	LA-R

Fig. 6

+

7/7

**Fig. 7**