In one aspect, the present disclosure provides an immunogenic product which: i) comprises the amino acid sequence $V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}G_{29}A_{30}I_{31}I_{32}G_{33}$ (SEQ ID NO: 2) wherein one, two, three, four, five or six amino acids are substituted by different amino acids and said one, two, three, four, five or six amino acid substitutions are selected from the group consisting of:

Amino acid	substituted by
V18	H, R, K, D, E, C, N, S, T, Q, P, F, Y, W
F19	H, R, K, D, E, C, N, S, T, Q, A, G, P, V, L, M, I
F20	H, R, K, D, E, C, N, S, T, Q, P, A, G, V, L, M, I
A21	H, R, K, G, P, D, E, F, Y, W
E22	V, L, M, I, F, Y, W, A, C, N, S, T, P, Q
D23	H, R, K, V, L, M, I, F, Y, W, P, C, N, S, T, Q
V24	H, R, K, D, E, C, N, S, T, Q, P, F, Y, W
G25	H, R, K, V, L, M, I, F, Y, W, P, D, E
S26	H, R, K, P, D, E, F, Y, W
N27	H, R, K, V, L, M, I, F, Y, W, P, D, E
K28	D, E, A, G, V, L, M, I, F, Y, W, P, C, N, S, T, Q
G29	H, R, K, D, E, C, N, S, T, Q, V, L, M, I, F, Y, W, P
A30	H, R, K, D, E, C, N, S, T, Q, G, V, L, M, I, F, Y, W, P
I31	H, R, K, D, E, C, N, S, T, Q, P, F, Y, W
I32	H, R, K, D, E, C, N, S, T, Q, P, F, Y, W
G33	H, R, K, D, E, C, N, S, T, Q, V, L, M, I, F, Y, W, P

and ii) is reactive with a monoclonal antibody selected from the group consisting of monoclonal antibody 7C6 obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7240; monoclonal antibody

4D10 obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7405, or monoclonal antibody 5F7 obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7241, wherein the monoclonal antibody preferably binds the product with a K_D of $1x10^{-6}$ M or greater affinity.

In another aspect, the present disclosure refers to a composition comprising a product as defined herein, wherein the composition is preferably a vaccine and optionally comprises a pharmaceutically acceptable excipient, for example an adjuvant such as Complete Freund's Adjuvant (CFA) or an adjuvant comprising an aluminium salt.

In another aspect, the present disclosure refers to a product as defined herein for use in therapy.

In another aspect, the present disclosure refers to the use of a product as defined herein in the manufacture of a medicament for treating or preventing an amyloidosis, wherein the product is for active immunization.

In another aspect, the present disclosure refers to a product as defined herein for use in diagnosing an amyloidosis.

Thus, the disclosure provides an immunogenic product comprising an amyloid β (Aβ) amino acid sequence having 62.5% or higher identity to the amino acid sequence

$V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}G_{29}A_{30}I_{31}I_{32}G_{33}$ [SEQ ID NO:2; Aβ(18-33)],

wherein the product

i) is reactive with a monoclonal antibody selected from the group consisting of monoclonal antibody 7C6 obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7240; monoclonal antibody 4D10

obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7405, or monoclonal antibody 5F7 obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7241; and

ii) is capable of eliciting a polyclonal antiserum which has no or low cross-reactivity to platelet factor 4 (PF-4)

The present disclosure also relates to a composition comprising an immunogenic product as disclosed herein.

The present disclosure further relates to a method of treating or preventing an amyloidosis in a subject in need thereof, which comprises administering an immunogenic product as disclosed herein to the subject. In a related example, the present disclosure relates to an immunogenic product as disclosed herein for use in treating or preventing an amyloidosis.

The present disclosure also relates to a method of diagnosing an amyloidosis which comprises providing a sample from the subject suspected of having the amyloidosis, contacting the sample with an immunogenic product as disclosed herein for a time and under conditions sufficient for the formation of a complex comprising the product and an antibody, the presence of the complex indicating the subject has the amyloidosis. In a related example, the present disclosure relates to an immunogenic product as disclosed herein for use in diagnosing an amyloidosis.

The present disclosure also relates to a method of identifying an agent capable of binding to an immunogenic product as disclosed herein, which method comprises the steps

of: a) exposing one or more agents of interest to the product for a time and under conditions sufficient for the one or more agents to bind to the product; and b) identifying those agents which bind to the product.

In a related example, the diosclosure provides a method of providing an antibody capable of binding to an immunogenic product as disclosed herein, which comprises

i) providing an antigen comprising the product;

ii) exposing an antibody repertoire to said antigen; and

iii) selecting from said repertoire an antibody which binds to the product.

The present disclosure further relates to a molecule comprising an amino acid sequence identical to a portion (X-Y) of an amino acid sequence selected from the group consisting of:

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}A_{19}F_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:13; Aβ(1-43)F19A];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}A_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:14; Aβ(1-43)F20A];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}A_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:15; Aβ(1-43)E22A];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}F_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:16; Aβ(1-43)E22F];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}V_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:17; Aβ(1-43)E22V];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}L_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:18; Aβ(1-43)E22L];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}K_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:19; Aβ(1-43)D23K];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}L_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:20; Aβ(1-43)D23L];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}V_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:21; Aβ(1-43)G25V];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}G_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:22; Aβ(1-43)A30G];
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}G_{20}A_{21}A_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ [SEQ ID NO:23; Aβ(1-43)F20G E22A];

CLAIMS

1. An immunogenic product which:

i) comprises the amino acid sequence $V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}G_{29}A_{30}I_{31}I_{32}G_{33}$ (SEQ ID NO: 2) wherein one, two, three, four, five or six amino acids are substituted by different amino acids and said one, two, three, four, five or six amino acid substitutions are selected from the group consisting of:

Amino acid	substituted by
V18	H, R, K, D, E, C, N, S, T, Q, P, F, Y, W
F19	H, R, K, D, E, C, N, S, T, Q, A, G, P, V, L, M, I
F20	H, R, K, D, E, C, N, S, T, Q, P, A, G, V, L, M, I
A21	H, R, K, G, P, D, E, F, Y, W
E22	V, L, M, I, F, Y, W, A, C, N, S, T, P, Q
D23	H, R, K, V, L, M, I, F, Y, W, P, C, N, S, T, Q
V24	H, R, K, D, E, C, N, S, T, Q, P, F, Y, W
G25	H, R, K, V, L, M, I, F, Y, W, P, D, E
S26	H, R, K, P, D, E, F, Y, W
N27	H, R, K, V, L, M, I, F, Y, W, P, D, E
K28	D, E, A, G, V, L, M, I, F, Y, W, P, C, N, S, T, Q
G29	H, R, K, D, E, C, N, S, T, Q, V, L, M, I, F, Y, W, P
A30	H, R, K, D, E, C, N, S, T, Q, G, V, L, M, I, F, Y, W, P

I31	H, R, K, D, E, C, N, S, T, Q, P, F, Y, W
I32	H, R, K, D, E, C, N, S, T, Q, P, F, Y, W
G33	H, R, K, D, E, C, N, S, T, Q, V, L, M, I, F, Y, W, P

and

ii) is reactive with a monoclonal antibody selected from the group consisting of monoclonal antibody 7C6 obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7240; monoclonal antibody 4D10 obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7405, or monoclonal antibody 5F7 obtainable from a hybridoma designated by American Type Culture Collection deposit number PTA-7241, wherein the monoclonal antibody preferably binds the product with a K_D of $1x10^{-6}$ M or greater affinity.

2. The product of claim 1, which comprises amino acid substitutions at positions E22/G25, F20/E22, F20/I31, A21/E22, A21/D23 or E22/S26 of SEQ ID NO:2.

3. The product of claim 1 or 2, wherein the polyclonal antiserum has an affinity to an Aβ globulomer which is at least 2 times, e. g. at least 3 times or at least 5 times, preferably at least 10 times, e. g. at least 20 times, at least 30 times or at least 50 times, more preferably at least 100 times, e. g. at least 200 times, at least 300 times or at least 500 times, and even more preferably at least 1000 times, e. g. at least 2000 times, at least 3000 times or at least 5000 times, even more preferably at least 10000 times, e. g. at least 20000 times, at least 30000 or at least 50000 times, and most preferably at least 100000 times greater than the affinity of the antiserum to at least one Aβ form selected from the group consisting of monomeric Aβ(1-42), monomeric Aβ(1-40), fibrillomeric Aβ(1-42), and fibrillomeric Aβ(1-40);
wherein the Aβ globulomer is preferably selected from Aβ(1-42) globulomers, Aβ(12-42) globulomers and Aβ(20-42) globulomers.

4. The product of any one of claims 1 to 3, wherein the polyclonal antiserum has an affinity to an Aβ(20-42) globulomer which is at least 2 times, e. g. at least 3 times or at least 5 times, preferably at least 10 times, e. g. at least 20 times, at least 30 times or at least 50 times, more preferably at least 100 times, e. g. at least 200

times, at least 300 times or at least 500 times, and even more preferably at least 1000 times, e. g. at least 2000 times, at least 3000 times or at least 5000 times, even more preferably at least 10000 times, e. g. at least 20000 times, at least 30000 or at least 50000 times, and most preferably at least 100000 times greater than the affinity of the antiserum to at least one Aβ globulomer selected from the group consisting of Aβ(1-42) globulomer and Aβ(12-42) globulomer.

5. The product of any one of claims 1 to 4 that is further characterized by one or more of the following features:
(a) at least part of said amino acid sequence forms a loop, preferably a ß-hairpin loop;
(b) the amino acid sequence portions of the product corresponding to $F_{19}F_{20}A_{21}$ (SEQ ID NO: 8) and $A_{30}I_{31}I_{32}$ (SEQ ID NO: 9) are in anti-parallel orientation;
(c) part of the amino acid sequence forms a loop comprising a sequence selected from $V_{24}G_{25}S_{26}N_{27}$ (SEQ ID NO: 10) and $D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$ (SEQ ID NO: 11)

6. The product of any one of claims 1 to 5, which is an oligomer comprising a plurality, preferably 2 to 28, of said Aβ amino acid sequences.

7. The product of any one of claims 1 to 6, which is obtainable by a process comprising the following steps:
(a) dissolving Aβ peptide comprising said Aβ amino acid sequence in a solvent;
(b) adding an amphipatic agent to the solution of the Aβ peptide; and
(c) incubating the resulting mixture to form the oligomer; and
(d) optionally, proteolytically cleaving the oligomer.

8. The product of any one of claims 1 to 7, wherein the Aβ amino acid sequence has 72% or higher, 77% or higher, 81% or higher, 86% or higher, 90% or higher, or 95% or higher identity to the amino acid sequence $V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}$ (SEQ ID NO: 3).

9. The product of claim 8 that is further characterized by one or more of the following features:
(a) a first amino acid sequence $L^{A}_{34}M^{A}_{35}V^{A}_{36}G^{A}_{37}G^{A}_{38}$ (SEQ ID NO: 5) is in parallel orientation to a second amino acid sequence $L^{B}_{34}M^{B}_{35}V^{B}_{36}G^{B}_{37}G^{B}_{38}$ (SEQ ID NO: 5), wherein the interproton distance for at least one atom pair selected from the group consisting of $M^{A}_{35}(NH)$-$V^{B}_{36}(NH)$, $G^{A}_{37}(NH)$-$G^{B}_{38}(NH)$, $L^{A}_{34}(NH)$-$L^{B}_{34}(C_{\delta}H_3)$, $M^{A}_{35}(NH)$-$V^{B}_{36}(C\gamma H_3)$ is preferably 1.8 to 6.5 Angstroms;
(b) a first amino acid sequence $G^{A}_{33}L^{A}_{34}M^{A}_{35}V^{A}_{36}G^{A}_{37}G^{A}_{38}V^{A}_{39}$ (SEQ ID NO: 6) is

in parallel orientation to a second amino acid sequence $G^{B}_{33}L^{B}_{34}M^{B}_{35}V^{B}_{36}G^{B}_{37}G^{B}_{38}V^{B}_{39}$ (SEQ ID NO: 6), wherein the interproton distance for at least one atom pair selected from the group consisting of G^{A}_{33}(NH)-G^{B}_{34}(NH), M^{A}_{35}(NH)-V^{B}_{36}(NH), G^{A}_{37}(NH)-G^{B}_{38}(NH), L^{A}_{34}(NH)-$L^{B}_{34}(C_{\delta}H_3)$, M^{A}_{35}(NH)-$V^{B}_{36}(C\gamma H_3)$, G^{A}_{38}(NH)-$V^{B}_{39}(C\gamma H_3)$ and V^{A}_{39}(NH)-$V^{B}_{39}(C\gamma H_3)$ is preferably 1.8 to 6.5 Angstroms;

(c) the product comprises an inter-molecular parallel β-sheet between two Aß amino acid sequences, wherein the inter-molecular parallel β-sheet preferably comprises a first amino acid sequence $G^{A}_{33}L^{A}_{34}M^{A}_{35}V^{A}_{36}G^{A}_{37}G^{A}_{38}V^{A}_{39}$ (SEQ ID NO: 7) and a second amino acid sequence $G^{B}_{33}L^{B}_{34}M^{B}_{35}V^{B}_{36}G^{B}_{37}G^{B}_{38}V^{B}_{39}$ (SEQ ID NO: 7), and wherein preferably the atom pairs G^{A}_{33}(CO)-L^{B}_{34}(N), L^{B}_{34}(CO)-M^{A}_{35}(N), M^{A}_{35}(CO)-V^{B}_{36}(N), V^{B}_{36}(CO)-G^{A}_{37}(N), and G^{B}_{37}(CO)-G^{A}_{38}(N) are at a distance of 3.3 ± 0.5 Å, CO indicates the backbone oxygen atom, the phi (φ) angles of the residues range from –180 to –30 and psi (ψ) angles of the residues range from approximately 60 to 180 or from approximately –180 to –150.

10. The product of any one of claims 1 to 9, wherein the Aβ amino acid sequence has 62.5% or higher, 64% or higher, 67% or higher, 71% or higher, 75% or higher, 78% or higher, 82% or higher, 85% or higher, 89% or higher, 92% or higher, or 96% or higher identity to a portion (X-Y) of amino acid sequence $V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}$ $G_{25}S_{26}N_{27}K_{28}G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}$ (SEQ ID NO: 4), X being selected from the group consisting of the numbers 12..18 and Y being selected from the group consisting of the numbers 33..39.

11. The product of claim 10, wherein at least one of the amino acid residues corresponding to V_{12}, H_{13}, H_{14}, Q_{15}, K_{16}, L_{17}, V_{18}, F_{19}, F_{20}, A_{21} E_{22} or D_{23} of SEQ ID NO: 4 and at least one of the amino acid residues corresponding to K_{28}, G_{29}, A_{30}, I_{31}, I_{32}, G_{33}, L_{34}, M_{35}, V_{36}, G_{37}, G_{38} or V_{39} of SEQ ID NO: 4 are covalently linked with each other.

12. The product of any one of claims 1 to 11 that is further characterized by one or more of the following features:

(a) the amino acid corresponding to V_{18} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, and proline;

(b) the amino acid corresponding to F_{19} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, ser-

ine, threonine, glutamine, alanine, glycine, and proline;
(c) the amino acid corresponding to F_{20} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, proline, alanine, and glycine;
(d) the amino acid corresponding to A_{21} is selected from the group consisting of histidine, arginine, lysine, glycine, and proline;
(e) the amino acid corresponding to E_{22} is selected from the group consisting of valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, alanine, cysteine, asparagine, serine, threonine, and proline;
(f) the amino acid corresponding to D_{23} is selected from the group consisting of histidine, arginine, lysine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, and proline;
(g) the amino acid corresponding to V_{24} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, and proline;
(h) the amino acid corresponding to G_{25} is selected from the group consisting of histidine, arginine, lysine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, and proline;
(i) the amino acid corresponding to S_{26} is selected from the group consisting of histidine, arginine, lysine, and proline;
(j) the amino acid corresponding to N_{27} is selected from the group consisting of histidine, arginine, lysine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, and proline;
(k) the amino acid corresponding to K_{28} is selected from the group consisting of aspartic acid, glutamic acid, alanine, glycine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, and proline;
(l) the amino acid corresponding to G_{29} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, and proline;
(m) the amino acid corresponding to A_{30} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, glycine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, and proline;
(n) the amino acid corresponding to I_{31} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, ser-

ine, threonine, glutamine, and proline;

(o) the amino acid corresponding to I_{32} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, and proline;

(p) the amino acid corresponding to G_{33} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, and proline;

(q) the amino acid corresponding to F_{20} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, proline, alanine, glycine, valine, leucine, methionine, and isoleucine; and the amino acid corresponding to E_{22} is selected from the group consisting of alanine, valine, proline, phenylalanine, methionine, isoleucine, tryptophan, cysteine, asparagine, serine, threonine, tyrosine, and leucine;

(r) the amino acid corresponding to F_{20} is glycine, and the amino acid corresponding to E_{22} is alanine;

(s) the amino acid corresponding to F_{20} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, proline, alanine, glycine, valine, leucine, methionine, and isoleucine; and the amino acid corresponding to I_{31} is selected from the group consisting of histidine, arginine, lysine, aspartic acid, glutamic acid, cysteine, asparagine, serine, threonine, glutamine, proline, phenylalanine, tyrosine, and tryptophan;

(t) the amino acid corresponding to A_{21} is selected from the group consisting of histidine, arginine, lysine, glycine, proline, aspartic acid, glutamic acid, phenylalanine, tyrosine, and tryptophan; and the amino acid corresponding to E_{22} is selected from the group consisting of alanine, valine, proline, phenylalanine, methionine, isoleucine, tryptophan, cysteine, asparagine, serine, threonine, tyrosine, and leucine;

(u) the amino acid corresponding to A_{21} is selected from the group consisting of histidine, arginine, lysine, glycine, proline, aspartic acid, glutamic acid, phenylalanine, tyrosine, and tryptophan; and the amino acid corresponding to D_{23} is selected from the group consisting of histidine, arginine, lysine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, proline, cysteine, asparagine, serine, threonine, and glutamine;

(v) the amino acid corresponding to E_{22} is selected from the group consisting of

valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, alanine, cysteine, asparagine, serine, threonine, proline, and glutamine; and the amino acid corresponding to G_{25} is selected from the group consisting of histidine, arginine, lysine, valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, proline, aspartic acid, and glutamic acid;

(w) the amino acid corresponding to E_{22} is selected from the group consisting of valine, leucine, methionine, isoleucine, phenylalanine, tyrosine, tryptophan, alanine, cysteine, asparagine, serine, threonine, proline, and glutamine; and the amino acid corresponding to S_{26} is selected from the group consisting of histidine, arginine, lysine, proline, aspartic acid, glutamic acid, phenylalanine, tyrosine, tryptophan.

13. The product of any one of claims 1 to 12, wherein the Aβ amino acid sequence is identical to a portion (X-Y) of an amino acid sequence selected from the group consisting of

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}A_{19}F_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 13),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}A_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 14),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}A_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 15),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}F_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 16),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}V_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 17),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}L_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 18),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}K_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 19),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}L_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 20),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}V_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 21),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}G_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 22),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}G_{20}A_{21}A_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 23),

$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}A_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}A_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 24),
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}C_{20}A_{21}E_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}C_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 25),
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}Q_{21}L_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 26),
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}L_{21}Q_{22}D_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 27),
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}Q_{21}E_{22}N_{23}V_{24}G_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 28),
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}A_{22}D_{23}V_{24}A_{25}S_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 29) and
$D_1A_2E_3F_4R_5H_6D_7S_8G_9Y_{10}E_{11}V_{12}H_{13}H_{14}Q_{15}K_{16}L_{17}V_{18}F_{19}F_{20}A_{21}A_{22}D_{23}V_{24}G_{25}A_{26}N_{27}K_{28}$
$G_{29}A_{30}I_{31}I_{32}G_{33}L_{34}M_{35}V_{36}G_{37}G_{38}V_{39}V_{40}I_{41}A_{42}T_{43}$ (SEQ ID NO: 30)
with X being selected from the group consisting of the numbers 1..18, 4..18, or 12..18, or is 18; and with Y being selected from the group consisting of the numbers 33..43, 33..42, 33..41, or 33..40; or a crosslinked derivative thereof, wherein at least 2 non-contiguous residues of the amino acid sequence are covalently linked with each other;
wherein (X-Y) is preferably selected from the group consisting of (1-42), (4-42), (12-42), or (18-42).

14. A composition comprising a product as defined in any one of claims 1 to 13, wherein the composition is preferably a vaccine and optionally comprises a pharmaceutically acceptable excipient, for example an adjuvant such as Complete Freund's Adjuvant (CFA) or an adjuvant comprising an aluminium salt.

15. A product as defined in any one of claims 1 to 13 for use in therapy.

16. Use of a product as defined in any one of claims 1 to 13 in the manufacture of a medicament for treating or preventing an amyloidosis, wherein the product is for active immunization.

17. A product as defined in any one of claims 1 to 13 for use in diagnosing an amyloidosis.

18. The product for use according to claim 17, or the use of claim 16, wherein the amyloidosis is Alzheimer's disease or Down's syndrome.