




[図1]



[図2]



[図3]




予測動きベクトルインデックス	予測動きベクトル候補
0	Median(MV_A, MV_B, MV_C)
1	MV_A
2	MV_B
3	MV_C
4	時間予測動きベクトル


[図4]

予測動きベクトルインデックス	割当ビット列
0	0
1	10
2	110
3	1110
4	1111


[図5]




[図6]




[図7A]




[図7B]




[図8]




[図9]




[図10A]




[図10B]




[図11A]




[図11B]




[図12]




[図13]




[図14]




[図15]




[図16]




[図17]




[図18]




[図19]




[図20]




[図21]




[図22]




[図23]



[図24]




[図25]




[図26]

ビデオストリーム(PID=0x1011 主映像)
オーディオストリーム(PID=0x1100)
オーディオストリーム(PID=0x1101)
プレゼンテーショングラフィックスストリーム(PID=0x1200)
プレゼンテーショングラフィックスストリーム(PID=0x1201)
インタラクティブグラフィックスストリーム(PID=0x1400)
ビデオストリーム(PID=0x1B00 副映像)
ビデオストリーム(PID=0x1B01 副映像)


[図27]



[図28]




[図29]




[図30]


PMTのデータ構造




[図31]




[図32]




[図33]




[図34]



[図35]



[図36]




[図37]

対応規格	駆動周波数
MPEG4.AVC	500MHz
MPEG2	350MHz
⋮	⋮

[図38]

(a)



(b)

