(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
26 November 2009 (26.11.2009)

PCT

(10) International Publication Number
WO 2009/142319 A1

(51) International Patent Classification:
A61K 38/39 (2006.01) *A61K 9/16* (2006.01)
A61K 35/60 (2006.01) *A61P 9/10* (2006.01)

(21) International Application Number:
PCT/JP2009/059490

(22) International Filing Date:
19 May 2009 (19.05.2009)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2008-131621 20 May 2008 (20.05.2008) JP

(71) Applicant and
(72) Inventor: **ISHII, Hikaru** [JP/JP]; 3rd Floor, Shin-Edobashi Building, 8-6, Nihonbashi-Kofune-cho, Chuo-ku, Tokyo, 1030024 (JP).

(74) Agents: **ISHIDA, Jun** et al.; 34-12, Kichijoji-honcho 1-chome, Musashino-shi, Tokyo, 1800004 (JP).

(81) Designated States *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *with international search report (Art. 21(3))*

WO 2009/142319 A1

(54) Title: VASCULAR AGING INHIBITOR AND ANTI-AGING FORMULATION

(57) Abstract: A vascular aging inhibitor includes a low molecular weight collagen derived from fish skin as an essential component, wherein the weight average molecular weight of the low molecular weight collagen derived from fish skin is approximately 3,000.