PXRD Diffractogram of Crystalline (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid




FIGURE 1

DSC and TGA Thermograms of Crystalline (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid




FIGURE 2

Dynamic Moisture-Sorption Profile of Crystalline (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid




FIGURE 3

PXRD Diffractogram of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid L-Lysine Salt




FIGURE 4

DSC and TGA Thermograms of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid L-Lysine Salt




FIGURE 5

Dynamic Moisture-Sorption Profile of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid L-Lysine Salt




FIGURE 6

PXRD Diffractogram of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid Sodium Salt Hydrate




FIGURE 7

DSC and TGA Thermograms of
(*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-
2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid Sodium Salt Hydrate




FIGURE 8

Dynamic Moisture-Sorption Profile of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid Sodium Salt Hydrate




FIGURE 9

PXRD Diffractogram of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid Ethylenediamine Salt Hydrate




FIGURE 10

DSC and TGA Thermograms of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid Ethylenediamine Salt Hydrate




FIGURE 11

Dynamic Moisture-Sorption Profile of
(*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid Ethylenediamine Salt Hydrate




FIGURE 12

PXRD Diffractogram of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid 2-Amino-2-hydroxymethyl-propane-1,3-diol (TRIS) Salt




FIGURE 13

DSC and TGA Thermograms of (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1H-pyrrolo[1,2-a]indol-1-yl)acetic Acid 2-Amino-2-hydroxymethyl-propane-1,3-diol (TRIS) Salt




FIGURE 14

Mouse Peripheral Lymphocyte Lowering (PLL) Assay and (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1*H*-pyrrolo[1,2-a]indol-1-yl)acetic Acid L-Lysine Salt




FIGURE 15

Rat Peripheral Lymphocyte Lowering (PLL) Assay and (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1*H*-pyrrolo[1,2-a]indol-1-yl)acetic Acid (Compound of Formula (Ia))




FIGURE 16

Mouse Autoimmune Encephalomyelitis (EAE) Assay and (*R*)-2-(9-Chloro-7-(4-isopropoxy-3-(trifluoromethyl)benzyloxy)-2,3-dihydro-1*H*-pyrrolo[1,2-a]indol-1-yl)acetic Acid L-Lysine Salt




FIGURE 17