09/12/04

2004073003

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
24 December 2003 (24.12.2003)

PCT

(10) International Publication Number
WO 03/106424 A1

(51) International Patent Classification[7]: C07D 215/56

(21) International Application Number: PCT/SE03/00780

(22) International Filing Date: 14 May 2003 (14.05.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0201778-8 12 June 2002 (12.06.2002) SE

(71) Applicant: ACTIVE BIOTECH AB [SE/SE]; P.O.Box 724, S-220 07 LUND (SE).

(72) Inventor: JANSSON, Karl; Spannmålsvägen 11, S-240 10 DALBY (SE).

(74) Agent: DR LUDWIG BRANN PATENTBYRÅ AB; P.O.Box 17192, S-104 62 Stockholm (SE).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *with international search report*


For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

162162


(54) Title: PROCESS FOR THE MANUFACTURE OF QUINOLINE DERIVATIVES



(I)



A



B

(57) Abstract: A process for the preparation of the compounds of general formula (I); by reacting a quinoline-3-carboxylic acid ester derivative of formula A with an aniline derivative of formula B in a solvent selected from straight- or branch-chaineded alkanes and cycloalkanes or mixtures thereof with a boiling point between 80 and 200 C.

WO 03/106424 A1

ACTION