12 MAR 2003

166166

PCT/FR00/03592
English translation of of the application document as originally filed

INTERFACE MODULE AND DECODER FOR A HOST

The present invention relates to an interface module for a host such as a digital television decoder, permitting to process information from the host in a manner subject to a conditional access system comprising authorizing means whereby a user justifies his access rights.

The invention also relates to a decoder integrating such module

The invention finally relates to a method of processing information from a host capable of being used in the interface module

The invention is particularly suitable for application in decoders for the reception of digital television programs The host considered here, however, may also be constituted by other types of decoders, or even, for example, by a computer

With the development of digital television, the use of decoders capable of receiving signals corresponding to television programs and of transmitting them to a television set after processing into an intelligible format, has become wide spread

Authorization means comprising chip cards, for example, whereby the user justifies his access rights to programs, are often used

If the user is recognized and if his rights are identified, processing of the television program signals occurs within the decoder Currently, specific conditional access systems are used for such processing. From a practical point of view, this is software supplied by the digital television operator and permitting decoding of the signals sent or transmitted from a server to the user

Initially, distinct decoders for each operator have been proposed, each comprising its own conditional access system

G00002

To satisfy the user holding subscriptions with different operators, decoders comprising a plurality of conditional access systems have been provided For each conditional access system, a distinct module is necessary in this case, each for cooperation with a specific chip card of the user

To illustrate the state of the art thus exposed, EP-A-0562295 discloses an apparatus wherein a plurality of card readers are connected to and controlled by a single processor A particular supply unit which is controlled by the processor, feeds the card readers with appropriate voltages

Document WO-A-97/18656 discloses a system and method permitting to select one of a plurality of signals transmitted by direct television broadcast satellites A conversion box, or decryption device, is equipped with a plurality of different decryption chip cards, which are all simultaneously introduced into the conversion box.

Further, from document EP-A-0696141 a system for controlling different conditional access systems is known, such systems transmitting video, audio and data services to receivers adapted for such services, each conditional access system coding the service to be transmitted within the system, the system sending the coded encryption keys necessary in the receiver and sending authorization messages

The first mentioned document is not a response to the current needs in presence of a multiplication of conditional access systems since it permits use of a single encryption system only.

Although the second document permits the use of a plurality of decryption systems, it multiplies the number of card readers, each reader being associated with a given decryption, not being adaptive The third document teaches an elimination of chip card modules, which, however, are used in the environment of the invention In addition, it fails to provide any identification means for identifying authorization means of the user (that may include his chip cards)

Consequently, such devices are of limited applicability and fail to permit a convenient manner of use

The present invention permits to avoid the drawbacks of the current devices

In the first place, the invention provides, in a single module, the possibility to use a plurality of conditional access systems Thereby, a multiplication of the modules, of the chip card readers or even of the decoders is avoided

Further, the invention simplifies the user's intervention because it permits an automatic identification of his rights

For example, if the user justifies his rights by means of chip cards (one card per subscription), he must not worry about the chip card reader into which he introduces the card the card will be recognized with any reader used

Another object of the invention is to avoid complications in connection with the installation or update of the conditional access systems when the user is desirous to modify his rights (change of operator or subscription, for example). The user already holds a multiplicity of conditional access systems, and when an update is required, it can be made by remote download

Other objects and advantages will appear from the following description, not limiting the invention

The present invention relates to an interface module for a host such as a digital television decoder, permitting the processing of information from the host subject to a conditional access system comprising authorizing means whereby the user justifies his access rights, characterized by the fact that it further comprises

- at least one means for identifying the authorization means,
- means for storing a plurality of conditional access systems,
- processing means capable of processing the information from the host using the conditional access system corresponding to the authorization

means identified by the identification means, permitting exploitation of a plurality of conditional access systems in the same module.

Such interface module can be present in the following embodiments

- the authorization means comprise at least one chip card reader whereon data relating to the access rights of the user are stored,
- the conditional access systems are constituted by programmed instruction sets that can be executed by the processing means for the processing of the information,
- the storing means are formed by a non-volatile memory,
- the processing of information is a decoding,
- the authorization means comprise at least one reader of biometric data the identity of which corresponds to the access rights of the user.

The invention also relates to a digital television signal decoder integrating at least one interface module

Finally, the invention relates to a method of processing information from a host in a manner subject to a conditional access system, capable of being used by the interface module, wherein authorization means are used whereby the user justifies his access rights, characterized by the fact that

- a plurality of conditional access systems are stored,
- the authorization means are identified,
- the information from the host are processed using the conditional access system corresponding to the identified authorization means.

Such method may comprise the following variants·

- as a conditional access system, programmed instruction sets are used that may be executed for the processing of the information;

- one or a plurality of conditional access systems are stored by remote download from a server center

The appending drawings are given by way of examples without limitation The drawings show a preferred embodiment of the invention. They permit an easy understanding of the invention.

Figure 1 is an illustration of an installation for the reception of digital television programs

Figure 2 is a diagram of the means constituting the module of the invention in a particular embodiment thereof.

First, the inventive interface module will be disclosed. Such module is shown in Figure 1 at reference number 1

The interface module 1 is connected to or integrated into its host 2 Host 2 could be a digital television decoder, although the example is not limitative

Generally speaking, the interface module 1 allows the processing of information coming from host 2 in a conditioned manner subject to a conditional access system 11

As illustrated in Figure 1, in an exemplary digital television application, the interface module 1 is integrated into a decoder constituting host 2 Host 2 is in turn connected to a television set 3 adapted to display the user's programs Host 2 is further connected to an antenna for the reception of signals corresponding to the subscriber's digital television programs.

As also illustrated in Figure 1, the user can justify his access rights for the programs through authorization means In the case of Figure 1, the authorization means 7 are formed by a chip card 5 cooperating with a chip card reader 6

integrated into the interface module 1 Another case is the use of biometric data read by an appropriate reader

As understood here, authorization means 7 are the combination or association of one or more data carriers adapted to justify the access rights of the user and one or more readers for the carrier or carriers The readers are adapted to forward the information corresponding to the access rights to other means constituting the interface module 1

Besides the association of chip cards 5 and chip card readers 6, the authorization means could be constituted in different manners and, in particular, as digital finger print readers or as a keyboard for entering a confidential code

The conditional access systems 11 that can be used in accordance with the invention, could be constituted by the current systems known in the art In most cases, they are software that can be executed if the access rights of the user are acknowledged. The different conditional access systems are thus constituted by programmed instruction sets that can be executed within the interface module 1

In accordance with the invention, the interface module 1 has at least one means 8 for identifying the authorization means 7

The function of these identification means 8 is to recognize the identity of the user's rights or, possibly, to reject authorization for access to digital television programs if the identification is negative

The identification means 8 can be constituted by software via programs They can further be constituted in a more material manner by electronic processing

Current concepts can be used which presently exist, to provide identification means 8 adapted to recognize or identify the different authorization means 7

The interface module 1 further comprises means 10 for storing a plurality of conditional access systems 11

Generally, the storing means 10 can be constituted by a storage unit such as a non-volatile memory Use of a volatile memory is not excluded, however, in particular when a download mechanism for conditional access systems 11 is used

The storing means 10 allow to store a plurality of conditional access systems 11. The number thereof is not limited, thereby providing the user with an interface module 1 which is developed according to the subscriber's desire

The interface module further comprises processing means 9 adapted to process information coming from the host 2.

The processing means 9 preferably include a processor for executing the conditional access systems 11

In the invention, the processing means process information coming from host 2 by using a particular conditional access system It will be the conditional access system 11 that corresponds to the authorization means 7 identified by the identification means 8

Thus, the processing means 9 are an active component adapted to·

- comprise information received by the identification means 8
- consequently utilizing a conditional access system 11
- perform a dialogue with host 2 according to its parameters

In this way, the processing means automatically exploit the conditional access system 11 contained in the storing means 10 and corresponding to the authorization means 7 of the user.

In a preferred embodiment, processing of information as effected by the processing means 9, is a decoding action

With reference to Figure 2, operation of the interface module presented here is easily understood

12 MAR 2003

In a first time, an information is transmitted from the authorization means 7 to the identification means 8 In the example where the authorization means 7 are formed by chip cards 5 and chip card readers 6, such transfer of information occurs when the user inserts the chip card 5 into the chip card reader 6

When the authorization means 7 are not identified, the user is disabled from operating the interface module 1.

If they are identified, the identification means 8 recognize the identity of the access rights and transmit a corresponding usable information to the processing means 9

In accordance with the information received, the processing means 9 will use a specific conditional access system 11 stored in the storing means 10

Using the conditional access system corresponding to the rights of the user, the interface module 1 will process the information received from host 2

After processing, this information can be used by the entire device, for example by the association of the decoder and the television set in the environment of digital television

When the user holds a plurality of chip cards 5 or other authorization means 7, he will be enabled to access those programs for which he has access rights without worrying about the chip card reader 6 into which he inserts the chip card, and without worrying about any other selection

In accordance with the invention, the interface module presented here could be integrated into a digital television signal decoder. Further, such a decoder could comprise a plurality of interface modules 1, if required.

The invention also relates to a method of processing information from a host 2 adapted to be executed by the interface module 1 described above.

Such method effects conditioned processing subject to a conditional access system 11

In accordance with the method, authorization means 7 are used whereby the user justifies his access rights.

The method further comprises the following steps

In a first time, a plurality of conditional access systems 11 are stored

The authorization means 7 which the user uses, are then identified

If the identification is positive, the information from the host 2 are processed using the conditional access system 11 corresponding to the authorization means 7 as identified.

In a preferred embodiment, programmed instruction sets that can be executed to process the information, are used as the conditional access system 11

Many conditional access systems 11 can be stored. If some have to be added or updated, such operation can be performed by downloading from a server center available to the digital television operator (or another service)

The invention has been described above with reference to a digital television application without, however, being limited to such application

In this application, the entire method could run via a standard interface of the CI type (common interface) for the DVB standard (Digital Video Broadcasting) or of the type EIA-677 (Electronic Industries Alliance) for the POD standard (Point of Development)

According to the DVB and POD standards, the scramblings at the transport level or at the level of the elementary packet flow, are recognized by the processing means 9, and descrambling is performed automatically

A plurality of conditional accesses could thus be used (embedded or downloaded) without manual intervention independent of the nature of the conditional access

Reference numerals

1 interface module

2 host

3 television set

4 antenna

5 chip card

6 chip card reader

7. authorization means

8 identification means

9 processing means

10 storing means

11 conditional access systems

Claims

1. Interface module (1) for a host (2) such as a digital television decoder, permitting the processing of information from the host (2) in a manner subject to a conditional access system (11) comprising authorization means (7) whereby the user justifies his access rights, characterized by the fact that it further has

- at least one means (8) for identifying the authorization means (7),
- means (10) for storing a plurality of conditional access systems (11) integrated into the module (1) and not into the authorization means (7),
- processing means (9) adapted to process the information from the host (2) utilizing the conditional access system (11) corresponding to the authorization means (7) identified by the identification means (8) permitting to exploit a plurality of conditional access systems (11) within the same module

2 Interface module (1) in accordance with claim 1, characterized by the fact that

the authorization means (7) comprise at least one reader (6) for chip cards whereon the data relating to the access rights of the user are stored

3 Interface module (1) according to any of claims 1 and 2, characterized by the fact that

the conditional access systems (11) are constituted by programmed instruction sets adapted to be executed by the processing means (9) for the processing of information

4. Interface module (1) according to any of claims 1, 2 and 3, characterized by the fact that

the storing means (10) are formed by a non-volatile memory

5. Interface module (1) according to claim 3, characterized by the fact that the processing of information is a decoding operation.

6 Interface module (1) according to any of claims 1 to 5, characterized by the fact that

the authorization means (7) comprise at least one reader of biometric data the identity of which corresponds to the user's access rights.

7. Digital television signal decoder integrating at least one interface module (1) according to any of claims 1 to 6

8. Method of processing information coming from a host (2) in a conditioned manner subject to a conditional access system (11), adapted to be performed by the interface module (1) according to any of claims 1 to 6, wherein authorization means (7) are used by which the user justifies his access rights, characterized by the fact that

- a plurality of conditional access systems (11) are stored;
- the authorization means (7) are identified;
- the information coming from the host (2) are processed utilizing the conditional access system (11) corresponding to the authorization means (7) as identified.

9 Method according to claim 8, characterized by the fact that

programmed instruction sets adapted to be executed to process information, are used as the conditional access system (11)

10. Method according to claim 9, characterized by the fact that

one or a plurality of conditional access systems (11) are stored by downloading from a server center.