




Figure 1





Figure 2

A



B




Figure 3




Figure 4




Figure 5




Figure 6

Sample	mAb 1 (mg/mL)	Dilution medium	0 h		9 h		24 h	
			light	dark	light	dark	light	dark
D00	10	NaCl PS20	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D01	5		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D02	1		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D03	0.1		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D04	0.01		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D05	0.00001		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D00	10	NaCl PS20 + Citrate	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D01	5		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D02	1		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D03	0.1		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D04	0.01		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear
D05	0.00001		no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear	no particle, clear

Figure 7




Figure 8




Figure 9