


CLAIMS

1. A compound according to formula (I),



or a pharmaceutical acceptable salt thereof, wherein,

5 R^0 is Ring A or C_{1-6} alkyl;

Ring A is aryl; 5-10 membered heteroaryl comprising 1-3 N, O or S heteroatoms; or C_{3-7} cycloalkyl; and said Ring A is unsubstituted or substituted by 1-2 substituents independently represented by R^2 ;

10 Ring B is aryl; 5-10 membered heteroaryl comprising 1-3 N, O or S heteroatoms; or C_{3-7} cycloalkyl; and said Ring B is unsubstituted or substituted by 1-2 substituents independently represented by R^2 ;

X is $-(CR^4R^5)-$;

Y is $-O-$, $-(CR^4R^5)-$, or $^*-O(CR^4R^5)-$, wherein "*" indicates the point of attachment of Y to the ring containing the Z ring atoms;

15 Z^1 , Z^2 , Z^3 , and Z^4 are each independently $-CR^3-$ or $-N-$;

L^1 is $^{*1}-(CR^4R^5)_{1-2}-$ wherein ^{*1} indicates the point of attachment of L^1 to N;

L^2 is $^{*2}-(CR^4R^5)_{1-2}-$, $^{*2}-(CR^4R^5)-C(O)-NR-$, $^{*2}-(CR^4R^5)_2-O-$, $^{*2}-(CR^4R^5)_2-NR-$ or $^{*2}-(CR^4R^5)-C(O)-NR-(CR^4R^5)-$; wherein ^{*2} indicates the point of attachment of L^2 to N;


L^3 is $-C(O)-$;

20 each R^2 is independently halo, C_{1-6} alkyl, or halo-substituted C_{1-6} alkyl;

each R^3 is independently hydrogen, halo, or C_{1-6} alkyl;

R, R^4 and R^5 are independently hydrogen or C_{1-6} alkyl.

2. The compound according to claim 1, wherein the compound is of Formula (II):



or a pharmaceutically acceptable salt thereof; wherein,

R^0 is Ring A or C_{1-6} alkyl; wherein Ring A is phenyl, pyridyl or cyclopropyl, each of which is unsubstituted or substituted by 1-2 substituents independently represented by R^2 ;

Ring B is selected from phenyl, pyridyl, 1*H*-indolyl, and C_{3-7} cycloalkyl, each of which is unsubstituted or substituted by 1-2 substituents independently represented by R^2 ;

X is $-(CR^4R^5)-$;

Y is $-O-$, $-(CR^4R^5)-$ or $*-O(CR^4R^5)-$, wherein "*" indicates the point of attachment of Y to the ring containing the Z ring atoms;

Z^1 , Z^2 , Z^3 , and Z^4 are each independently $-CR^3-$ or $-N-$;

L^1 is $*^1-(CR^4R^5)_{1-2}-$ wherein $*^1$ indicates the point of attachment of L^1 to N;

L^2 is $*^2-(CR^4R^5)_{1-2}-$, $*^2-(CR^4R^5)-C(O)-NR-$, $*^2-(CR^4R^5)_2-O-$, $*^2-(CR^4R^5)_2-NR-$ or $*^2-(CR^4R^5)-C(O)-NR-(CR^4R^5)-$; where $*^2$ indicates the point of attachment of L^2 to N;

each R^2 is independently halo, C_{1-6} alkyl, or halo-substituted C_{1-6} alkyl;


each R^3 is independently hydrogen, halo, or C_{1-6} alkyl; and

R, R^4 and R^5 are independently hydrogen or C_{1-6} alkyl.

3. The compound according to claim 1 or 2, wherein R^0 is selected from

$*^3-CH_2C(CH_3)_2-$, $*^3-CH_2CH(CH_3)-$, and $*^3$ -cyclopropane-1,1,-diyl, wherein $*^3$ indicates the point of attachment of R^0 to L^2 .

4. The compound according to claim 1 or 2, wherein the compound is of Formula (III):



or a pharmaceutically acceptable salt thereof; wherein

Ring A is phenyl or pyridyl, each of which is unsubstituted or substituted by 1-2 substituents independently represented by R^2 ;

Ring B is selected from phenyl, pyridyl, 1*H*-indolyl, and cyclopentyl, each of which is unsubstituted or substituted by 1-2 substituents independently represented by R^2 ;

L^1 is $-(CR^4R^5)-$;

L^2 is selected from $-(CH_2)-$, $^{*2}-CH_2C(O)NH-$, $^{*2}-CH(CH_3)C(O)NH-$, $^{*2}-CH_2C(O)NHCH_2-$, $^{*2}-(CH_2)_2O-$, and $^{*2}-(CH_2)_2NH-$; wherein “*2” indicates the point of attachment of L^2 to N;

X is CH_2 ;

Y is selected from $-O-$, $-CH_2-$, $-C(CH_3)_2-$ and $^{*}-O-CH_2-$, wherein “*” indicates the point of attachment of Y to the ring containing the Z ring atoms;

Z^1 is CR^3 or N;

Z^2 is CR^3 ;

Z^3 is CR^3 ;


Z^4 is CR^3 or N;

each R^2 is independently selected from halo, methyl, and trifluoromethyl;

each R^3 is independently hydrogen, halo, or C_{1-6} alkyl; and

each of R^4 and R^5 is independently hydrogen or methyl.

5. The compound according to any one of claims 1 to 4, wherein L^2 is selected from $-(CH_2)-$, $^{*2}-CH_2C(O)NH-$, $^{*2}-(CH_2)_2O-$, and $^{*2}-(CH_2)_2NH-$; wherein “*2” indicates the point of attachment of L^2 to N;
6. The compound according to any one of claim 1 to 5, wherein each R^2 is independently fluoro or methyl.
7. The compound according to any one of claim 1 to 6, wherein each R^3 is independently selected from hydrogen, fluoro, chloro, and methyl.
8. The compound according to any one of claims 1 to 7, wherein
 - Z^1 is selected from CH, CF, CCH_3 , and N;
 - Z^2 is selected from CH, CF, CCl, and CCH_3 ;
 - Z^3 is selected from CH, CF, CCl, and CCH_3 ; and
 - Z^4 is CH or N.
9. The compound of claim 1, wherein said compound is of Formula (IV):



or a pharmaceutically acceptable salt thereof; wherein

each phenyl ring is optionally further substituted by 1-2 substituents independently represented by R^2 , wherein R^2 is fluoro or methyl;

5 L^2 is selected from $-CH_2-$, $^{*2}-CH_2CH_2NH-$, $^{*2}-CH_2CH_2O-$, and $^{*2}-CH_2C(O)NH-$, wherein ^{*2} indicates the point of attachment of L^2 to N;

Z^2 is selected from CH, CF, CCl, and CCH_3 ; and

Z^3 is selected from CH, CF, CCl, and CCH_3 .

10. The compound according to claim 1 selected from:

10 4-fluoro-3-(2-(8-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

4-fluoro-3-(2-(8-fluoro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

15 3-(2-(8-chloro-1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

4-fluoro-3-(2-(1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

3-(2-(N-(2-fluorobenzyl)-1,8-dimethyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

20 3-(2-(N-(2-fluorobenzyl)-1,6-dimethyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

3-(2-(8-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

25 3-(2-(7-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

3-(2-(7-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

- 3-(2-(6,8-difluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 3-(2-(N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 5 3-(2-(8-chloro-N-(2-fluorobenzyl)-1,7-dimethyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 3-(2-(8-chloro-N-(2-fluorobenzyl)-1,6-dimethyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 10 3-(2-(8-chloro-6-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 4-fluoro-3-(2-(N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 3-(2-(7,8-difluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;
- 15 3-(2-(7,8-difluoro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;
- 3-(2-(N-benzyl-7,8-difluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;
- 4-fluoro-3-(2-(8-fluoro-1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 20 4-fluoro-3-(2-(N-(2-fluorobenzyl)-1-methyl-4,5-dihydro-1H-pyrazolo[4,3-h]quinoline-3-carboxamido)acetamido)benzoic acid;
- 4-fluoro-3-(2-(N-(2-fluorobenzyl)-1-methyl-4,5-dihydro-1H-pyrazolo[3,4-f]quinoline-3-carboxamido)acetamido)benzoic acid;
- 25 (S)-4-fluoro-3-(2-(8-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)propanamido)benzoic acid;
- 3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-4,5-dihydro-1H-benzo[g]indazole-3-carboxamido)acetamido)benzoic acid;
- 3-(2-(8-chloro-7-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 30 4-fluoro-3-(2-(N-(3-fluorobenzyl)-1,5,5-trimethyl-4,5-dihydro-1H-benzo[g]indazole-3-carboxamido)acetamido)benzoic acid;
- 4-fluoro-3-(2-(N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;
- 35 3-(2-(8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

3-(2-(N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

5 3-(2-(N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

3-(2-(N-benzyl-8-fluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

3-(2-(N-benzyl-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

10 3-(2-(9-chloro-N-(2-fluorobenzyl)-1-methyl-4,5-dihydro-1H-benzo[2,3]oxepino[4,5-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

15 3-(2-(8-chloro-N-(cyclopentylmethyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

3-(2-(8-chloro-N-(cyclopentylmethyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)benzoic acid;

3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-5-fluorobenzoic acid;

20 3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-methylbenzoic acid;

3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-2-methylpropanoic acid;

25 3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-2,2-dimethylpropanoic acid;

1-((2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)methyl)cyclopropanecarboxylic acid;

4-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-fluorobenzoic acid;

30 3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)benzoic acid;

4-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)benzoic acid;

35 N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-methylbenzoic acid;

- 4-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3,5-dimethylbenzoic acid;
- 3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-4-fluorobenzoic acid;
- 5 4-(2-(8-chloro-N-(cyclopentylmethyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3,5-dimethylbenzoic acid;
- 4-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3,5-difluorobenzoic acid;
- 10 4-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-(trifluoromethyl)benzoic acid;
- 4-(2-(N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3,5-difluorobenzoic acid;
- 3,5-difluoro-4-(2-(8-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)benzoic acid;
- 15 4-(2-(N-benzyl-8-fluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3,5-difluorobenzoic acid;
- 4-(2-(N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-fluorobenzoic acid;
- 4-(2-(N-benzyl-8-fluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-fluorobenzoic acid;
- 20 4-(2-(N-benzyl-7,8-difluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-fluorobenzoic acid;
- 3-fluoro-4-(2-(8-fluoro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)benzoic acid;
- 25 4-(2-(7,8-difluoro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-fluorobenzoic acid;
- 4-(2-(8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-fluorobenzoic acid;
- 3-fluoro-4-(2-(8-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)benzoic acid;
- 30 4-(2-(7,8-difluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethoxy)-3-fluorobenzoic acid;
- 3-((2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)benzoic acid;
- 35 3-(2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)acetamido)-4-fluorobenzoic acid;

- 3-((2-(8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)-4-fluorobenzoic acid;
- 3-((2-(8-chloro-1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)-4-fluorobenzoic acid;
- 5 4-fluoro-3-((2-(8-fluoro-1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)benzoic acid;
- 3-((2-(7,8-difluoro-1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)-4-fluorobenzoic acid;
- 4-fluoro-3-((2-(8-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)benzoic acid;
- 10 c]pyrazole-3-carboxamido)ethyl)amino)benzoic acid;
- 4-fluoro-3-((2-(N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)benzoic acid;
- 3-((2-(N-benzyl-8-fluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)-4-fluorobenzoic acid;
- 15 3-((2-(N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)-4-fluorobenzoic acid;
- 3-((2-(7,8-difluoro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)-4-fluorobenzoic acid;
- 3-((2-(N-benzyl-7,8-difluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)-4-fluorobenzoic acid;
- 20 4-((N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-3-fluorobenzoic acid;
- 25 4-((8-fluoro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((8-chloro-N-(3,5-difluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((N-benzyl-8-fluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-3-fluorobenzoic acid;
- 30 4-((8-chloro-1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((8-chloro-N-(2,3-difluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 35 4-((8-chloro-N-(3-fluoro-5-methylbenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;

- 4-((N-(3,5-difluorobenzyl)-8-fluoro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((8-chloro-1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-3-fluorobenzoic acid;
- 5 3-fluoro-4-((8-fluoro-1-methyl-N-(3-methylbenzyl)-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((N-((1H-indol-5-yl)methyl)-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 5-((8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)picolinic acid;
- 10 4-((8-chloro-N-((5-fluoropyridin-3-yl)methyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((8-chloro-N-((5-chloropyridin-3-yl)methyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 15 4-((8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-2-fluorobenzoic acid;
- 4-((N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-2-fluorobenzoic acid;
- N-benzyl-N-(4-carbamoylbenzyl)-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamide;
- 20 4-((8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-3-fluorobenzoic acid;
- 25 3-fluoro-4-((8-fluoro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid;
- 4-((8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid ;
- 4-((8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-3-fluorobenzoic acid
- 30 4-((8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-2-fluorobenzoic acid;
- 6-((8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)nicotinic acid;
- 35 5-((8-chloro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)-6-methylpicolinic acid;

4-fluoro-3-((2-(8-fluoro-N-(3-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)benzoic acid; and

3-((2-(8-chloro-N-(2-fluorobenzyl)-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)ethyl)amino)-4-fluorobenzoic acid;

5 or a pharmaceutically acceptable salt thereof.


11. The compound according to claim 1 or a pharmaceutically acceptable salt thereof, wherein said compound is 4-((N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid.

12. The compound according to claim 11 which is the 4-((N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid TRIS salt.

13. The compound according to claim 11 which is the 4-((N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid meglumine monohydrate salt.

14. The compound according to claim 11 which is the 4-((N-benzyl-8-chloro-1-methyl-1,4-dihydrochromeno[4,3-c]pyrazole-3-carboxamido)methyl)benzoic acid meglumine salt.

15. A compound of Formula (V)



20 wherein each phenyl ring is optionally further substituted by 1-2 substituents independently represented by R^2 , wherein R^2 is fluoro or methyl;

L^2 is selected from $-\text{CH}_2-$, $^{*2}-\text{CH}_2\text{CH}_2\text{NH}-$, $^{*2}-\text{CH}_2\text{CH}_2\text{O}-$, and $^{*2}-\text{CH}_2\text{C}(\text{O})\text{NH}-$, wherein ^{*2} indicates the point of attachment of L^2 to N;

Z^2 is selected from CH, CF, CCl, and CCH_3 ;

Z^3 is selected from CH, CF, CCl, and CCH_3 ; and

25 R^6 is C_{1-6} alkyl.

16. A pharmaceutical composition comprising a therapeutically effective amount of a compound of any one of claims 1-14 , and a pharmaceutically acceptable carrier.
17. A combination comprising a therapeutically effective amount of a compound according to any one of claims 1-14 , and a second therapeutic agent.
- 5 18. A compound according to any one of claims 1-14 , for use in treating a condition mediated by FXR, wherein said condition mediated by FXR is a liver disease selected from intrahepatic cholestasis, estrogen-induced cholestasis, drug-induced cholestasis, cholestasis of pregnancy, parenteral nutrition-associated cholestasis, progressive familial cholestasis (PFIC), Alagille syndrome, primary biliary cirrhosis (PBC), primary sclerosing cholangitis, ductopenic liver transplant rejection, liver transplant associated graft versus host disease, cystic fibrosis liver disease, non-alcoholic fatty liver disease (NAFLD), non-
10 non-alcoholic steatohepatitis (NASH), alcoholic liver disease, and parenteral nutrition-associated liver disease.
- 15 19. A compound according to any one of claims 1-14, for use in treating a condition mediated by FXR, wherein said condition mediated by FXR is a gastrointestinal disease selected from bile acid malabsorption, bile reflux gastritis, and inflammatory bowel disease.
20. The compound for use according to claim 18, wherein said condition mediated by FXR is non-alcoholic fatty liver disease (NAFLD) or non-alcoholic steatohepatitis (NASH).
- 20 21. A compound according to any one of claims 1-14, for use in treating diabetic nephropathy.