


CLAIMS

What is claimed is:


1. A compound having the structure of Formula (I):



5 wherein

X is selected from the group consisting of: O, S and NR^a;


when X is NR^a; R^a is H or CH₃; or R^a and R^{1a} come together to form a heterocyclic ring selected from the group consisting of:



10 is substituted with one or two members each independently selected from the group consisting of: C₁₋₆alkyl, C₁₋₆haloalkyl, and OC₁₋₆alkyl;

R^{1a} is selected from the group consisting of: C₁₋₆alkyl; C₁₋₆alkyl substituted with OH, or OCH₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with OH, or OCH₃; and C₃₋₆cycloalkyl;


15 R^{1b} is CH₃ or CHF₂; or R^{1a} and R^{1b} come together to form C₃₋₆cycloalkyl; C₃₋₆cycloalkyl independently substituted with one, two, three or four members each independently selected from the group consisting of: halo, OH, C₁₋₆alkyl, and C₁₋₆haloalkyl; oxetanyl; tetrahydrofuranyl; and tetrahydropyranyl;



20 R^b is C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, halo, CN, OC₁₋₆alkyl, OC₁₋₆haloalkyl and OC₃₋₆cycloalkyl;

R^c is selected from the group consisting of: C₁₋₆alkyl, C₁₋₆alkyl substituted with OH, allyl, C₁₋₆haloalkyl, and C₃₋₆cycloalkyl; and

R^3 is selected from the group consisting of:



R^d is selected from the group consisting of: H; halo; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; N(CH₃)₂; OH; CN and OC₁₋₆alkyl;

R^e is selected from the group consisting of: halo; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; OH; OC₁₋₆alkyl; and C₃₋₆cycloalkyl;

R^f is selected from the group consisting of: H; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; and C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; and

n is 1, or 2;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic



variant, or N-oxide thereof.

2. The compound according to claim 1, wherein X is O; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

3. The compound according to claim 1, wherein X is S; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.
4. The compound according to claim 1, wherein X is NR^a , and R^a is H; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.
5. The compound according to claim 1, wherein X is NR^a , and R^a is CH_3 ; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.
6. The compound according to claim 1, wherein X is NR^a , where R^a and R^{1a} come

10

together to form a heterocyclic ring selected from:



, or

;

wherein the heterocyclic ring is substituted with one or

two members each independently selected from the group consisting of: C_{1-4} alkyl, C_{1-4} haloalkyl, and OC_{1-4} alkyl; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

15


7. The compound according to any of claims 1-6, wherein R^{1a} is C_{1-4} alkyl; C_{1-4} alkyl substituted with OH, or OCH_3 ; C_{1-4} haloalkyl; C_{1-4} haloalkyl substituted with OH, or OCH_3 ; or C_{3-6} cycloalkyl; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.


20

8. The compound according to any of claims 1-6, wherein R^{1a} is CF_3 ; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.
9. The compound according to any of claims 1-8, wherein R^{1b} is CH_3 or CHF_2 ; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

10. The compound according to any of claims 1-8, wherein R^{1b} is CH₃; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.


11. The compound according to any of claims 1-6, wherein R^{1a} and R^{1b} come together to form cyclopropyl, cyclobutyl, cyclopentyl, or cyclohexyl; cyclopropyl, cyclobutyl, cyclopentyl, or cyclohexyl each independently substituted with one, two, three or four members selected from the group consisting of: halo, OH, C₁₋₄alkyl, and C₁₋₄haloalkyl; oxetanyl; tetrahydrofuranyl; and tetrahydropyranyl; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.





12. The compound according to any of claims 1-11, wherein R² is , where R^b is C₁₋₄alkyl substituted with OH, halo, CN, OC₁₋₄alkyl, OC₁₋₄haloalkyl or OC₃₋₆cycloalkyl; and


R^c is C₁₋₄alkyl, C₁₋₄haloalkyl, C₁₋₄alkyl substituted with OH, allyl, or C₃₋₆cycloalkyl;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.



13. The compound according to any of claims 1-11, wherein R² is ; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.



14. The compound according to any of claims 1-13, wherein R³ is , where R^d is H; halo; C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, OCH₃, SCH₃, or OCF₃; C₁₋₄haloalkyl; C₁₋₄haloalkyl substituted with OH, or OCH₃; CN; or OC₁₋₄alkyl;


R^e is halo; C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, OCH₃, SCH₃, or OCF₃;

C₁₋₄haloalkyl; or C₁₋₄haloalkyl substituted with OH, or OCH₃; and


n is 1 or 2;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant,


5 or N-oxide thereof.

15. The compound according to any of claims 1-13, wherein R³ is ; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

16. The compound according to any of claims 1-13, wherein R³ is



10



R^d is H; halo; C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, OCH₃, SCH₃, or OCF₃;

C₁₋₄haloalkyl; C₁₋₄haloalkyl substituted with OH, or OCH₃; N(CH₃)₂; OH; CN; or

OC₁₋₄alkyl;

- 15 R^e is halo; OH; C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, OCH₃, SCH₃, or OCF₃;


C₁₋₄haloalkyl; OC₁₋₄alkyl; or C₁₋₄haloalkyl substituted with OH, or OCH₃; and

n is 1 or 2;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant,

or N-oxide thereof.

17. The compound according to any of claims 1-13, wherein R³ is



R^d is H; halo; C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, OCH₃, SCH₃, or OCF₃;

5 C₁₋₄haloalkyl; C₁₋₄haloalkyl substituted with OH, or OCH₃; or OC₁₋₄alkyl;

R^e is halo; C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, OCH₃, SCH₃, or OCF₃;

C₁₋₄haloalkyl; C₃₋₆cycloalkyl; or C₁₋₄haloalkyl substituted with OH, or OCH₃;


and

R^f is H; C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, OCH₃, SCH₃, or OCF₃;

10 C₁₋₄haloalkyl; or C₁₋₄haloalkyl substituted with OH, or OCH₃;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant,
or N-oxide thereof.

18. The compound according to claim 1, having the structure of Formula (IA):




15 wherein

X is O;

R^{1a} is selected from the group consisting of: C₁₋₆alkyl; C₁₋₆alkyl substituted with OH,
or OCH₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with OH, or OCH₃; and
C₃₋₆cycloalkyl;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.


19. The compound according to claim 1, having the structure of Formula (IB):



wherein

X is selected from the group consisting of: O, S and NR^a;

when X is NR^a; R^a is H or CH₃; or R^a and R^{1a} come together to form a heterocyclic ring selected from the group consisting of:




wherein the heterocyclic ring is substituted with one or two members each independently selected from the group consisting of: C₁₋₆alkyl, C₁₋₆haloalkyl, and OC₁₋₆alkyl;

R^{1a} is selected from the group consisting of: C₁₋₆alkyl; C₁₋₆alkyl substituted with OH, or OCH₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with OH, or OCH₃; and C₃₋₆cycloalkyl;

R^{1b} is CH₃ or CHF₂; and

R³ is selected from the group consisting of:



where

R^d is selected from the group consisting of: H; halo; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; N(CH₃)₂; OH; CN and OC₁₋₆alkyl;


R^e is selected from the group consisting of: halo; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; OH; OC₁₋₆alkyl; and C₃₋₆cycloalkyl;

5 R^f is selected from the group consisting of: H; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; and C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; and

n is 1, or 2;

10 or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

20. The compound according to claim 1, having the structure of Formula (IC):




15 R^{1a} is selected from the group consisting of: C₁₋₆alkyl; C₁₋₆alkyl substituted with OH, or OCH₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with OH, or OCH₃; and C₃₋₆cycloalkyl;

R^{1b} is CH₃ or CHF₂; or R^{1a} and R^{1b} come together to form C₃₋₆cycloalkyl;

C₃₋₆cycloalkyl independently substituted with one, two, three or four members selected from the group consisting of: halo, OH, C₁₋₆alkyl, and C₁₋₆haloalkyl; oxetanyl; tetrahydrofuranyl; and tetrahydropyranyl; and

20 R³ is selected from the group consisting of:



R^d is selected from the group consisting of: H; halo; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; N(CH₃)₂; OH; CN and OC₁₋₆alkyl;

5 R^e is selected from the group consisting of: halo; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; OH; OC₁₋₆alkyl; and C₃₋₆cycloalkyl;

10 R^f is selected from the group consisting of: H; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; and C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; and

n is 1, or 2;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant,
15 or N-oxide thereof.

21. The compound according to claim 18, wherein R^{1a} is selected from the group consisting of: C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, or OCH₃; C₁₋₄haloalkyl; C₁₋₄haloalkyl substituted with OH, or OCH₃; or C₃₋₆cycloalkyl.

22. The compound according to claim 19, wherein R^d and R^e are each independently halo,
20 C₁₋₄alkyl, and OC₁₋₄alkyl.

23. The compound according to claim 20, wherein R^{1a} and R^{1b} come together to form C₃₋₆cycloalkyl; C₃₋₆cycloalkyl independently substituted with one, two, three or four members selected from the group consisting of: F, OH, C₁₋₆alkyl, and C₁₋₆haloalkyl; oxetanyl; tetrahydrofuranyl; or tetrahydropyranyl.

25 24. A compound selected from the group consisting of:

(S)-N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide
;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5 (S)-N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(fluoromethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(2-Chloropyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(2-Chloro-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15 (S)-N-(2-Chloro-6-fluorophenyl)-6-(3-(chloromethyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-isopropoxynicotinamide;

20

N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-(2,2,3,3-tetrafluorocyclobutoxy)nicotinamide;

Racemic-N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((tetrahydrofuran-3-yl)oxy)nicotinamide;

25

(S)-N-(3-Chloropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-5-methylphenyl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide
;

5

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(isothiazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(2-(Difluoromethyl)-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(methoxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide
;

20

(S)-N-(5-Bromoisothiazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloropyridazin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methylisothiazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(2,4-Dimethylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide
;

(S)-N-(3-Chloropyrazin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5 (S)-N-(3-Chloro-2-oxo-1,2-dihydropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10 (S)-N-(3-chloro-6-methoxypyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15 (S)-N-(3,5-Dichloro-2-oxo-1,2-dihydropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20 (S)-N-(3-chloro-6-oxo-1,6-dihydropyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloro-2-methoxypyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25 (S)-N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(4-Chloro-3-methylisothiazol-5-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(4-Chloropyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(3-Chloro-5-fluoropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(3-Cyano-5-fluoropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(3-Chloro-5-fluoro-2-methoxypyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-N-(4-Bromo-3-methylisothiazol-5-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(5-methylthiazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(5-Chloro-2-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methoxypyrazin-2-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(3,5-Dimethylisothiazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-5-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(5-fluoro-2-methylpyridin-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-N-(4-Chloro-6-methylpyrimidin-5-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-fluoro-6-methylpyridin-2-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxy-5-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-4-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(5,6-Dimethylpyrimidin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(2-Chloro-4-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methylisoxazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3,5-Dimethylisoxazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-5-methoxyphenyl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(2-Chloro-5-methylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(3,5-Dimethyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(4-Chloro-6-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(2,5-Dimethylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

25

(S)-N-(5-Chloro-2-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

N-(1,4-Dimethyl-2-oxo-2,3-dihydro-1H-pyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-(((S)-1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloropyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)-N-(1,3,5-trimethyl-1H-pyrazol-4-yl)nicotinamide;

10 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-fluoro-6-methoxypyridin-2-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methyl-1H-pyrazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methoxy-1H-pyrazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-isopropyl-1-methyl-1H-pyrazol-5-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25 (S)-N-(5-Chloro-6-methylpyrimidin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-(methoxymethyl)-1-methyl-1H-pyrazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(3-Cyclopropyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(1-(2-methoxyethyl)-1H-pyrazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(3-Chloro-1-methyl-6-oxo-1,6-dihydropyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(5-fluoro-2-methoxypyridin-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxy-5-methylpyridin-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxy-4-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(2,4-Dichloropyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

10

(S)-N-(2-Ethoxy-5-fluoropyrimidin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-fluoro-5-methylpyridin-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(2-Chloro-4,6-dimethylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-N-(1-Cyclopropyl-1H-imidazol-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(2-Chloro-5-cyanophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

(S)-N-(2-Chloro-5-cyanopyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(4-(Dimethylamino)-2-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

N-(2-Chloro-6-methyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(2-Chloro-5-fluoro-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15

N-(4-Chloro-2-methyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

20

N-(3-Chloro-1-methyl-pyrazol-4-yl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

25

N-[2-(Difluoromethyl)-5-fluoro-4-pyridyl]-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(5-fluoro-2-methoxy-pyrimidin-4-yl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

5

N-(6-Chloro-2,3-dimethyl-phenyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

10

N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(hydroxymethyl)-5-oxo-4-propyl-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(2-methoxy-3,5-dimethyl-4-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

(S)-2-(5-(((2-Chloro-4-methylpyridin-3-yl)-1,2-azaneyl)carbonyl)-3-fluoro-6-((1,1,1-trifluoropropan-2-yl)oxy)pyridin-2-yl)-5-(fluoromethyl)-4-isopropyl-2,4-dihydro-3H-1,2,4-triazol-3-one;

20

N-(2-Chloro-4-methyl-3-pyridyl)-6-[4-ethyl-3-(fluoromethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(3-Chloro-2-methoxy-5-methyl-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-isopropoxy-pyridine-3-carboxamide;

25

N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(hydroxymethyl)-4-isopropyl-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

- N-(2-Chloro-4-methyl-3-pyridyl)-6-[4-(2,2-difluoroethyl)-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 5
- N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-5-fluoro-6-[3-(hydroxymethyl)-5-oxo-4-propyl-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 10
- N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(fluoromethyl)-5-oxo-4-propyl-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 15
- N-(2,4-Dimethoxy-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 20
- N-(4,6-Dimethoxypyrimidin-5-yl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 25
- 6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]-N-[3-(trifluoromethyl)-1H-pyrazol-4-yl]pyridine-3-carboxamide;
- N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-[4-ethyl-3-(fluoromethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(2-Chloro-4-methyl-3-pyridyl)-6-[4-ethyl-3-(fluoromethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-isopropoxy-pyridine-3-carboxamide;

5 N-(5-Chloro-2-methoxy-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

10 N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-5-fluoro-6-[3-(fluoromethyl)-5-oxo-4-propyl-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15 N-(3-Cyano-1H-pyrazol-4-yl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(fluoromethyl)-4-(3-hydroxypropyl)-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

20 N-(2-chloro-4,5-dimethyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

25 6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(4-methoxy-2,6-dimethyl-3-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(3-Chloro-4-methoxy-2-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

5

N-(3-Chloro-4-ethoxy-2-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

10

N-(2-Chloro-6-methoxy-4-methyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15

N-(3-Chloro-5-methyl-1H-pyrazol-4-yl)-5-fluoro-6-[3-(fluoromethyl)-4-(3-hydroxypropyl)-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-[4-ethyl-3-(fluoromethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-isopropoxy-pyridine-3-carboxamide;

20

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(3-methoxypyridazin-4-yl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

25

N-(5-Chloro-2-methoxy-3-methyl-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-[3-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

5

N-[3-Chloro-5-(trifluoromethyl)-1H-pyrazol-4-yl]-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

10

N-(6-Chloro-2-methoxy-4-methyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(2-methoxy-4,6-dimethyl-3-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

20

N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-5-fluoro-6-[3-(fluoromethyl)-4-(2-hydroxyethyl)-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

25

N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(fluoromethyl)-4-(2-hydroxyethyl)-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(3-Cyano-5-fluoro-2-methoxy-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(3-Chloro-5-methoxy-2-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

5

N-(2,6-Dimethoxyphenyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

10

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(o-tolyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(3-methoxy-5-methyl-1H-pyrazol-4-yl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15

N-(3,5-Dimethoxy-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

20

N-(3,5-Dichloro-1H-pyrazol-4-yl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

25

N-[3-(Difluoromethyl)-5-methyl-1H-pyrazol-4-yl]-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(4-fluoro-2-methoxy-3-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(4-Chloro-2-methoxy-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

5

(Racemic)-6-[4-Ethyl-3-(1-hydroxyethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-[3-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-2-(2,2,2-trifluoro-1-methyl-ethoxy)pyridine-3-carboxamide; and

10

6-[4-Ethyl-3-(1-hydroxy-1-methyl-ethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-[3-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

15

25. A compound selected from the group consisting of:

(S)-N-(2-Chloro-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxy-4-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-[3-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide; and

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(2-methoxy-3,5-dimethyl-4-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

26. A pharmaceutical composition comprising: (A) an effective amount of a compound according to any of claims 1-25, or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof; and (B) at least one pharmaceutically acceptable excipient.

27. A pharmaceutical composition comprising an effective amount of a compound of claim 24, or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof; and at least one pharmaceutically acceptable excipient.

28. A pharmaceutical composition comprising an effective amount of a compound of claim 25, or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof; and at least one pharmaceutically acceptable excipient.

29. Use of an effective amount of at least one compound according to any of claims 1-25, or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof in the manufacture of a medicament for the treatment of a subject suffering from or diagnosed with a disease, disorder, or medical condition selected from the group consisting of: inflammatory disorders, cancer and autoimmune disorders.

30. The use according to claim 29, wherein the cancer is selected from the group consisting of: lymphomas, leukemias, carcinomas, and sarcomas.

31. The use according to claim 30, wherein the leukemia is selected from the group consisting of: acute lymphoblastic leukemia, acute myeloid leukemia, (acute) T-cell leukemia, acute lymphoblastic leukemia, acute lymphocytic leukemia, acute monocytic leukemia, acute promyelocytic leukemia, bisphenotypic B myelomonocytic leukemia, chronic lymphocytic leukemia, chronic myelogenous leukemia, chronic myeloid leukemia, chronic myelomonocytic leukemia, large granular lymphocytic leukemia, plasma cell leukemia, and also myelodysplastic syndrome, which can develop into an acute myeloid leukemia.

32. The use according to claim 29, wherein the disorder, disease or medical condition is acute myeloid leukemia.

33. The use according to any of claims 29-32, wherein the at least one compound comprises a compound selected from the group consisting of:

(S)-N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5 (S)-N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(fluoromethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(2-Chloropyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(2-Chloro-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15 (S)-N-(2-Chloro-6-fluorophenyl)-6-(3-(chloromethyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-isopropoxynicotinamide;

20

N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-(2,2,3,3-tetrafluorocyclobutoxy)nicotinamide;

Racemic-N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((tetrahydrofuran-3-yl)oxy)nicotinamide;

25

(S)-N-(3-Chloropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-5-methylphenyl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

5

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(isothiazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(2-(Difluoromethyl)-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(methoxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

20

(S)-N-(5-Bromoisothiazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloropyridazin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methylisothiazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(2,4-Dimethylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

(S)-N-(3-Chloropyrazin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5 (S)-N-(3-Chloro-2-oxo-1,2-dihydropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10 (S)-N-(3-chloro-6-methoxypyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15 (S)-N-(3,5-Dichloro-2-oxo-1,2-dihydropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20 (S)-N-(3-chloro-6-oxo-1,6-dihydropyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloro-2-methoxypyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25 (S)-N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(4-Chloro-3-methylisothiazol-5-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(4-Chloropyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(3-Chloro-5-fluoropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(3-Cyano-5-fluoropyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(3-Chloro-5-fluoro-2-methoxypyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-N-(4-Bromo-3-methylisothiazol-5-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(5-methylthiazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(5-Chloro-2-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methoxypyrazin-2-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(3,5-Dimethylisothiazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-5-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(5-fluoro-2-methylpyridin-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-N-(4-Chloro-6-methylpyrimidin-5-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-fluoro-6-methylpyridin-2-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxy-5-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-4-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(5,6-Dimethylpyrimidin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(2-Chloro-4-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methylisoxazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3,5-Dimethylisoxazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-5-methoxyphenyl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(2-Chloro-5-methylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-N-(3,5-Dimethyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(4-Chloro-6-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(2,5-Dimethylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

25

(S)-N-(5-Chloro-2-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

N-(1,4-Dimethyl-2-oxo-2,3-dihydro-1H-pyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-(((S)-1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(3-Chloropyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)-N-(1,3,5-trimethyl-1H-pyrazol-4-yl)nicotinamide;

10 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-fluoro-6-methoxypyridin-2-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methyl-1H-pyrazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methoxy-1H-pyrazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-isopropyl-1-methyl-1H-pyrazol-5-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25 (S)-N-(5-Chloro-6-methylpyrimidin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-(methoxymethyl)-1-methyl-1H-pyrazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(3-Cyclopropyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(1-(2-methoxyethyl)-1H-pyrazol-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-N-(3-Chloro-1-methyl-6-oxo-1,6-dihydropyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(5-fluoro-2-methoxypyridin-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxy-5-methylpyridin-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxy-4-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(2,4-Dichloropyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

10

(S)-N-(2-Ethoxy-5-fluoropyrimidin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

15

(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-fluoro-5-methylpyridin-4-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

20

(S)-N-(2-Chloro-4,6-dimethylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-N-(1-Cyclopropyl-1H-imidazol-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(2-Chloro-5-cyanophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide ;

(S)-N-(2-Chloro-5-cyanopyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

5

(S)-N-(4-(Dimethylamino)-2-methoxypyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

10

N-(2-Chloro-6-methyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(2-Chloro-5-fluoro-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15

N-(4-Chloro-2-methyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

20

N-(3-Chloro-1-methyl-pyrazol-4-yl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

25

N-[2-(Difluoromethyl)-5-fluoro-4-pyridyl]-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(5-fluoro-2-methoxy-pyrimidin-4-yl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

5

N-(6-Chloro-2,3-dimethyl-phenyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

10

N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(hydroxymethyl)-5-oxo-4-propyl-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(2-methoxy-3,5-dimethyl-4-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

(S)-2-(5-(((2-Chloro-4-methylpyridin-3-yl)-1,2-azaneyl)carbonyl)-3-fluoro-6-((1,1,1-trifluoropropan-2-yl)oxy)pyridin-2-yl)-5-(fluoromethyl)-4-isopropyl-2,4-dihydro-3H-1,2,4-triazol-3-one;

20

N-(2-Chloro-4-methyl-3-pyridyl)-6-[4-ethyl-3-(fluoromethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(3-Chloro-2-methoxy-5-methyl-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-isopropoxy-pyridine-3-carboxamide;

25

N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(hydroxymethyl)-4-isopropyl-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

- N-(2-Chloro-4-methyl-3-pyridyl)-6-[4-(2,2-difluoroethyl)-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 5
- N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-5-fluoro-6-[3-(hydroxymethyl)-5-oxo-4-propyl-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 10
- N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(fluoromethyl)-5-oxo-4-propyl-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 15
- N-(2,4-Dimethoxy-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 20
- N-(4,6-Dimethoxypyrimidin-5-yl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 25
- 6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]-N-[3-(trifluoromethyl)-1H-pyrazol-4-yl]pyridine-3-carboxamide;
- N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-[4-ethyl-3-(fluoromethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

- N-(2-Chloro-4-methyl-3-pyridyl)-6-[4-ethyl-3-(fluoromethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-isopropoxy-pyridine-3-carboxamide;
- 5 N-(5-Chloro-2-methoxy-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 10 N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-5-fluoro-6-[3-(fluoromethyl)-5-oxo-4-propyl-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 15 N-(3-Cyano-1H-pyrazol-4-yl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(fluoromethyl)-4-(3-hydroxypropyl)-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 20 N-(2-chloro-4,5-dimethyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 25 6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(4-methoxy-2,6-dimethyl-3-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

- N-(3-Chloro-4-methoxy-2-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 5
- N-(3-Chloro-4-ethoxy-2-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 10
- N-(2-Chloro-6-methoxy-4-methyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 15
- N-(3-Chloro-5-methyl-1H-pyrazol-4-yl)-5-fluoro-6-[3-(fluoromethyl)-4-(3-hydroxypropyl)-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 20
- N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-[4-ethyl-3-(fluoromethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-isopropoxy-pyridine-3-carboxamide;
- 25
- 6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(3-methoxypyridazin-4-yl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- N-(5-Chloro-2-methoxy-3-methyl-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

- 6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-[3-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 5
- N-[3-Chloro-5-(trifluoromethyl)-1H-pyrazol-4-yl]-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 10
- N-(6-Chloro-2-methoxy-4-methyl-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 15
- 6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(2-methoxy-4,6-dimethyl-3-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 20
- N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-5-fluoro-6-[3-(fluoromethyl)-4-(2-hydroxyethyl)-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- 25
- N-(2-Chloro-4-methyl-3-pyridyl)-5-fluoro-6-[3-(fluoromethyl)-4-(2-hydroxyethyl)-5-oxo-1,2,4-triazol-1-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;
- N-(3-Cyano-5-fluoro-2-methoxy-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(3-Chloro-5-methoxy-2-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

5

N-(2,6-Dimethoxyphenyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

10

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(o-tolyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(3-methoxy-5-methyl-1H-pyrazol-4-yl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

15

N-(3,5-Dimethoxy-4-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

20

N-(3,5-Dichloro-1H-pyrazol-4-yl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

25

N-[3-(Difluoromethyl)-5-methyl-1H-pyrazol-4-yl]-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(4-fluoro-2-methoxy-3-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

N-(4-Chloro-2-methoxy-3-pyridyl)-6-[4-ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

5

(Racemic)-6-[4-Ethyl-3-(1-hydroxyethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-[3-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-2-(2,2,2-trifluoro-1-methyl-ethoxy)pyridine-3-carboxamide; and

10

6-[4-Ethyl-3-(1-hydroxy-1-methyl-ethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-[3-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

15

34. The use according to any of claims 29-32, wherein the at least one compound comprises a compound selected from the group consisting of:

20

(S)-N-(2-Chloro-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

(S)-N-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

25

(S)-N-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;


(S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxy-4-methylpyridin-3-yl)-2-((1,1,1-trifluoropropan-2-yl)oxy)nicotinamide;

6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-[3-methyl-5-(trifluoromethyl)-1H-pyrazol-4-yl]-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide; and


6-[4-Ethyl-3-(hydroxymethyl)-5-oxo-1,2,4-triazol-1-yl]-5-fluoro-N-(2-methoxy-3,5-dimethyl-4-pyridyl)-2-[(1S)-2,2,2-trifluoro-1-methyl-ethoxy]pyridine-3-carboxamide;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.


35. A compound selected from the group consisting of:



,




, and



;

or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

36. The compound according to any of claims 1-11, wherein R² is



37. The compound according to any of claims 1-6, wherein R^{1a} is CH₃; or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof.

38. An effective amount of at least one compound according to any of claims 1-25, or a pharmaceutically acceptable salt, solvate, stereoisomer, tautomer, isotopic variant, or N-oxide thereof for use as a medicament.