


FIG. 1



Day 0
Day 13
Vehicle
Temozolomide (12 Days 25 mg/kg)
Radiation (20 Gy over 12 days)

FIG. 2



Tumor Weight at Autopsy (mg)
1250
1000
750
500
350
0
Control
Docetaxel
Plinablulin + Docetaxel
TGI = 26.1%
TGI = 74.3%
P = 0.05 vs Control
P < 0.02 vs Docetaxel

FIG. 3



p=<0.001
Ctrl
Plin
Percent survival
100
50
0
0
20
40
60
80
100
Days in Study

FIG. 4



p=0.0149
TMZ + Radiation
Plinabulin + TMZ + Radiation
Percent survival
100
50
0
0
20
40
60
80
100
Days in Study

FIG. 5



G1: Vehicle Control
G2: Plinabulin 7.5 mg/kg
G3: Irinotecan 100mg/kg
G4: Plinabulin 7.5mg/kg + Irinotecan 100mg/kg
Tumor Volume (mm³)
2,000
1,800
1,600
1,400
1,200
1,000
800
600
400
200
0
0
5
10
15
20
25
30
Study Day

FIG. 6



G1: Vehicle Control
G2: Plinabulin 7.5 mg/kg
G3: Irinotecan 80mg/kg
G4: Plinabulin 7.5mg/kg + Irinotecan 80mg/kg
Tumor Volume (mm³)
3,000
2,500
2,000
1,500
1,000
500
0
0
2
4
6
8
10
12
14
16
18
20
22
Study Day

FIG. 7