
~~WHAT IS CLAIMED IS~~CLAIMS:

1. A compound having the Formula I:



(I)


or a pharmaceutically acceptable salt or prodrug thereof, wherein:

Ar is an aryl or heteroaryl, substituted with a substituted carbonyl or methyl at the meta-position; and

R_1-R_6 independently are hydrogen, halo, optionally substituted amino, optionally substituted alkoxy, optionally substituted C_{1-10} alkyl, haloalkyl, alkenyl, alkynyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, ethylenedioxo, nitro, cyano, acylamido, hydroxy, thiol, acyloxy, azido, carboxy, carbonylamido or optionally substituted alkylthiol.

2. The compound of claim 1, wherein R_5 and R_6 is hydrogen, Ar is phenyl, pyridyl or furanyl, substituted with a substituted carbonyl at the meta-position.

3. The compound of claim 1, wherein said compound has Formula II:



(II)

or pharmaceutically acceptable salts or prodrugs thereof, wherein:


R_1-R_4 independently are hydrogen, halo, optionally substituted amino, optionally substituted alkoxy, optionally substituted C_{1-10} alkyl, haloalkyl, alkenyl, alkynyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, ethylenedioxo, cyano, acylamido, hydroxy, thiol, acyloxy, azido, carboxy, carbonylamido or optionally substituted alkylthiol,

R_7-R_{10} independently are hydrogen, halo, optionally substituted amino, alkoxy, C_{1-10} alkyl, haloalkyl, aryl, heteroaryl, a carbocyclic group, a heterocyclic group, alkenyl, alkynyl,

arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, hydroxyalkoxy, aminoalkyl, aminoalkoxy, carboxyalkyl, carboxyalkoxy, nitro, cyano, acylamido, aminocarbonyl, hydroxy, thiol, acyloxy, azido, carboxy, carbonylamido, alkylsulfonyl, aminosulfonyl, dialkylaminosulfonyl, alkylsulfiniyl, alkylthiol, or substituted carbonyl, and

R_{11} is an optionally substituted amino, hydrazino, alkoxy, C_{1-10} alkyl, haloalkyl, aryl, heteroaryl, carbocyclic group, heterocyclic group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, hydroxyalkoxy, aminoalkyl, aminoalkoxy, carboxyalkyl, carboxyalkoxy, acylamido, hydroxy, thiol, acyloxy, carbonylamido, or alkylthiol.

4. The compound of claim 1, wherein said compound has Formula III:



(III)

or pharmaceutically acceptable salts or prodrugs thereof, wherein:

R_1-R_4 independently are hydrogen, halo, optionally substituted amino, optionally substituted alkoxy, optionally substituted C_{1-10} alkyl, haloalkyl, alkenyl, alkynyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, cyano, ethylenedioxo, acylamido, hydroxy, thiol, acyloxy, azido, carboxy, carbonylamido or optionally substituted alkylthiol;

R_7-R_{10} independently are hydrogen, halo, optionally substituted amino, alkoxy, C_{1-10} alkyl, haloalkyl, aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, hydroxyalkoxy, aminoalkyl, aminoalkoxy, carboxyalkyl, carboxyalkoxy, nitro, cyano, acylamido, aminocarbonyl, hydroxy, thiol, acyloxy, azido, carboxy, carbonylamido, alkylsulfonyl, aminosulfonyl, dialkylaminosulfonyl, alkylsulfiniyl, alkylthiol, or substituted carbonyl; and

R_{12} is an optionally substituted C_{1-10} alkyl, haloalkyl, cycloalkyl, aryl, heteroaryl, carbocyclic group, heterocyclic group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, alkylcarbonyl, acyl, cycloalkylcarbonyl, arylcarbonyl,

heteroarylcarbonyl, heterocyclocarbonyl, aminocarbonyl, alkylsulfonyl, cycloalkylsulfonyl, or aminosulfonyl.

5. The compound of claim 4, wherein R_1 or R_2 is hydrogen, fluoro, chloro, bromo or methyl; R_4 is hydrogen, fluoro, methyl, methoxy or hydroxy; R_7, R_8, R_9, or R_{10} is hydrogen or fluoro.

6. The compound of claim 4, wherein R_{12} is cycloalkyl, aryl, heteroaryl, carbocyclic group, heterocyclic group, arylalkyl, heteroarylalkyl, carbocycloalkyl, heterocycloalkyl, alkylcarbonyl, cycloalkylcarbonyl, arylcarbonyl, heteroarylcarbonyl or heterocyclocarbonyl.

7. The compound of claim 4, wherein R_1 and R_2 each independently are selected from the group consisting of H, halo, C_1-C_6 alkyl or C_1-C_6 alkoxy; R_3 is H; R_4 is selected from the group consisting of H, halo, C_1-C_6 alkyl, C_1-C_6 alkoxy or hydroxyl; R_7, R_8, R_9 and R_{10} are each independently selected from the group consisting of H and halo; and R_{12} is optionally substituted cycloalkyl, aryl, heteroaryl, carbocyclic group, heterocyclic group, arylalkyl, heteroarylalkyl, carbocycloalkyl, heterocycloalkyl, alkylcarbonyl, cycloalkylcarbonyl, arylcarbonyl, heteroarylcarbonyl or heterocyclocarbonyl.

8. The compound of claim 7, wherein R_{12} is optionally substituted C_{3-8} cycloalkylcarbonyl, pyridyl, pyrimidinyl, benzoyl, phenyl, piperidinyl, thienylcarbonyl, furylcarbonyl, pyrazinyl, or thiazolyl.

9. The compound of claim 4, wherein R_1 and R_2 each independent are selected from the group consisting of hydrogen, fluoro, chloro, bromo or methyl; R_3 is H; R_4 is selected from the group consisting of hydrogen, fluoro, methyl, methoxy or hydroxy; R_7, R_8, R_9 and R_{10} are each independently selected from the group consisting of H and fluoro; and R_{12} is C_{3-8} cycloalkylcarbonyl, pyridyl, pyrimidinyl, benzoyl, phenyl, piperidinyl, thienylcarbonyl, furylcarbonyl, pyrazinyl, or thiazolyl, optionally substituted by 1, 2, 3, or 4 substituents selected from the gourp consisting of halo, C_1-C_6 haloalkyl, C_1-C_6 alkyl, amino, hydroxy, or C_1-C_6 alkoxy.

~~7~~10. The compound of claim 1, wherein said compound is selected from the group consisting of:

1-(3-Methoxycarbonylbenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-Carboxybenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Cyclohexylpiperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-([1,2,4]Triazolo[4,3-*b*]pyridazin-6-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Ethylpiperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Benzoylpiperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(4-Fluorobenzoyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(4-Chlorobenzoyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(4-Bromobenzoyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(4-Methoxybenzoyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Tetrahydro-2H-pyran-4-yl)carbonylpiperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopropylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Ethylsulfonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Acetylpiperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Phenylpiperidine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Phenylpiperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Pyrazin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-methoxycarbonylbenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-Carboxy-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Benzo[*d*]isothiazol-3-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Piperidin-1-yl)piperidine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Pyridin-4-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(6-Fluorobenzo[*d*]isoxazol-3-yl)piperidine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Furan-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Furan-3-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Thiophene-3-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Pyridine-3-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Pyridine-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Pyridine-4-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Phenoxypiperidine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopropylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-(4-(pyrazin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Benzo[*d*]isothiazol-3-yl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Benzoylpiperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-(4-(furan-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Fluoro-3-(4-(furan-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Chloro-3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Chloro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Chloro-3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Chloro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(2-Chloro-3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(2-Chloro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(2-Fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-2-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(5-Fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-5-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Chloro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Chloro-3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-((2-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)furan-5-yl)methyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-((2-(4-(Benzo[*d*]isothiazol-3-yl)piperazine-1-carbonyl)furan-5-yl)methyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-((2-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)pyridin-6-yl)methyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-((2-(4-(Pyridin-2-yl)piperazine-1-carbonyl)pyridin-6-yl)methyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-((2-(4-(Pyrimidin-2-yl)piperazine-1-carbonyl)pyridin-6-yl)methyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Thiazol-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylmethyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylmethyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylsulfonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)-7-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

7-Fluoro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)-7-methylquinazoline-2,4(1*H*,3*H*)-dione;

7-Methyl-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Methyl-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)-6-methylquinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)-6-methylquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-6-methylquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-6-methylquinazoline-2,4(1*H*,3*H*)-dione;

6-Bromo-1-(3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Bromo-1-(3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Bromo-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)-6-nitroquinazoline-2,4(1*H*,3*H*)-dione;

6-Nitro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)-6-nitroquinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(4-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(4-fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(4-fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(6-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclobutylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(4-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(4-fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(4-fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclopropylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline)-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(6-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclohexylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(6-fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-(1-(3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline)-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Benzoylpiperazine-1-carbonyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)-8-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)benzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(4-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(4-fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(4-fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(6-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(6-fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(6-fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(6-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(6-fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(6-fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

5-Methyl-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)-5-methylquinazoline-2,4(1*H*,3*H*)-dione;

7-Chloro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

7-Chloro-1-(3-(4-(cyclopentylcarbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopropylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-5-fluoroquinazoline)-2,4(1*H*,3*H*)-dione;

6-Chloro-(1-(3-(4-benzoylpiperazine-1-carbonyl)-4-fluorobenzyl)quinazoline)-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)benzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclobutylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(3-(4-(cyclobutylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(3-(4-(cyclobutylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)quinazoline-2,4(1H,3H)-dione;

5-Chloro-1-(3-(4-(cyclobutylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(6-fluoro-3-(4-(thiophene-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-(furan-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Chloro-1-(6-fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(6-fluoro-3-(4-(pyridin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Chloro-1-(5-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(5-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Cyclopentylpiperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclopropylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)benzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)-4-fluorobenzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Benzoylpiperazine-1-carbonyl)-4-fluorobenzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclobutylcarbonyl)piperazine-1-carbonyl)-6-fluorobenzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(6-fluoro-3-(4-(furan-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(4-fluoro-3-(4-(furan-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(5-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(6-Chloro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)-6-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-(4-fluoro-3-(4-(thiazol-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-(thiazol-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-(4-(thiazol-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylcarbamoyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione hydrochloride;

5-Fluoro1-(4-fluoro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione hydrochloride;

1-(3-(4-(Pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione hydrochloride;

1-(3-([1,2,4]Triazolo[4,3-a]pyridine-6-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Fluoro-1-((2-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)pyridin-6-yl)methyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-methoxybenzylcarbamoyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(3-Chlorobenzylcarbamoyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(Benzylcarbamoyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

5-Methoxy-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Methoxy-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(5-Bromopyrimidin-2-aminocarbamoyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)-7-(trifluoromethyl)quinazoline-2,4(1*H*,3*H*)-dione;

6,7-Ethylenedioxo-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(6-methoxy-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

7-Methoxy-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-(tetrahydrofuran-2-carbonyl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-nitro-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-Cyclohexylpiperazine-1-carbonyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-phenylpiperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

5-Fluoro-1-(4-fluoro-3-(4-phenylpiperidine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(4-Bromo-3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

6,7-Methylenedioxo-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

1-(3-(4-(Cyclohexylmethyl)piperazine-1-carbonyl)-4-fluorobenzyl)-5-fluoroquinazoline-2,4(1*H*,3*H*)-dione;

8-Fluoro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

6-Amino-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

8-Chloro-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

8-Methyl-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

8-Methoxy-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

8-Hydroxy-1-(3-(4-(pyrimidin-2-yl)piperazine-1-carbonyl)benzyl)quinazoline-2,4(1*H*,3*H*)-dione;

————or a pharmaceutically acceptable salt or prodrug thereof.

11. Compound of any of claims 1-10, or a pharmaceutically acceptable salt or prodrug thereof, for use as a medicament.

12. Compound for use according to claim 11, for use in treating or preventing a disorder responsive to the inhibition of PARP activity in a mammal suffering therefrom; preferably wherein said disorder is cancer.

13. Compound for use according to claim 12, wherein said cancer is liver cancer, melanoma, Hodgkin's disease, non-Hodgkin's lymphomas, acute or chronic lymphocytic leukemia, multiple myeloma, neuroblastoma, breast carcinoma, ovarian carcinoma, lung carcinoma, Wilms' tumor, cervical carcinoma, testicular carcinoma, soft-tissue sarcoma, chronic lymphocytic leukemia, primary macroglobulinemia, bladder carcinoma, chronic granulocytic leukemia, primary brain carcinoma, malignant melanoma, small-cell lung carcinoma, stomach carcinoma, colon carcinoma, malignant pancreatic insulinoma, malignant carcinoid carcinoma, malignant melanoma, choriocarcinoma, mycosis fungoide, head or neck carcinoma, osteogenic sarcoma, pancreatic carcinoma, acute granulocytic leukemia, hairy cell leukemia, neuroblastoma, rhabdomyosarcoma, Kaposi's sarcoma, genitourinary carcinoma, thyroid carcinoma, esophageal carcinoma, malignant hypercalcemia, cervical hyperplasia, renal cell

carcinoma, endometrial carcinoma, polycythemia vera, essential thrombocytosis, adrenal cortex carcinoma, skin cancer, or prostatic carcinoma.

~~8~~14. Use of the compound of any of claims 1-10 in the manufacture of a medicament for ~~A method of~~ treating or preventing a disorder responsive to the inhibition of PARP activity in a mammal suffering therefrom~~, comprising administering to the mammal in need of such treatment a therapeutically effective amount of a compound of any of claims 1 to 7~~.

~~9~~15. The ~~method~~ use according to ~~of~~ claim 14~~8~~, wherein said disorder is cancer.

~~10~~16. The ~~method~~ use according to claim ~~9~~15, wherein said cancer is liver cancer, melanoma, Hodgkin's disease, non-Hodgkin's lymphomas, acute or chronic lymphocytic leukemia, multiple myeloma, neuroblastoma, breast carcinoma, ovarian carcinoma, lung carcinoma, Wilms' tumor, cervical carcinoma, testicular carcinoma, soft-tissue sarcoma, chronic lymphocytic leukemia, primary macroglobulinemia, bladder carcinoma, chronic granulocytic leukemia, primary brain carcinoma, malignant melanoma, small-cell lung carcinoma, stomach carcinoma, colon carcinoma, malignant pancreatic insulinoma, malignant carcinoid carcinoma, malignant melanoma, choriocarcinoma, mycosis fungoide, head or neck carcinoma, osteogenic sarcoma, pancreatic carcinoma, acute granulocytic leukemia, hairy cell leukemia, neuroblastoma, rhabdomyosarcoma, Kaposi's sarcoma, genitourinary carcinoma, thyroid carcinoma, esophageal carcinoma, malignant hypercalcemia, cervical hyperplasia, renal cell carcinoma, endometrial carcinoma, polycythemia vera, essential thrombocytosis, adrenal cortex carcinoma, skin cancer, or prostatic carcinoma.

~~11~~17. The ~~method~~ use according to ~~of~~ claim 16~~10~~, further comprising administering at least one known anticancer agent, or a pharmaceutically acceptable salt of said agent.

~~12~~18. The ~~method~~ use according to claim 16~~10~~, wherein said compound is administered together with at least one compound selected from the group consisting of busulfan, melphalan, chlorambucil, cyclophosphamide, ifosfamide, temozolomide, bendamustine, cis-platin, mitomycin C, bleomycin, carboplatin, camptothecin, irinotecan, topotecan, doxorubicin, epirubicin, aclarubicin, mitoxantrone, elliptinium, etoposide, 5-azacytidine, gemcitabine, 5-fluorouracil, methotrexate, 5-fluoro-2'-deoxy-uridine, fludarabine, nelarabine, ara-C, alanosine, pralatrexate, pemetrexed, hydroxyurea, thioguanine, colchicine, vinblastine, vincristine, vinorelbine, paclitaxel, ixabepilone, cabazitaxel, docetaxel, campath, Panitumumab, Ofatumumab, Avastin, Herceptin®, Rituxan®, imatinib, gefitinib, erlotinib, lapatinib, sorafenib, sunitinib, nilotinib, dasatinib, pazopanib, temsirolimus, everolimus, vorinostat, romidepsin, tamoxifen, letrozole, fulvestrant, mitoguazone, octreotide, retinoic acid, arsenic trioxide, zoledronic acid, bortezomib, thalidomide or lenalidomide.

~~13~~19. The ~~method~~ use according to ~~of~~ claim ~~16~~10, further comprising treating said mammal with radiation-therapy.

~~14~~20. A pharmaceutical composition comprising the compound of any of claims 1 to ~~7~~10 and a pharmaceutically acceptable carrier.

~~15~~21. The pharmaceutical composition of claim ~~14~~20, further comprising at least one known anticancer agent, or a pharmaceutically acceptable salt of said agent.

~~16~~22. The pharmaceutical composition of claim ~~14~~20, further comprising at least one compound selected from the group consisting of busulfan, melphalan, chlorambucil, cyclophosphamide, ifosfamide, temozolomide, bendamustine, cis-platin, mitomycin C, bleomycin, carboplatin, camptothecin, irinotecan, topotecan, doxorubicin, epirubicin, aclarubicin, mitoxantrone, elliptinium, etoposide, 5-azacytidine, gemcitabine, 5-fluorouracil, methotrexate, 5-fluoro-2'-deoxy-uridine, fludarabine, nelarabine, ara-C, alanosine, pralatrexate, pemetrexed, hydroxyurea, thioguanine, colchicine, vinblastine, vincristine, vinorelbine, paclitaxel, ixabepilone, cabazitaxel, docetaxel, campath, Panitumumab, Ofatumumab, Avastin, Herceptin®, Rituxan®, imatinib, gefitinib, erlotinib, lapatinib, sorafenib, sunitinib, nilotinib, dasatinib, pazopanib, temsirolimus, everolimus, vorinostat, romidepsin, tamoxifen, letrozole, fulvestrant, mitoguazone, octreotide, retinoic acid, arsenic trioxide, zoledronic acid, bortezomib, thalidomide or lenalidomide.

~~17. Use of the compound of any of claims 1-7 in the manufacture of a medicament for treating or preventing a disorder responsive to the inhibition of PARP activity in a mammal suffering therefrom.~~