


CLAIMS


We claim:



1. A compound of Formula I



wherein

R¹ is selected from the group consisting of methyl, ethyl, cyclobutyl, cyclopentyl,





and

R³ is selected from the group consisting of fluoro, chloro, cyano, difluoromethyl and trifluoromethyl;

or a pharmaceutically acceptable salt thereof.

2. A compound selected from the group consisting of:

[(2*S*,4*R*)-4-(8-chloro-2-ethyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)tetrahydro-2*H*-pyran-2-yl]acetonitrile;

[(2*R*,4*S*)-4-(8-chloro-2-ethyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)tetrahydro-2*H*-pyran-2-yl]acetonitrile;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-2*H*-1,2,3-triazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 1;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-2*H*-1,2,3-triazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 2;

8-chloro-1-[(4*S*)-3,3-difluorotetrahydro-2*H*-pyran-4-yl]-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

2-[(6-methylpyrimidin-4-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-[(1-methyl-1*H*-1,2,3-triazol-4-yl)methyl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

[*cis*-4-(8-chloro-2-cyclobutyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)tetrahydro-2*H*-pyran-2-yl]acetonitrile, ENT 1;

[*cis*-4-(8-chloro-2-cyclobutyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)tetrahydro-2*H*-pyran-2-yl]acetonitrile, ENT 2;

8-(difluoromethyl)-2-[(4-methoxy-1*H*-pyrazol-1-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinoline;

8-(difluoromethyl)-2-[(5-methylpyrazin-2-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinoline;

{8-chloro-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinolin-2-yl}(5-methylpyrazin-2-yl)methanol, DIAST 1;

{8-chloro-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinolin-2-yl}(5-methylpyrazin-2-yl)methanol, DIAST 2;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-[(4-methyl-1*H*-1,2,3-triazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-[(4-methyl-1*H*-1,2,3-triazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[[4-(methoxymethyl)-1*H*-1,2,3-triazol-1-yl]methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[[4-(methoxymethyl)-1*H*-1,2,3-triazol-1-yl]methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(4-methoxy-1*H*-pyrazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(4-methoxy-1*H*-pyrazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

8-fluoro-2-[(2-methylimidazo[2,1-*b*][1,3,4]thiadiazol-6-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinoline;

2-[(5-methylpyrazin-2-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

2-cyclopentyl-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

[*cis*-4-(8-chloro-2-methyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)tetrahydro-2*H*-pyran-2-yl]acetonitrile, ENT 1;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 1;

2-[(5-methylpyrazin-2-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

1-[(3*R*)-1-methylpyrrolidin-3-yl]-2-[(5-methyl-2*H*-tetrazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

2-[(3-methyl-1,2-oxazol-5-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

2-[(4-methoxy-1*H*-pyrazol-1-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

1-[(3*R*)-1-methylpyrrolidin-3-yl]-2-[(5-methyl-1,3,4-thiadiazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

2-[(5-methyl-1,3-oxazol-2-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-[[5-(trifluoromethyl)pyrazin-2-yl]methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

8-chloro-2-[(6-methylpyrimidin-4-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline;

2-[(4-methoxy-1*H*-pyrazol-1-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[[4-(methoxymethyl)-1*H*-1,2,3-triazol-1-yl]methyl]-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(3,3-difluorotetrahydro-2H-pyran-4-yl)-2-[(4-methyl-1H-1,2,3-triazol-1-yl)methyl]-1H-imidazo[4,5-c]quinoline, ENT 1;

8-chloro-2-[(4-cyclopropyl-1H-1,2,3-triazol-1-yl)methyl]-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-1H-imidazo[4,5-c]quinoline, ENT 2;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-1H-1,2,3-triazol-1-yl)methyl]-1H-imidazo[4,5-c]quinoline, ENT 2;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-2H-tetrazol-2-yl)methyl]-1H-imidazo[4,5-c]quinoline, ENT 1;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methylpyrazin-2-yl)methyl]-1H-imidazo[4,5-c]quinoline, ENT 1;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1H-imidazo[4,5-c]quinoline, ENT 1;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1H-imidazo[4,5-c]quinoline, ENT 2;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-{[4-(methoxymethyl)-1H-1,2,3-triazol-1-yl]methyl}-1H-imidazo[4,5-c]quinoline, ENT 2;

8-chloro-1-(3,3-difluorotetrahydro-2H-pyran-4-yl)-2-(1H-1,2,4-triazol-1-ylmethyl)-1H-imidazo[4,5-c]quinoline, ENT 2;

8-chloro-1-(3,3-difluorotetrahydro-2H-pyran-4-yl)-2-{[4-(methoxymethyl)-1H-1,2,3-triazol-1-yl]methyl}-1H-imidazo[4,5-c]quinoline, ENT 1;

2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-1-[(3R)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl]-1H-imidazo[4,5-c]quinoline-8-carbonitrile;

2-[(4-methoxy-1H-pyrazol-1-yl)methyl]-1-[(2R,4R)-2-methyltetrahydro-2H-pyran-4-yl]-1H-imidazo[4,5-c]quinoline-8-carbonitrile;

8-chloro-1-[(2R,4R)-2-methyltetrahydro-2H-pyran-4-yl]-2-(1,3-thiazol-2-ylmethyl)-1H-imidazo[4,5-c]quinoline;

8-chloro-1-[cis-2-(difluoromethyl)tetrahydro-2H-pyran-4-yl]-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1H-imidazo[4,5-c]quinoline, ENT 1;

8-chloro-1-(3,3-difluorotetrahydro-2H-pyran-4-yl)-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1H-imidazo[4,5-c]quinoline, ENT 1;

1-[(2R,4R)-2-methyltetrahydro-2H-pyran-4-yl]-2-(1,3-thiazol-2-ylmethyl)-1H-imidazo[4,5-c]quinoline-8-carbonitrile;

8-chloro-1-[(3*R*)-1-methylpyrrolidin-3-yl]-2-[(4-methyl-1*H*-1,2,3-triazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-(1,2,3-thiadiazol-4-ylmethyl)-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-fluoro-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-(1,3-thiazol-2-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline;

2-(1,3-benzoxazol-2-ylmethyl)-1-[*cis*-3-fluorocyclopentyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-(1*H*-1,2,4-triazol-1-ylmethyl)-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-2-[(5-methylpyrazin-2-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline;

1-[*cis*-3-fluorocyclopentyl]-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-(1,3-thiazol-4-ylmethyl)-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

2-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(2,2-dimethyltetrahydro-2*H*-pyran-4-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(2,2-difluoropropyl)-2-[(4-methoxy-1*H*-pyrazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

8-fluoro-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-[[5-(trifluoromethyl)pyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-[(5-methyl-1,3,4-thiadiazol-2-yl)methyl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

2-[(6-methylpyrimidin-4-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-[*cis*-3-fluorocyclopentyl]-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

3-{8-chloro-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinolin-2-yl}-2-methylpropanenitrile, DIAST 2;

8-fluoro-1-[*cis*-3-fluorocyclopentyl]-2-(1,2,3-thiadiazol-4-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

3-{8-chloro-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinolin-2-yl}propanenitrile;

1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-[(5-methyl-2*H*-tetrazol-2-yl)methyl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-1*H*-1,2,3-triazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-tetrazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(1-methyl-1*H*-1,2,4-triazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-[(2-methylimidazo[2,1-*b*][1,3,4]thiadiazol-6-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-tetrazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-2*H*-1,2,3-triazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-1,3,4-thiadiazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

8-(difluoromethyl)-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-[(4-methyl-1*H*-1,2,3-triazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;

8-(difluoromethyl)-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(5-methyl-1,3,4-thiadiazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

8-chloro-2-[(4-cyclopropyl-1*H*-1,2,3-triazol-1-yl)methyl]-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-1*H*-imidazo[4,5-*c*]quinoline; and
[5-({8-chloro-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinolin-2-yl} methyl)pyrazin-2-yl)methanol
or a pharmaceutically acceptable salt thereof.

3. The compound of claim 2 which is selected from the group consisting of
8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-{[4-(methoxymethyl)-1*H*-1,2,3-triazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;
8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;
2-[(6-methylpyrimidin-4-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;
8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;
1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-2*H*-1,2,3-triazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 2;
1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-[(1-methyl-1*H*-1,2,3-triazol-4-yl)methyl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;
[(2*S*,4*R*)-4-(8-chloro-2-ethyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)tetrahydro-2*H*-pyran-2-yl]acetonitrile;
8-(difluoromethyl)-2-[(5-methylpyrazin-2-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinoline;
8-chloro-1-[(4*S*)-3,3-difluorotetrahydro-2*H*-pyran-4-yl]-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline;
1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 1;
8-fluoro-2-[(2-methylimidazo[2,1-*b*][1,3,4]thiadiazol-6-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinoline;
2-[(5-methylpyrazin-2-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

1-[(3*R*)-1-methylpyrrolidin-3-yl]-2-[(5-methyl-1,3,4-thiadiazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

1-[(3*R*)-1-methylpyrrolidin-3-yl]-2-[(5-methyl-2*H*-tetrazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

2-[(5-methylpyrazin-2-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

[*cis*-4-(8-chloro-2-cyclobutyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)tetrahydro-2*H*-pyran-2-yl]acetonitrile, ENT 2;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-[(4-methyl-1*H*-1,2,3-triazol-1-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2; and

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-8-fluoro-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

or a pharmaceutically acceptable salt thereof.

4. The compound of claim 3 which is selected from the group consisting of

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[[4-(methoxymethyl)-1*H*-1,2,3-triazol-1-yl]methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

2-[(6-methylpyrimidin-4-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-2*H*-1,2,3-triazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 2;

1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-2-[(1-methyl-1*H*-1,2,3-triazol-4-yl)methyl]-8-(trifluoromethyl)-1*H*-imidazo[4,5-*c*]quinoline;

[(2*S*,4*R*)-4-(8-chloro-2-ethyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)tetrahydro-2*H*-pyran-2-yl]acetonitrile;

8-(difluoromethyl)-2-[(5-methylpyrazin-2-yl)methyl]-1-[(2*R*,4*R*)-2-methyltetrahydro-2*H*-pyran-4-yl]-1*H*-imidazo[4,5-*c*]quinoline;

8-chloro-1-[(4*S*)-3,3-difluorotetrahydro-2*H*-pyran-4-yl]-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline; and

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 1;

or a pharmaceutically acceptable salt thereof.

5. The compound of claim 4 which is selected from the group consisting of

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[[4-(methoxymethyl)-1*H*-1,2,3-triazol-1-yl]methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

2-[(6-methylpyrimidin-4-yl)methyl]-1-[(3*R*)-1-methylpyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2; and

1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-2*H*-1,2,3-triazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 2;

or a pharmaceutically acceptable salt thereof.

6. The compound 8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[[4-(methoxymethyl)-1*H*-1,2,3-triazol-1-yl]methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;

or a pharmaceutically acceptable salt thereof.

7. The compound 8-chloro-1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-(1*H*-1,2,4-triazol-1-ylmethyl)-1*H*-imidazo[4,5-*c*]quinoline, ENT 1;

or a pharmaceutically acceptable salt thereof.

8. The compound 2-[(6-methylpyrimidin-4-yl)methyl]-1-[(3*R*)-1-methyl pyrrolidin-3-yl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile;

or a pharmaceutically acceptable salt thereof.

9. The compound 8-chloro-1-(3,3-difluorotetrahydro-2*H*-pyran-4-yl)-2-[(5-methylpyrazin-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline, ENT 2;


or a pharmaceutically acceptable salt thereof.

10. The compound 1-(4,4-difluoro-1-methylpyrrolidin-3-yl)-2-[(4-methyl-2*H*-1,2,3-triazol-2-yl)methyl]-1*H*-imidazo[4,5-*c*]quinoline-8-carbonitrile, ENT 2;

or a pharmaceutically acceptable salt thereof.

11. A compound according to claim 1, wherein

R¹ is ethyl,




R^2 is

R³ is chloro, cyano, difluoromethyl, or trifluoromethyl,

or a pharmaceutically acceptable salt thereof.


12. A compound according to claim 1, wherein

R^1 is



R^2 is
 R^3 is chloro or cyano,
 or a pharmaceutically acceptable salt thereof.

13. The compound of claim 11 wherein



R^2 is
 R^3 is chloro,
 or a pharmaceutically acceptable salt thereof.

14. The compound [5-({8-chloro-1-[(2R,4R)-2-methyltetrahydro-2H-pyran-4-yl]-1H-imidazo[4,5-c]quinolin-2-yl} methyl)pyrazin-2-yl]methanol;
 or a pharmaceutically acceptable salt thereof.

15. The compound 8-chloro-2-{{5-(²H₃)methylpyrazin-2-yl}methyl}-1-[(2R,4R)-2-methyltetrahydro-2H-pyran-4-yl]-1H-imidazo[4,5-c]quinoline or a pharmaceutically acceptable salt thereof.

16. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 1 to 15, or a pharmaceutically acceptable salt thereof together with a pharmaceutically acceptable carrier.

17. Use of a compound or pharmaceutically acceptable salt thereof according to any one of claims 1 to 15 in the manufacture of a medicament for treating a disease or disorder selected from the group consisting of Crohn's disease, Parkinson's disease, Lewy body dementia, frontotemporal dementia, corticobasal dementia, progressive supranuclear palsy, leprosy, Alzheimer's disease, tauopathy disease and Alpha-synucleinopathy.

18. The compound or pharmaceutically acceptable salt thereof according to any one of claims 1 to 15 for use in the treatment of a disease or disorder selected from the group consisting of Crohn's disease, Parkinson's disease, Lewy body dementia, frontotemporal dementia, corticobasal dementia, progressive supranuclear palsy, leprosy, Alzheimer's disease, tauopathy disease and Alpha-synucleinopathy.