
WHAT IS CLAIMED IS:

1. A compound of Formula I:



I, or a pharmaceutically acceptable salt thereof wherein:

X, Y, and Z are independently selected from N or C(R^5);

R^1 is

(1) phenyl unsubstituted or substituted with 1, 2, or 3 R^6,

(2) 5- or 6-membered heteroaryl containing 1, 2, 3 or 4 heteroatoms independently selected from N, O, and S, wherein the heteroaryl is unsubstituted or substituted with 1, 2, or 3 R^6, or

(3) 8- to 10- membered fused heteroaryl containing 1, 2, 3 heteroatoms independently selected from N, O, and S, wherein the heteroaryl is unsubstituted or substituted with 1, 2, or 3 R^6;

R^{2a} and R^{2b} are independently selected from

(1) hydrogen,

(2) halogen,

(3) hydroxy,

(4) (C_{1-6})alkyl,

(5) (C_{1-6})haloalkyl,

(6) R^{2a} and R^{2b} join to form spiro(C_{3-8})cycloalkyl unsubstituted or optionally mono-substituted, disubstituted with C_{1-3}alkyl, halogen, OH, or

(7) R^{2a} and R^{2b} join to form spiro 4- to 8- membered heterocyclyl containing 1 or 2 heteroatoms independently selected from N, O, and S wherein the heterocyclyl is unsubstituted or substituted by 1, 2, or 3 R^7;

R^3 is

(1) 4- to 7-membered heterocyclyl containing 1, 2 or 3 heteroatoms independently selected from N, O and S,

(2) 5- or 6-membered heteroaryl containing 1, 2 or 3 heteroatoms independently selected from N, O, and S,

(3) -(C_{1-6})alkyl-heteroaryl, wherein the heteroaryl is a 5- or 6-membered heteroaryl containing 1, 2, or 3 heteroatoms independently selected from N, O and S,

(4) -(C_{1-6})alkyl-aryl,

(5) -(C_{1-6})alkyl-heterocyclyl, wherein the heterocyclyl is a 3- to 6-membered ring containing 1 or 2 heteroatoms independently selected from N, O and S,

(6) -(C_{1-6})alkyl,

(7) -(C_{3-6})cycloalkyl,

(8) -(C_{1-6})hydroxyalkyl,

(9) -(C_{1-6})alkyl-$S(O)_2$-$NR^{8a}R^{8b}$, or

(10) -(C_{1-6})alkyl-$S(O)_2$-(C_{1-3})alkyl,

wherein each cycloalkyl, or heterocyclyl is unsubstituted or substituted with 1, 2, or 3 R^9, and wherein each alkyl, aryl, or heteroaryl is unsubstituted or substituted with 1, 2, or 3 R^{10};

R^4 is

(1) hydrogen,

(2) (C_{1-3})alkyl,

or R^3 and R^4 combine along with the nitrogen atom to which they are attached to form a mono- or bicyclic heterocyclyl ring containing 1 or 2 heteroatoms independently selected from N, O and S, wherein the heterocyclyl ring is unsubstituted or substituted by 1, 2, or 3 R^{11},

when present, each R^5 is selected from

(1) hydrogen,

(2) (C_{1-3})alkyl,

(3) (C_{1-3})haloalkyl,

(4) cyano, or

(5) halogen,

when present, each R^6 is independently selected from

(1) cyano,

(2) halogen,

(3) -OC_{1-6}alkyl

(4) (C_{3-6})cycloalkyl, optionally substituted with halogen, or OH,

(5) -(C=O)NH_2,

(6) (C_{3-6}) cycloalkyloxy wherein the cycloalkyl is optionally substituted with halogen or OH,

(7) hydroxy,

(8) -$NR^{11}R^{11}$,

(9) -NH(C=O) (C_{1-6})alkyl,

(10) (C_{2-6})cyclic amine, optionally substituted with one or two halogen substituents,

(11) (C_{1-6})haloalkyl-

(12) -O(C_{1-6})haloalkyl- optionally substituted with OH,

(13) -O(C_{0-3})alkyl-(C_{3-6})cycloalkyl optionally substituted with one or two halogen,

(14) -SO_2(C_{1-6})alkyl,

(15) -SO_2NH(C_{1-6})alkyl,

(16) -SC_{1-6}alkyl,

(17) -SC_{1-6}haloalkyl, or

(18) (C_{1-6})alkyl,

when present, each R^7 is independently selected from

(1) (C_{1-3})alkyl,

(2) halogen,

(3) (C_{1-3})alkoxy-,

(4) (C_{1-3})haloalkyl-, or

(5) hydroxy,

when present, R^{8a} and R^{8b} are independently selected from

(1) hydrogen,

(2) (C_{1-3})alkyl, or

(3) (C_{3-7})cycloalkyl;

when present, each R^9 is independently selected from

(1) (C_{1-3})alkyl,

(2) (C_{1-3})haloalkyl-,

(3) oxo,

(4) (C_{3-6})cycloalkyl,

(5) -$N(R^{11})_2$,

(6) hydroxy,

(7) (C_{1-3})alkoxyl-,

(8) cyano,

(9) halogen,

(10) -SO_2(C_{1-6})alkyl,

(11) -(C_{1-6})alkyl SO_2(C_{1-6})alkyl,

(12) -C(O) (C_{1-3})alkyl, or

(13) O(C_{1-3})alkyl,

when present, R^{10} is independently selected from

(1) hydrogen,

(2) (C_{1-3})alkyl,

(3) (C_{1-3})alkoxy-,

(4) hydroxy,

(5) halogen,

(6) (C_{1-3})alkyl-S-,

(7) (C_{1-3})haloalkyl-, or

(8) $N(R^{11})_2$,

R^{11}, when present, is independently

(1) hydrogen, or

(2) (C_{1-3})alkyl.

2. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein R^1 is

a. phenyl optionally substituted with one to three substituents independently selected from halogen, hydroxy, CN, C_{1-3}alkyl, C_{1-3}haloalkyl, C_{3-6}cycloalkyl optionally substituted with halogen or OH, -OC_{1-3}alkyl, -OC_{1-3}haloalkyl optionally substituted with OH, -OC_{3-6}cycloalkyl, -SC_{1-3}alkyl, -SC_{1-3}haloalkyl, S(O)$_2$$C_{1-3}$alkyl, -NH(C=O)$C_{1-3}$alkyl, C(O)$NH_2$, S(O)$_2NHC_{1-3}$alkyl, $N(R^{11})_2$, or azetidinyl optionally substituted with one or two halogen substituents;

b. a 6 membered heteroaryl containing one or two nitrogen atoms substituted with one or two substituents independently selected from halogen, hydroxy, C_{1-3}alkyl, C_{1-3}haloalkyl, C_{3-6}cycloalkyl, -OC_{1-6}alkyl, ~~-OC_{1-3}alkyl,~~ -OC_{1-3}haloalkyl optionally substituted with OH, -OC_{0-3}alkyl-C_{3-6}cycloalkyl optionally substituted with 1-2 halogens, azetidinyl optionally substituted with 1-2 halogens, CN, -SC_{1-3}alkyl, or -SC_{1-3}haloalkyl;

c. a 5 membered heteroaryl containing one to four nitrogen atoms or heteroatoms independently selected from N, O, and S optionally substituted with one to two substituents independently selected from

halogen, (C_{1-3})alkyl, (C_{3-6})cycloalkyl, (C_{1-3})haloalkyl-, -OH, OC_{1-3}alkyl, OC_{0-3}alkyl-C_{3-6}cycloalkyl optionally substituted with 1-2 halogens, O(C_{1-3})haloalkyl-, O(C_{1-3})haloalkyl-OH, azetidinyl optionally substituted with 1-2 halogens; or

d. 8- to 10- membered fused heteroaryl containing 1, 2, 3 heteroatoms independently selected from N, O, and S, wherein the heteroaryl is unsubstituted or substituted with halogen, (C_{1-3})alkyl, (C_{3-6})cycloalkyl, (C_{1-3})haloalkyl-, OH or OC_{1-3}alkyl.

3. The compound of any one of claims 1-2, or a pharmaceutically acceptable salt thereof, wherein R^1 is

a. phenyl substituted with a substituent selected from: halogen, hydroxy, C_{1-3}alkyl, C_{1-3}haloalkyl, -OC_{1-3}alkyl, -OC_{1-3}haloalkyl, -O-cyclopropyl optionally substituted with halogen or hydroxy, -SC_{1-3}alkyl, -SC_{1-3}haloalkyl, $S(O)_2NHCH_3$, $S(O)_2C_{1-3}$alkyl, -NH(C=O)C_{1-3}alkyl, CN, azetidinyl optionally substituted with one or two fluoro substituents, $C(O)NH_2$, $N(CH_3)_2$, and wherein the phenyl is optionally further substituted with 1 or 2 fluorine atoms;

b. a 6 membered heteroaryl containing one or two nitrogen atoms substituted with one or two substituents selected from: C_{1-3}alkyl, C_{1-3}haloalkyl, -OC_{1-3}~~alkyl$_6$~~alkyl, -OC_{1-3}haloalkyl optionally substituted with hydroxy, -O-cyclopropyl optionally substituted with halogen~~ or hydroxy~~, -O-C_{1-3}alkyl-C_{3-6}cycloalkyl optionally substituted with one or two fluoro substituents, -SC_{1-3}alkyl, -SC_{1-3}haloalkyl, azetidinyl optionally substituted with one or two fluoro substituents, and halogen~~, -OC_{1-3}alkyl-OH, -OC_{1-3}haloalkyl-OH, and wherein the 6-membered heteroaryl is optionally further substituted with 1 or 2 fluorine atoms or CH_3~~;

c. 5 membered heteroaryl containing one to four nitrogen atoms or heteroatoms independently selected from N, O, and S optionally substituted with one to two substituents independently selected from with halogen, (C_{1-3})alkyl, (C_{3-6})cycloalkyl, (C_{1-6})haloalkyl-, -OH, OC_{1-6}alkyl, OC_{0-3}alkyl-C_{3-6}cycloalkyl optionally substituted with 1-2 halogens, O(C_{1-3})haloalkyl-, O(C_{1-3})haloalkyl-OH, azetidinyl optionally substituted with 1-2 fluoro substituents ; or

d. 9 or 10- membered fused heteroaryl containing one or two heteroatoms

independently selected from nitrogen or oxygen, optionally substituted with methyl.

4. The compound of any one of claims 1-3, or a pharmaceutically acceptable salt thereof, wherein R^1 is a phenyl substituted with substituent selected from -OH, -CH_3, -CF_2CH_3, -$OCHF_2$, -OCH_2CH_3, -$OCH(CH_3)_2$, -OCF_2CH_3, -OCF_2CHF_2, -OCH_2CHF_2, -OCF_3, O-cyclopropyl, cyclopropyl, -$SCHF_2$, CN, F, $S(O)_2NHCH_3$, $C(O)NH_2$, $S(O)_2CH_3$, $N(CH_3)_2$, -$NH(C{=}O)CH_3$, azetidinyl or 3,3-difluoroazetidinyl wherein the phenyl is optionally further substituted with 1 or 2 fluorine atoms.

5. The compound of any one of claims 1-3, or a pharmaceutically acceptable salt thereof, wherein R^1 is a pyridinyl, substituted with one or two substituents independently selected from F, ~~OH,~~ -CH_3, -CF_2CH_3, -$OCH(CH_3)_2$, -$OCHF_2$, -OCH_2CH_3, -OCF_2CH_3, -OCF_2CHF_2, -$OCH_2CH(CH_3)_2$, -OCH_2CHF_2, -OCH_2CF_3, -OCF_3, ~~cyclopropyl,~~ O-cyclopropyl, -O-CH_2-cyclopropyl optionally substituted with 1 or 2 F, -O-CH_2-cyclobutyl optionally substituted with 2 F, -$OCH_2CF_2CH_3$, -$OCH_2CF_2CHF_2$, -OCF_2CH_2OH, azetidinyl, 3,3-difluoroazetidinyl, or -$SCHF_2$.

6. The compound of any one of claims 1-5, or a pharmaceutically acceptable salt thereof, wherein R^{2a} and R^{2b} are selected from one of the following:

~~a.~~(i) R^{2a} and R^{2b} are hydrogen,

~~b.~~(ii) R^{2a} is hydrogen and R^{2b} is $(C_{1\text{-}6})$alkyl, or R^{2a} is $(C_{1\text{-}6})$alkyl and R^{2b} is hydrogen,

~~c.~~(iii) R^{2a} is halogen and R^{2b} is $(C_{1\text{-}6})$alkyl, or R^{2a} is $(C_{1\text{-}6})$alkyl and R^{2b} is halogen,

~~d.~~(iv) R^{2a} is hydroxy and R^{2b} and $(C_{1\text{-}6})$alkyl, or R^{2a} is $(C_{1\text{-}6})$alkyl and R^{2b} is hydroxy,

~~e.~~(v) R^{2a} is hydroxy and R^{2b} and $(C_{1\text{-}6})$haloalkyl, or R^{2a} is $(C_{1\text{-}6})$haloalkyl and R^{2b} is hydroxy,

~~f.~~(vi) R^{2a} and R^{2b} are each independently selected from $(C_{1\text{-}6})$alkyl,

~~g.~~(vii) R^{2a} and R^{2b} join to form spiro 4- to 8- membered heterocyclyl containing 1 or 2 heteroatoms independently selected from N, O and S wherein the heterocyclyl is unsubstituted or substituted by 1, 2, or 3 R^7, or

~~h.~~(viii) R^{2a} and R^{2b} join to form spiro(C_{3-8})cycloalkyl unsubstituted or optionally mono-substituted, or disubstituted with C_{1-6}alkyl, halogen, or OH.

7. The compound of any one of claims 1-6, or a pharmaceutically acceptable salt thereof, wherein R^{2a} and R^{2b} are independently selected from H, and C_{1-3}alkyl, or together form a spiro C_{1-6}cycloalkyl.

8. The compound of any one of claims 1-7, or a pharmaceutically acceptable salt thereof, wherein R^3 is selected from

(1) 4- to 7-membered heterocyclyl containing 1, 2 or 3 heteroatoms independently selected from N, O, and S,

(2) 5- or 6-membered heteroaryl containing 1, 2 or 3 heteroatoms independently selected from N, O, and S,

(3) -(C_{1-6})alkyl-heteroaryl, wherein the heteroaryl is a 5- or 6-membered heteroaryl containing 1, 2 or 3 heteroatoms independently selected from N, O and S,

(4) -(C_{1-6})alkyl-aryl,

(5) -(C_{1-6}) -heterocyclyl, wherein the heterocyclyl is a 3- to 6-membered ring containing 1 or 2 heteroatoms independently selected from N, O and S,

(6) -(C_{1-6})alkyl,

(7) -(C_{3-6})cycloalkyl,

(8) (C_{1-6})hydroxyalkyl,

(9) -(C_{1-6})alkyl-$S(O)_2$-$NR^{8a}R^{8b}$, or

(10) -(C_{1-6})alkyl-$S(O)_2$-(C_{1-3})alkyl,

(11) -(C_{1-6})alkyl-heterocyclyl, wherein the heterocyclyl is a 5- membered heterocyclyl containing 1, 2 or 3 heteroatoms independently selected from N, O, and S,

wherein each aryl, heteroaryl, cycloalkyl, or heterocyclyl is unsubstituted or substituted with 1, 2, or 3 R^9, and wherein each alkyl, aryl, or heteroaryl is unsubstituted or substituted with 1, 2, or 3 R^{10}.

9. The compound of any one of claims 1-8, or a pharmaceutically acceptable salt thereof, wherein R^3 is

(1) 4- to 6-membered heterocyclyl containing 1, 2 or 3 heteroatoms independently selected from N, O and S,

(2) -(C_{3-6})cycloalkyl,

(3) -(C_{1-6})hydroxyalkyl,

(4) -(C_{1-6})alkyl-$S(O)_2$-$NR^{8a}R^{8b}$,


(5) -(C_{1-6})alkyl-$S(O)_2$-(C_{1-3})alkyl,

(6) (C_{1-6})alkyl-heterocyclyl, wherein the heterocyclyl is a 5-membered heterocyclyl containing one oxygen~~1 O~~ heteroatom,


(7) 5- to 6-membered heteroaryl containing 1, 2, or 3 heteroatoms independently selected from N, O and S, or

(8) (C_{1-6})alkyl-heteroaryl, wherein the heteroaryl is a 5-membered heteroaryl containing 2 N heteroatoms,


wherein each cycloalkyl, or heterocyclyl is unsubstituted or substituted with 1, 2, or 3 R^9, and wherein each alkyl or heteroaryl is unsubstituted or substituted with 1, 2, or 3 R^{10}.

10. The compound of any one of claims 1-9, or a pharmaceutically acceptable salt thereof, wherein R^3 is 


.

11. The compound of any one of claims 1-9, or a pharmaceutically acceptable salt thereof, wherein R^3 is 

.

12. The compound of any one of claims 1-9, or a pharmaceutically acceptable salt thereof, wherein R^3 is 

.

13. The compound of any one of claims 1-9, or a pharmaceutically acceptable salt thereof, wherein R^3 is 

.

14. The compound of any one of claims 1-13, or a pharmaceutically acceptable salt thereof, wherein R^4 is H.

15. The compound of any one of claims 1-14, or a pharmaceutically acceptable salt thereof, wherein R^5 is H, F, Cl, or CN.

16. The compound of any one of claims 1-15, or a pharmaceutically acceptable salt thereof, wherein R^6 is halogen, hydroxy, CN, -C_{1-6}alkyl, -C_{1-6}haloalkyl, -C_{3-6}cycloalkyl optionally substituted with halogen or OH, -OC_{1-6}alkyl, -OC_{1-6}haloalkyl optionally substituted with OH, -O(C_{1-3})alkyl-(C_{3-6})cycloalkyl optionally substituted with one or two halogen substituents, -OC_{3-6}cycloalkyl, -SO_2NH(C_{1-6})alkyl, -S(O)$_2C_{1-6}$alkyl, -S-C_{1-6}alkyl, -SC_{1-6}haloalkyl, or NH(C=O)C_{1-3}alkyl, (C_{2-6})cyclic amine optionally substituted with one or two halogen substituents, or N((C$_{1-3}$)alkyl)$_2$, ~~O(C_{3-6})cycloalkyl~~.

17. The compound of any one of claims 1-16, or a pharmaceutically acceptable salt thereof, wherein R^6 is F, CN, OH, -CH_3, -CF_2CH_3, -OCF_2CH_3, -OCHF_2, -OCF_3, OCH_2CF_3, -OCH_2CH_3, O$CH(CH_3)_2$, -OCF_2CHF_2, -OCH_2CHF_2, -OCHF_2CH_3, O$CH_2CF_2CH_3$, O$CH_2CH(CH_3)_2$, O$CH_2CF_2CHF_2$, -cyclopropyl, -O-cyclopropyl, OCH_2-cyclopropyl optionally substituted with 1 or 2 F, OCH_2-cyclobutyl optionally substituted with 1 or 2 F, azetidine optionally substituted with 1 or 2 F, -$SCHF_2$, S(O)$_2CH_3$, S(O)$_2$NHCH_3, ~~C(O)NH_2~~, N$(CH_3)_2$, OCF_2CH_2OH, or -NH(C=O)C_{1-3}alkyl.

18. The compound of any one of claims 1-17, or a pharmaceutically acceptable salt thereof, wherein R^{8a} and R^{8b} are independently selected from hydrogen and cyclohexyl.

19. The compound of any one of claims 1-18, or a pharmaceutically acceptable salt thereof, wherein R^9 is =O, -OH, halogen, OC_{1-3}alkyl, C_{1-3}alkyl, C_{1-3}haloalky, C_{1-3}alkylOH, -SO_2(C_{1-3})alkyl, or -C($_{1-3}$)alkylSO_2(C_{1-3})alkyl, or C(O)C_{1-3}alkyl.

20. The compound of any one of claims 1-19, or a pharmaceutically acceptable salt thereof, wherein R^{10} is hydrogen, OH, CH_3, CH_2CH_3, F, CF_3, or CH_2OH ~~or $CH_2SO_2CH_3$~~.


21. The compound of any one of claims 1-20, or a pharmaceutically acceptable salt thereof, wherein X is N, Y is $C(R^5)$, and Z is $C(R^5)$.


22. The compound of any one of claims 1-20, or a pharmaceutically acceptable salt thereof, wherein X is $C(R^5)$, Y is N, and Z is $C(R^5)$.


23. The compound of any one of claims 1-20, or a pharmaceutically acceptable salt thereof, wherein X, Y, and Z are each $C(R^5)$.


24. The compound of any one of claims 1-20, or a pharmaceutically acceptable salt thereof, wherein X is N, Y is N and Z is $C(R^5)$.





























25. A compound selected from:



































,

,

,

,

,

,

,

,

,

,,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

, , , ,
, , , ,
, , , ,
, , , ,
5 , , , ,
, , , ,
, , , ,
, , or ,

or a pharmaceutically acceptable salt thereof.

26. The compound of claim 1, or a pharmaceutically acceptable salt thereof, which is:

10 1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,

1-(3-(difluoromethoxy)phenyl)-3-isopropyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,

1'-(3-(difluoromethoxy)phenyl)-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2'-oxospiro[cyclobutane-

15 1,3'-indoline]-5'-carboxamide,

(*R*)-1-(3-(difluoromethoxy)phenyl)-3-ethyl-3-methyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-

oxoindoline-5-carboxamide,
(*S*)-1-(3-(difluoromethoxy)phenyl)-3-ethyl-3-methyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,
(*R*)-1-(3-(difluoromethoxy)phenyl)-3-ethyl-3-methyl-*N*-((*S*)-3-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
(*S*)-1-(3-(difluoromethoxy)phenyl)-3-ethyl-3-methyl-*N*-((*S*)-3-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-indoline-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-*N*-[(3*R*)-(3-methyl-1,1-dioxo-thiolan-3-yl)]-2-oxo-indoline-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-*N*-[(1*S*,2*R*)-2-hydroxycyclopentyl]-3,3-dimethyl-2-oxo-indoline-5-carboxamide,
3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-1-[3-(trifluoromethoxy)phenyl]indoline-5-carboxamide,
3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-1-[3-(trifluoromethoxy)phenyl]indoline-5-carboxamide,
3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-1-[3-(trifluoromethoxy)phenyl]indoline-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-*N*-[4-(hydroxymethyl)tetrahydropyran-4-yl]-3,3-dimethyl-2-oxo-indoline-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-indoline-5-carboxamide,
1-[3-(2,2-difluoroethoxy)phenyl]-3,3-dimethyl-*N*-[(3R)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[3-(2,2-difluoroethoxy)phenyl]-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[3-(2,2-difluoroethoxy)phenyl]-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-indoline-5-carboxamide,

3,3-dimethyl-N-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-1-[5-(1,1,2,2-tetrafluoroethoxy)-3-pyridyl]indoline-5-carboxamide,

3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-1-[5-(1,1,2,2-tetrafluoroethoxy)-3-pyridyl]indoline-5-carboxamide,

3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-1-[5-(1,1,2,2-tetrafluoroethoxy)-3-pyridyl]indoline-5-carboxamide,

3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-1-[5-(1,1,2,2-tetrafluoroethoxy)-3-pyridyl]indoline-5-carboxamide,

(*R*)-1-(3-(difluoromethoxy)phenyl)-*N*-(4-hydroxy-2-methylpentan-2-yl)-3,3-dimethyl-2-oxoindoline-5-carboxamide,

(*S*)-1-(3-(difluoromethoxy)phenyl)-*N*-(4-hydroxy-2-methylpentan-2-yl)-3,3-dimethyl-2-oxoindoline-5-carboxamide,

1-(2-ethoxy-5-fluoro-4-pyridyl)-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-(2-ethoxy-5-fluoro-4-pyridyl)-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,

1-(2-ethoxy-5-fluoro-4-pyridyl)-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,

1-[2-(2,2-difluoroethoxy)pyrimidin-4-yl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-1-(3-quinolyl)indoline-5-carboxamide,

N-[2-(cyclohexylsulfamoyl)ethyl]-1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-2-oxo-indoline-5-carboxamide,

1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-*N*-[1-(methylsulfonylmethyl)cyclohexyl]-2-oxo-indoline-5-carboxamide,

1-[3-(difluoromethoxy)phenyl]-*N*-(3-ethyl-1,1-dioxo-thietan-3-yl)-3,3-dimethyl-2-oxo-indoline-5-carboxamide,

1-[3-(cyclopropoxy)phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[3-(cyclopropoxy)phenyl]-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,

1-[3-(cyclopropoxy)phenyl]-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,

1-[3-(cyclopropoxy)phenyl]-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-indoline-5-carboxamide,

3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-1-[3-(trifluoromethoxy)phenyl]indoline-5-carboxamide,

1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-*N*-[(3*S*)-(3-methyl-1,1-dioxo-thiolan-3-yl)]-2-oxo-indoline-5-carboxamide,

1-[3-(difluoromethoxy)phenyl]-*N*-(3,3-difluoro-1-methyl-cyclobutyl)-3,3-dimethyl-2-oxo-indoline-5-carboxamide,

3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-1-[5-(trifluoromethoxy)-3-pyridyl]indoline-5-carboxamide,

1-[5-(difluoromethoxy)-3-pyridyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-(5-ethoxy-3-pyridyl)-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[5-(2,2-difluoroethoxy)-3-pyridyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[5-(difluoromethylsulfanyl)-3-pyridyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[2-(2,2-difluoroethoxy)-5-fluoro-4-pyridyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[5-(2,2-difluoroethoxy)-2,3-difluoro-phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[5-(2,2-difluoroethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[6-(2,2-difluoroethoxy)pyrazin-2-yl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[3-(2,2-difluoroethoxy)phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[5-(difluoromethylsulfanyl)-2-fluoro-phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[5-(difluoromethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-[5-(1,1-difluoroethyl)-3-pyridyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-

indoline-5-carboxamide,
1-[5-(1,1-difluoroethoxy)-3-pyridyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,
1-[5-(2,2-difluoroethoxy)-2-methyl-3-pyridyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,
(*R*)-1'-(3-(difluoromethoxy)phenyl)-*N*-(3-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2'-oxospiro[cyclopropane-1,3'-indoline]-5'-carboxamide,
1-[3-(difluoromethoxy)phenyl]-7-fluoro-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-7-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-indoline-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-7-fluoro-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,
1'-[3-(difluoromethoxy)phenyl]-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2'-oxo-spiro[cyclopentane-1,3'-indoline]-5'-carboxamide,
1'-[3-(difluoromethoxy)phenyl]-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2'-oxo-spiro[cyclopentane-1,3'-indoline]-5'-carboxamide,
1'-[3-(difluoromethoxy)phenyl]-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2'-oxo-spiro[cyclopentane-1,3'-indoline]-5'-carboxamide,
1'-[3-(difluoromethoxy)phenyl]-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2'-oxo-spiro[cyclopropane-1,3'-indoline]-5'-carboxamide,
1'-[3-(difluoromethoxy)phenyl]-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2'-oxo-spiro[cyclopropane-1,3'-indoline]-5'-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((3*S*,4*R*)-4-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((3*R*,4*R*)-4-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((3*S*,4*S*)-4-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((3*R*,4*S*)-4-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((3*S*,5*R*)-5-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,

1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-N-((3*R*,5*R*)-5-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-N-((3*S*,5*S*)-5-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((3*R*,5*S*)-5-methyl-1,1-dioxidotetrahydrothiophen-3-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((1*S*,2*R*)-2-(methylsulfonyl)cyclopentyl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((1*R*,2*R*)-2-(methylsulfonyl)cyclopentyl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((1*S*,2*S*)-2-(methylsulfonyl)cyclopentyl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-((1*R*,2*S*)-2-(methylsulfonyl)cyclopentyl)-2-oxoindoline-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-*N*-(1,1-dimethyl-2-methylsulfonyl-ethyl)-3,3-dimethyl-2-oxo-indoline-5-carboxamide,
1-[2-fluoro-5-(trifluoromethoxy)phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,
1-[2-fluoro-5-(trifluoromethoxy)phenyl]-3,3-dimethyl-*N*-[(3R)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[2-fluoro-5-(trifluoromethoxy)phenyl]-3,3-dimethyl-*N*-[(3S)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[2-fluoro-5-(trifluoromethoxy)phenyl]-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-indoline-5-carboxamide,
7-fluoro-3,3-dimethyl-N-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-1-[5-(trifluoromethoxy)-3-pyridyl]indoline-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-7-fluoro-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-7-fluoro-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-7-fluoro-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-7-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-

yl)-2-oxo-indoline-5-carboxamide,
1-(2-ethoxy-5-fluoro-4-pyridyl)-7-fluoro-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,
1-(2-ethoxy-5-fluoro-4-pyridyl)-7-fluoro-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-(2-ethoxy-5-fluoro-4-pyridyl)-7-fluoro-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-indoline-5-carboxamide,
1-(2-ethoxy-5-fluoro-4-pyridyl)-7-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-indoline-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-pyrrolo[2,3-*b*]pyridine-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-pyrrolo[2,3-*b*]pyridine-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-pyrrolo[2,3-*b*]pyridine-5-carboxamide,
1-[5-(difluoromethoxy)-2-fluoro-phenyl]-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-pyrrolo[2,3-*b*]pyridine-5-carboxamide,
7-fluoro-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-1-[5-(trifluoromethoxy)-3-pyridyl]indoline-5-carboxamide,
7-fluoro-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-1-[5-(trifluoromethoxy)-3-pyridyl]indoline-5-carboxamide,
7-fluoro-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-1-[5-(trifluoromethoxy)-3-pyridyl]indoline-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-*N*-(4-methyl-1,1-dioxo-thian-4-yl)-2-oxo-pyrrolo[2,3-*b*]pyridine-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-pyrrolo[2,3-*b*]pyridine-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-*N*-[(3*R*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-pyrrolo[2,3-*b*]pyridine-5-carboxamide,
1-[3-(difluoromethoxy)phenyl]-3,3-dimethyl-*N*-[(3*S*)-3-methyl-1,1-dioxo-thiolan-3-yl]-2-oxo-pyrrolo[2,3-*b*]pyridine-5-carboxamide.
3,3-dimethyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-1-(2-methylbenzo[d]oxazol-6-yl)-2-oxoindoline-5-carboxamide,

1-[6-(2,2-difluoroethoxy)pyridazin-4-yl]-3,3-dimethyl-*N*-(3-methyl-1,1-dioxo-thietan-3-yl)-2-oxo-indoline-5-carboxamide,

1-(2-(3,3-difluoroazetidin-1-yl)-3-fluoropyridin-4-yl)-3,3-dimethyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,

1-(4-acetamido-3-hydroxyphenyl)-3,3-dimethyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,

(*R*)-*N*-(1-(2,2-difluoroethyl)-3-methylpiperidin-3-yl)-1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-2-oxoindoline-5-carboxamide,

1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-(3-methyl-1-(methylsulfonyl)piperidin-3-yl)-2-oxoindoline-5-carboxamide,

(*R*)-*N*-(1-acetyl-3-methylpiperidin-3-yl)-1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-2-oxoindoline-5-carboxamide,

1-(3-(difluoromethoxy)phenyl)-*N*-(4-methoxy-4-(trifluoromethyl)cyclohexyl)-3,3-dimethyl-2-oxoindoline-5-carboxamide,

7-cyano-1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,

1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxo-2,3-dihydro-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide,

1-(3-(difluoromethoxy)phenyl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,

7-(3-(difluoromethoxy)phenyl)-5,5-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-6-oxo-6,7-dihydro-5*H*-pyrrolo[2,3-*c*]pyridazine-3-carboxamide,

1-(2-(2,2-difluoroethoxy)-5-fluoropyridin-4-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,

1-(4-(2,2-difluoroethoxy)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,

3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxo-1-(4-(1,1,2,2-tetrafluoroethoxy)pyridin-2-yl)indoline-5-carboxamide,

1-(2-(2,2-difluoroethoxy)-5-fluoropyridin-4-yl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,

1-(2-ethoxy-5-fluoropyridin-4-yl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,

1-(2-ethoxy-5-fluoropyridin-4-yl)-3,3-dimethyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-










oxoindoline-5-carboxamide,
3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxo-1-(4-(2,2,2-trifluoroethoxy)pyridin-2-yl)indoline-5-carboxamide,
1-(4-(2,2-difluoropropoxy)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxo-1-(4-(2,2,3,3-tetrafluoropropoxy)pyridin-2-yl)indoline-5-carboxamide,
1-(4-((2,2-difluorocyclopropyl)methoxy)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-((3,3-difluorocyclobutyl)methoxy)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-cyclopropoxypyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(difluoromethoxy)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(2-(difluoromethoxy)-5-fluoropyridin-4-yl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxo-1-(6-(2,2,2-trifluoroethoxy)pyrimidin-4-yl)indoline-5-carboxamide,
1-(5-(difluoromethoxy)pyridin-3-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxo-1-(5-(trifluoromethoxy)pyridin-3-yl)indoline-5-carboxamide,
1-(2-(difluoromethoxy)-5-fluoropyridin-4-yl)-3,3-dimethyl-N-(4-methyl-1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(2-(difluoromethoxy)-5-fluoropyridin-4-yl)-6-fluoro-3,3-dimethyl-N-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,
1-(2-(2,2-difluoroethoxy)-5-fluoropyridin-4-yl)-3,3-dimethyl-*N*-(1-((methylsulfonyl)methyl)cyclobutyl)-2-oxoindoline-5-carboxamide,
1-(4-(2,2-difluoroethoxy)-3-fluoropyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(2-(2,2-difluoropropoxy)-5-fluoropyridin-4-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,

1-(5-(2,2-difluoroethoxy)pyridazin-3-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(2,2-difluoroethoxy)pyrimidin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(6-(2,2-difluoroethoxy)pyrimidin-4-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(5-(azetidin-1-yl)-2-fluorophenyl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-isopropoxypyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-((1-fluorocyclopropyl)methoxy)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(cyclopropylmethoxy)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-isobutoxypyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(1,1-difluoroethyl)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(5-fluoro-4-(1,1,2,2-tetrafluoroethoxy)pyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(5-(1,1-difluoro-2-hydroxyethoxy)pyridin-3-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(2-(3,3-difluoroazetidin-1-yl)-5-fluoropyridin-4-yl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(2,2-difluoropropoxy)pyridin-2-yl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(difluoromethoxy)pyridin-2-yl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(2,2-difluoroethoxy)pyridin-2-yl)-6-fluoro-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(difluoromethoxy)-5-fluoropyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(2,2-difluoropropoxy)-5-fluoropyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-





dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(4-(2,2-difluoroethoxy)-5-fluoropyridin-2-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
N-(4-(difluoromethyl)-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-1-(2-ethoxy-5-fluoropyridin-4-yl)-6-fluoro-3,3-dimethyl-2-oxoindoline-5-carboxamide,
1-(5-fluoro-2-isopropoxypyridin-4-yl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-*N*-((3-hydroxytetrahydrofuran-3-yl)methyl)-3,3-dimethyl-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3,3-dimethyl-*N*-(5-methyl-1,3,4-thiadiazol-2-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-*N*-((1-ethyl-1*H*-pyrazol-4-yl)methyl)-3,3-dimethyl-2-oxoindoline-5-carboxamide,
1-(3-cyclopropylphenyl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(3-isopropoxyphenyl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(3-fluorophenyl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
1-(3-cyanophenyl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
(*R*)-1-(3-(difluoromethoxy)phenyl)-3-hydroxy-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxo-3-(trifluoromethyl)indoline-5-carboxamide,
(*S*)-1-(3-(difluoromethoxy)phenyl)-3-hydroxy-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxo-3-(trifluoromethyl)indoline-5-carboxamide,
(*R*)-1-(3-(difluoromethoxy)phenyl)-3-hydroxy-3-methyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,
(*S*)-1-(3-(difluoromethoxy)phenyl)-3-hydroxy-3-methyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,
1-(3-(difluoromethoxy)phenyl)-3-methyl-*N*-(3-methyl-1,1-dioxidothietan-3-yl)-2-oxoindoline-5-carboxamide,
3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-1-(3-(N-methylsulfamoyl)phenyl)-2-oxoindoline-5-carboxamide,


1-(3-carbamoylphenyl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide,
3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-1-(3-(methylsulfonyl)phenyl)-2-oxoindoline-5-carboxamide, or
1-(3-(dimethylamino)phenyl)-3,3-dimethyl-*N*-(4-methyl-1,1-dioxidotetrahydro-2*H*-thiopyran-4-yl)-2-oxoindoline-5-carboxamide.


27. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is:


, , , ,
, , , , or
.


28. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is:


, , , , or a pharmaceutically acceptable salt thereof.


29. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .


30. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .


31. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .


32. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .


33. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .


34. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .


35. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .

36. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .

37. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .

38. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .

39. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .

40. The compound of claim 25, or a pharmaceutically acceptable salt thereof, which is .

41. A composition for use in treating a condition selected from hepatic steatosis, nonalcoholic steatohepatitis (NASH), fibrosis, type-2 diabetes mellitus, obesity, hyperlipidemia, hypercholesterolemia, atherosclerosis, cognitive decline, dementia, cardiorenal diseases and heart failure comprising a compound of any of claims 1 to 40, or a pharmaceutically acceptable salt thereof, and a pharmaceutically carrier.

42. A composition comprising a pharmaceutically acceptable carrier and a compound according to any one of claims 1 to 40, or a pharmaceutically acceptable salt thereof.

~~43. A method for treating a condition selected from hepatic steatosis, nonalcoholic steatohepatitis (NASH), fibrosis, type-2 diabetes mellitus, obesity, hyperlipidemia, hypercholesterolemia, atherosclerosis, cognitive decline, dementia, cardiorenal diseases and heart failure comprising administering to a patient in need thereof of a therapeutically effective amount of a compound of any of claims 1 to 40, or a pharmaceutically acceptable salt thereof.~~

~~44.~~43. Use of a compound of any of claims 1 to 40, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a condition selected from hepatic steatosis, nonalcoholic steatohepatitis (NASH), fibrosis, type-2 diabetes mellitus, obesity, hyperlipidemia, hypercholesterolemia,

atherosclerosis, cognitive decline, dementia, cardiorenal diseases and heart failure.