**CLAIMS**

1. A genomic infrastructure for onsite or cloud-based DNA, RNA or genomic processing and analysis, the genomic infrastructure comprising:

a platform application programming interface (API) defining an input for receiving result data from a secondary processing of a plurality of reads of DNA, RNA or genomic sequence data from a subject, wherein secondary processing comprises determining how the genetic sequence data from the subject differs from one or more reference sequences;

a plurality of user-selectable DNA, RNA or genomic processing pipelines, each having an input defined according to the platform API to receive the result data from the secondary processing, the plurality of DNA, RNA or genomic processing pipelines having a common pipeline API defining tertiary processing operations on the result data from the secondary processing received according to the platform API, wherein tertiary processing comprises performing one or more analyses on the subject's genetic makeup determined by the secondary processing and each of the plurality of DNA, RNA or genomic processing pipelines is configured to perform a subset of the tertiary processing operations, a user-selected set of the DNA, RNA or genomic processing pipelines being configured to output result data of the tertiary processing according to the pipeline API to one or more user-selectable DNA, RNA or genomic analysis applications for additional processing for disease diagnostic, therapeutic treatment and/or prophylactic prevention.

2. The genomic infrastructure in accordance with claim 1, further comprising a plurality of user-selectable DNA, RNA or genomic analysis applications that are stored in one or more application repositories, each of a selected set of the plurality of DNA, RNA or genomic analysis applications being accessible from an onsite or cloud-based application repository by a computer via an electronic medium for execution by a computer processor to perform a targeted analysis of DNA, RNA or genomic data from the result data of the tertiary processing, each of the plurality of genomic analysis applications being defined by an application API for receiving the result data of the tertiary processing, performing the targeted analysis of the DNA, RNA or genomic data from the result data of the tertiary processing, and outputting the result data from the targeted analysis to one of one or more genomic databases according to the application API.

3. The genomic infrastructure in accordance with claim 1 or claim 2, wherein the plurality of user-selectable genomic processing pipelines are selected from a set of DNA or RNA pipelines that consist of: a genome processing pipeline, an epigenome processing pipeline, a metagenome processing pipeline, a joint genotyping processing pipeline, and a genome analysis tool kit (GATK) processing pipeline.

4. The genomic infrastructure in accordance with any one of claims 1 to 3, wherein the plurality of user-selectable genomic analysis applications are selected from a set of genomic analysis applications that consist of: a non-invasive prenatal testing application, a neo-natal intensive care unit application, a cancer analysis application, a laboratory developed test (LDT) application, and an agricultural and biological analysis application.

5. The genomic infrastructure in accordance with any one of claims 1 to 4, wherein the secondary processing includes:

receiving the plurality of reads of genomic sequence data and one or more genetic reference sequences; and

processing the plurality of reads of genomic sequence data to map and align at least some of the plurality of reads of genomic sequence data according to the one or more genetic reference sequences.

6. The genomic infrastructure in accordance with any one of claims 1 to 5, wherein the result data from the secondary processing includes reads of genomic data.

7. The genomic infrastructure in accordance with claim 6, wherein the result data from the secondary processing includes mapped and aligned reads from the plurality of reads of genomic data.

8. The genomic infrastructure in accordance with claim 7, wherein the result data from the secondary processing includes one or more variant call files generated from the mapped and aligned reads.

9. The genomic infrastructure according to any one of claims 1 to 8, further comprising:

a bioinformatics processing platform having a memory that stores one or more DNA or RNA reference sequences and one or more index of the one or more DNA or RNA

reference sequences, and having an integrated circuit formed of a set of pre-configured hardwired digital logic circuits that are interconnected by a plurality of physical electrical interconnects, the integrated circuit having an input for receiving a plurality of reads of DNA or RNA data, and having a memory interface to access the one or more DNA or RNA reference sequences and the index, the hardwired digital logic circuits being arranged as a set of processing engines that are each formed of a subset of the hardwired digital logic circuits to perform one pre-configured step of secondary processing on the plurality of reads of DNA or RNA data according to the DNA or RNA reference sequences and the index, the integrated circuit further having an output to output result data from the secondary processing according to the platform application programming interface (API

10. The genomic infrastructure in accordance with claim 9, wherein the result data from the bioinformatics processing platform includes mapped and aligned reads from the plurality of reads of DNA or RNA data.

11. The genomic infrastructure in accordance with claim 10, wherein the result data from the bioinformatics processing platform includes one or more variant call files generated from the mapped and aligned reads.

12. The genomic infrastructure in accordance with any one of claims 1 to 11, wherein secondary processing is executed on a plurality of reads of DNA or RNA data using DNA or RNA reference sequence data, where each read of the plurality of reads of DNA or RNA data and the DNA or RNA reference sequence data represent a sequence of nucleotides, using an integrated circuit comprising:

a memory storing the plurality of reads of DNA or RNA data and the DNA or RNA reference sequence data;

a field programmable gate array (FPGA), the FPGA comprising a set of pre-configured hardwired digital logic circuits, the hardwired digital logic circuits being interconnected by a plurality of physical electrical interconnects, one or more of the plurality of physical electrical interconnects comprising a memory interface to access the memory, the hardwired digital logic circuits being arranged as a set of processing engines, each processing engine being formed of a subset of the hardwired digital logic circuits to perform one or more steps in the secondary processing of the plurality of reads of DNA or RNA data, the set of processing engines comprising a mapping module in a first hardwired configuration to access

one or more of the plurality of reads of DNA or RNA data and the DNA or RNA reference sequence data, compare the sequence of nucleotides in at least one of the plurality of reads of DNA or RNA data to the sequence of nucleotides of the DNA or RNA reference sequence data to map the one or more of the plurality of reads of DNA or RNA data to the DNA or RNA reference sequence data so as to produce one or more mapped DNA or RNA reads.

13. The genomic infrastructure according to Claim 12, wherein the FPGA further comprises a second hardwired configuration to access at least one of the mapped reads of DNA or RNA data and the DNA or RNA reference sequence data, compare the sequence of nucleotides in at least one of the mapped reads of DNA or RNA data to the sequence of nucleotides of the DNA or RNA reference sequence data to align the one or more mapped reads of DNA or RNA data to the DNA or RNA reference sequence data.

14. The genomic infrastructure according to Claim 13, wherein the FPGA further comprises a sorting module in a third hardwired configuration to sort the mapped and aligned DNA or RNA reads.

15. A computer-implemented method for onsite or cloud-based DNA, RNA or genomic processing and analysis, the method comprising:

providing the genomic infrastructure of any one of claims 1 to 14, and

executing the user-selected set of DNA, RNA or genomic processing pipelines and/or one or more user-selected DNA, RNA or genomic analysis applications.