




Fig. 1




Fig. 2A






Fig. 2B

**Fig. 2C****Fig. 2D**




Fig. 2E




Fig. 2F




Fig. 3A




Fig. 3B




Fig. 3C




Fig. 3D






Fig. 3E

**Fig. 3F**

**Fig. 3G**

108
↘




Fig. 3H




Fig. 31

202**Fig. 4A**

204




Fig. 4B

206

REGENESIS

LOGIN SIGNUP

Email*

Password*

[Forgot Password?](#)

LOGIN

Not a member? [Signup now](#)

Fig. 4C

DISCLAIMER/
USER AGREEMENT

IMPORTANT: You can update your current Disclaimer / User Agreement here. Simply overwrite, save & update the information you wish to revise. Any adjustments affecting the Pod components will take immediate effect upon Saving & Updating.

Have you or your family had any history of epilepsy or seizures?

YES

☐

NO

☒

1 of 6

PLEASE SCROLL TO THE BOTTOM TO CONFIRM OUR TERMS & CONDITIONS.

I have read, understand and fully agree to the foregoing Terms & Conditions and Waiver of Liability Agreement. I am at least eighteen (18) years of age and fully competent; and I execute this Release for full, adequate, and complete consideration, fully intending to be bound by same. I hereby give my authorization and consent. This CONSENT shall stand as long as I use the Regensis services now and in the future.

☒ I agree to the Regensis Studio terms & conditions.

Joe Smith

joesmith@gmail.com

Submitting your details will be considered your legal digital signature.

SAVE & UPDATE

Fig. 4D

210**Fig. 4E**





Fig. 4F


REGENESIS DISCLAIMER MATRIX

214

	Have you or your family had any history of epilepsy or seizures ?	You use any implanted devices: Pacemakers, Hearing Aids, IUDs, etc. ?	Do you have any psychological or psychiatric conditions ?	Have you suffered any head or brain injuries or strokes in the past ?	Have you taken recreational or psycho-active drugs in the past 24 hrs ?	Are you pregnant ?
	STROBE DISABLED		STROBE DISABLED	STROBE DISABLED	REDUCED TO 0% USER CONTROL ENABLED	REDUCED TO 0% USER CONTROL ENABLED
Stroboscopic Light						
Colored Light Therapy						
Featured Lighting						
Far Infra-Red						Set to 35 Degrees
Near Infra-Red						50%
PEMF Therapy		PEMF DISABLED				PEMF DISABLED
Neurophone						
Oralatory Engagement						
Audio Volume			REDUCED TO 50% USER CONTROL ENABLED	REDUCED TO 50% USER CONTROL ENABLED		
Transducers			REDUCED TO 50% USER CONTROL ENABLED	REDUCED TO 50% USER CONTROL ENABLED		

Fig. 4G

216**Fig. 5A**

218**Fig. 5B**

220




Fig. 6A

222**Fig. 6B**

224





Fig. 7A

226**Fig. 7B**

228





Fig. 8A

230**Fig. 8B**

232






Fig. 9A

234**Fig. 9B**

236**Fig. 10A**




Fig. 3B

240









Fig. 11A

**Fig. 11B**

244**Fig. 12A**

246**Fig. 12B**

248**Fig. 12C**


250**Fig. 12D**

252**Fig. 12E**

254**Fig. 12F**

256**Fig. 12G**

258**Fig. 12H**


260**Fig. 12I**

262**Fig. 12J**

264



Fig. 12K

**Fig. 13**

268




Fig. 14A

270




Fig. 14B





Fig. 15



400

Fig. 16




Fig. 17A




Fig. 17B




Fig. 18A




Fig. 18B




Fig. 18C





Fig. 18D

**Fig. 18E**




Fig. 18F






Fig. 18G

**Fig. 18H**

**Fig. 18I**




Fig. 18J




Fig. 18K




Fig. 18L




Fig. 18M










Fig. 18N










Fig. 19A




Fig. 19B




Fig. 19C




Fig. 19D