20000479-2

IPOS-Ref.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: **A61K 48/00** — **A2**

(11) International Publication Number: **WO 99/40945**

(43) International Publication Date: 19 August 1999 (19.08.99)

(21) International Application Number: PCT/US99/02702

(22) International Filing Date: 9 February 1999 (09.02.99)

(30) Priority Data:
(1) 09/021,773 ✓ 11 February 1998 (11.02.98) ✓ US ✓

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
Without international search report and to be republished upon receipt of that report.

(71) Applicant *(for all designated States except US)*: THE REGENTS OF THE UNIVERSITY OF CALIFORNIA [US/US]; 5th floor, 1111 Franklin Street, Oakland, CA 94607 (US).

(72) Inventor; and
(75) Inventor/Applicant *(for US only)*: HAMMOND, H., Kirk [US/US]; 5770 Waverly Avenue, La Jolla, CA 92037 (US).

(74) Agents: POLIZZI, Catherine, M. et al.; Morrison & Foerster LLP, 755 Page Mill Road, Palo Alto, CA 94304-1018 (US).

IPD.

(54) Title: GENE TRANSFER-MEDIATED ANGIOGENESIS THERAPY AND TECHNIQUES FOR INTRAVASCULAR GENE DELIVERY

(57) Abstract

Transgene-inserted vectors are effectively used for *in vivo* gene therapy for peripheral vascular disease, heart disease and other conditions, by direct injection of the vector into arteries supplying the tissue to be targeted, preferably in combination with a vasoactive agent that is infused into the artery prior to or coincident with delivery of the vector.