

1/28




FIG. 1A




FIG. 1B

2/28




FIG. 1C

3/28




FIG. 2A




FIG. 2B

4/28




FIG. 2C




FIG. 2D

5/28




FIG. 3A




FIG. 3B

6/28




FIG. 3C




FIG. 3D

7/28




FIG. 3E






FIG. 3F

8/28



9/28




FIG. 4A




FIG. 4B

10/28




FIG. 4C




FIG. 4D

11/28




FIG. 4E

12/28

F @ G2,14




FIG. 5A

F @ G2,3,14




FIG. 5B

F @ G2,4,14




FIG. 5C

F @ G2,5,14




FIG. 5D

F @ G2,6,14



F @ G2,3,5,14



15/28

F @ G2,5,6,14





FIG. 5G

F @ G2+3,5+6,14





FIG. 5H

16/28

Control 1: 2'F on G1,2,3,5,14




FIG. 6A

Control 2: OMe on P9

2'F on G1,2,3,5,14




FIG. 6B

2'F on G7




FIG. 6C

2'F on G8




FIG. 6D

18/28

2'F on G9




FIG. 6E

2'F on G10




FIG. 6F

19/28

Study Control





FIG. 7A

2'OMe-MOP @G1; 2'F on G2, 5, 14





FIG. 7B

20/28

2'F-MOP @G1; 2'F on G2, 5, 14





FIG. 7C

2'F-MOP @G1; 2'F on G2, 3, 5, 7, 14





FIG. 7D

2'F-MOP @G1; 2'F on G2, 3, 5, 10, 14




FIG. 7E

2'F-MOP @G1; 2'F on G2, 3, 5, 7, 9, 14




FIG. 7F

2'F-MOP @G1; 2'F on G2, 3, 5, 7, 10, 14



2'F-MOP @G1; 2'F on G2, 3, 5, 7, 10, 14



23/28




FIG. 7I

24/28




FIG. 8

25/28




FIG. 9A

26/28




FIG. 9B

27/28




FIG. 10




FIG. 10 CONT.