




FIG. 1



Section A-A

FIG. 2A



Section A-A

FIG. 2B



10
106
230
210
116
262
218
220
102
280
242
218
112
110
120
260
274
Section B-B

FIG. 2C




FIG. 3




FIG. 4




200
250
214
240
210
260
212
252
220
230
254
242
280
226
Section A-A

FIG. 5A



Section B-B

FIG. 5B



200
210
220
256
250
238
230
242
252
274
280
270
262
272
268
264
266
254
258
232
234
236
214

FIG. 6




FIG. 7A




FIG. 7B




FIG. 8






FIG. 9A



Section A-A

FIG. 9B



Detail A

FIG. 9C




FIG. 10A





FIG. 10B



Detail A

FIG. 10C




FIG. 10D



1100
Physician couples a handle and a needle housing together
1102
Physician positions and inserts a distal end of the cryoneedle assembly into a keloid or hypertrophic scar
1104
Physician couples a supply-line and an exhaust-line of coolant to the handle
1106
Physician supplies a coolant to the supply-line so that the coolant is in fluid connection with the supply-line
1108
Physician performs intralesional cryotherapy
1110
Physician decouples the handle and the needle housing
1112
Physician discards the needle housing and sterilizes the handle
1114

FIG. 11