



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C08G 18/40, G03C 1/685, 1/73		A1	(11) International Publication Number: WO 98/37115
			(43) International Publication Date: 27 August 1998 (27.08.98)
(21) International Application Number: PCT/US98/02558		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 10 February 1998 (10.02.98)			
(30) Priority Data: ① 60/037,428 21 February 1997 (21.02.97) US ② 60/060,334 29 September 1997 (29.09.97) US ③ 09/017,534 2 February 1998 (02.02.98) US			
(71) Applicant: PPG INDUSTRIES, INC. [US/US]; One PPG Place, Pittsburgh, PA 15272 (US).		Published With international search report. ✓	
(72) Inventors: ① BOWLES, Robert, J., III; 1420 Noel Boulevard, Palm Harbor, FL 34683 (US); ② GRUCHACZ, Nancyanne; 601 East Rosery Road #3901, Largo, FL 33770 (US); ③ SWARUP, Shanti; 4918 Meadow Crest Drive, Allison Park, PA 15101, (US); ④ CONKLIN, Jeanine; 1101 Milton Avenue, Swissvale, PA 15218 (US); ⑤ HUNT, Robin; 1 Glenvue Drive, Pittsburgh, PA 15237 (US).			
(74) Agents: STEIN, Irwin, M.; PPG Industries, Inc., One PPG Place, Pittsburgh, PA 15272 (US) et al.			
(54) Title: PHOTOCROMIC POLYURETHANE COATING AND ARTICLES HAVING SUCH A COATING ✓			
(57) Abstract Described are photochromic polyurethane coatings that meet commercially acceptable "cosmetic" standards for optical coatings. Also described are articles having such coatings. The coatings exhibit a Fischer microhardness of from 50 to 150 Newtons per mm and improved photochromic properties, i.e., the formation of darker activated colors and faster rates of photochromic activation and fade when irradiated with ultraviolet light.			