IPDS COPY 9802667-7

PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : G06F 17/30 — A1

(11) International Publication Number: **WO 97/18518**

(43) International Publication Date: 22 May 1997 (22.05.97)

(21) International Application Number: PCT/US96/17937

(22) International Filing Date: 8 November 1996 (08.11.96)

(30) Priority Data:
08/556,623 13 November 1995 (13.11.95) US

(71) Applicant: CITRIX SYSTEMS, INC. [US/US]; Suite 700, 210 University Drive, Coral Springs, FL 33071 (US).


(72) Inventors: MUIR, Jeff; Apartment No. B-2, 3114 S.W. 20th Terrace, Delray Beach, FL 33445 (US). STERGIADES, Andrew, L.; 3098 N.W. 27th Avenue, Boca Raton, FL 33434 (US).

(74) Agent: TURANO, Thomas, A.; Testa, Hurwitz & Thibeault, L.L.P., High Street Tower, 125 High Street, Boston, MA 02110 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published
With international search report.

(54) Title: A METHOD AND APPARATUS FOR MAKING A HYPERMEDIUM INTERACTIVE



(57) Abstract

A system and method of making a hypermedium page interactive. In one embodiment the system includes a hyperlink on the hypermedium page displayed on a client node; a hyperlink configuration file (corresponding to the hyperlink on the client node) located on a network server node; and a client agent located on the client node. In response to a user selecting the hyperlink on the hypermedium page, the client agent establishes a communications link from the client agent to an application execution server agent on an application server using the information located in the configuration file obtained from the network server node. In response to the creation of the communications link between the application execution server agent and the client agent, the application executes on the application execution server and the user is capable of interactively using the application running on the application execution node from the client node. Data input and display occurs at the client node under the control of the client agent.