
CLAIMS

What is claimed is:

1. A method of treating a cancer comprising administering to a subject in need thereof Compound 67A



(Compound 67A),

or a pharmaceutically acceptable salt thereof, at a dosage from about 15 mg to about 700 mg.

2. The method of claim 1, wherein Compound 67A is administered at a dosage of about 15 mg.

3. The method of claim 1, wherein Compound 67A is administered at a dosage of about 20 mg.

4. The method of claim 1, wherein Compound 67A is administered at a dosage of about 30 mg.

5. The method of claim 1, wherein Compound 67A is administered at a dosage of about 45 mg.

6. The method of claim 1, wherein Compound 67A is administered at a dosage of about 90 mg.

7. The method of claim 1, wherein Compound 67A is administered at a dosage of about 130 mg.

8. The method of claim 1, wherein Compound 67A is administered at a dosage of about 200 mg.

9. The method of claim 1, wherein Compound 67A is administered at a dosage of about 300 mg.

10. The method of claim 1, wherein Compound 67A is administered at a dosage of about 400 mg.

11. The method of claim 1, wherein Compound 67A is administered at a dosage of about 500 mg.

12. The method of claim 1, wherein Compound 67A is administered at a dosage of about 600 mg.

13. The method of claim 1, wherein Compound 67A is administered at a dosage of about 700 mg.

14. The method of claim 1, wherein Compound 67A is administered at a dosage ranging from about 15 mg/day to about 1400 mg/day.

15. The method of claim 1, wherein Compound 67A is administered at a dosage ranging from about 90 mg to about 700 mg, about 100 mg to about 200 mg, about 100 mg to about 300 mg, about 100 mg to about 400 mg, about 100 mg to about 500 mg, about 100 mg to about 600 mg, about 100 mg to about 700 mg, about 200 mg to about 300 mg, about 200 mg to about 400 mg, about 200 mg to about 500 mg, about 200 mg to about 600 mg, about 200 mg to about 700 mg, about 300 mg to about 400 mg, about 300 mg to about 500 mg, about 300 mg to about 600 mg, about 300 mg to about 700 mg, about 400 mg to about 500 mg, about 400 mg to about 600 mg, about 400 mg to about 700 mg, about 500 mg to about 600 mg, about 500 mg to about 700 mg, and about 600 mg to about 700 mg.

16. The method of claim 1, wherein Compound 67A is administered at a dosage ranging from about 10 mg to about 50 mg, about 10 mg to about 40 mg, about 10 mg to about 30 mg, about 15 mg to about 50 mg, about 15 mg to about 40 mg, about 15 mg to about 30 mg, about 20 mg to about 50 mg, about 20 mg to about 40 mg, about 20 mg to about 30 mg, about 30 mg to about 50 mg, and about 30 mg to about 40 mg.

17. The method of any one of claims 1-16, wherein Compound 67A is administered once daily.

18. The method of any one of claims 1-16, wherein Compound 67A is administered twice daily.

19. A composition comprising Compound 67A, or a pharmaceutically acceptable salt thereof, for use in treating cancer in a subject in need thereof at a dosage from about 15 mg to about 700 mg.

20. Compound 67A, or a pharmaceutically acceptable salt thereof, for use in treating cancer in a subject in need thereof at a dosage from about 15 mg to about 700 mg.

21. Use of a composition comprising Compound 67A, or a pharmaceutically acceptable salt thereof, for the treatment of cancer in a subject in need thereof at a dosage from about 15 mg to about 700 mg.

22. Use of Compound 67A, or a pharmaceutically acceptable salt thereof, for the treatment of cancer in a subject in need thereof at a dosage from about 15 mg to about 700 mg.

23. Use of a composition comprising Compound 67A, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the treatment of cancer in a subject in need thereof at a dosage from about 15 mg to about 700 mg.

24. Use of Compound 67A, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the treatment of cancer in a subject in need thereof at a dosage from about 15 mg to about 700 mg.

25. The method, compound, composition, or use of any one of claims 1-24, wherein the subject is human.

26. The method, compound, composition, or use of any one of claims 1-25, wherein the cancer is B-cell non-Hodgkin's lymphoma, chronic lymphocytic leukemia, multiple myeloma, breast cancer, head and neck cancer, soft tissue sarcoma, ovarian cancer, pancreatic cancer, follicular lymphoma, or mantle cell lymphoma.