CLAIMS

1. An O/W emulsion composition, comprising:

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): an acrylic acid-alkyl methacrylate copolymer;

Ingredient (C): a water-soluble polymer selected from a swelling thickener, an associative thickener, a polysaccharide and a derivative thereof, and a mixture thereof;

Ingredient (E): an oil content; and

Ingredient (F): water, and

wherein the composition has a viscosity of less than 10,000 mPa·s.

2. An O/W emulsion composition, comprising:

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): an acrylic acid-alkyl methacrylate copolymer;

Ingredient (D): a pH adjuster which is an organic alkali compound selected from tromethamine, aminomethyl propanol, arginine and a mixture thereof;

Ingredient (E): an oil content; and

Ingredient (F): water, and

wherein the composition has a viscosity of less than 10,000 mPa·s.

3. The composition according to Claim 1, wherein the composition further comprises

Ingredient (D): a pH adjuster which is an organic alkali compound.

4. The composition according to Claim 3, wherein Ingredient (D) is a pH adjuster which is an organic alkali compound selected from tromethamine, aminomethyl propanediol,

aminomethyl propanol, arginine and a mixture thereof.

5. The composition according to any one of Claims 2 to 4, wherein Ingredient (D) is a pH adjuster which is an organic alkali compound selected from tromethamine, arginine and a mixture thereof.

6. The composition according to any one of Claims 1 to 5, wherein Ingredient (B) is an acrylic acid-alkyl methacrylate copolymer having a molecular weight of 100,000 to 5,000,000.

7. The composition according to any one of Claims 1 and 3 to 6, wherein Ingredient (C) is a water-soluble polymer selected from:

a swelling thickener selected from sodium polyacrylate, ammonium polyacrylate, ammonium polyacrylate, acrylamide/sodium acrylate copolymer, vinylpyrrolidone/2-acrylamide-2-methylpropanesulfonic acid copolymer, a mixture of polyacrylamide and sodium polyacrylate, sodium acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, hydroxyethyl acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, and a mixture thereof;

a urethane associative thickener selected from PEG-240/HDI copolymer bis-decyltetradeceth-20 ether, PEG-150/stearyl alcohol/SMDI copolymer, PEG-150/decyl alcohol/SMDI copolymer, polyurethane-59 and a mixture thereof; and

a mixture thereof.

8. The composition according to any one of Claims 1 and 3 to 7, wherein Ingredient (C)/Ingredient (A) (weight ratio) is 0.01 to 30.

9. The composition according to any one of Claims 1 and 3 to 8, wherein Ingredient (C)/(Ingredient (A) + Ingredient (B)) (weight ratio) is 0.005 to 20.

10. The composition according to any one of Claims 1 and 3 to 9, wherein Ingredient (C)/Ingredient (B) (weight ratio) is 0.05 to 60.

11. The composition according to any one of Claims 1 to 10, wherein the composition has a pH of 5.5 to 7.5.

12. The composition according to any one of Claims 1 and 3 to 11 comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer;

Ingredient (C): cross-linked sodium polyacrylate and/or PEG-240/HDI copolymer bis-decyltetradeceth-20 ether;

Ingredient (E): an oil content; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 10,000 mPa·s.

13. The composition according to any one of Claims 2 to 12 comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer;

Ingredient (D): tromethamine and/or arginine;

Ingredient (E): an oil content; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 10,000 mPa·s, and a pH of 6 to 7.

14. The composition according to any one of Claims 1 to 13, wherein the composition comprises

0.001 to 10% by weight of Ingredient (A),

0.05 to 2% by weight of Ingredient (B), and

0.1 to 50% by weight of Ingredient (E).

15. The composition according to any one of Claims 1 and 3 to 14, wherein the composition comprises 0.01 to 10% by weight of Ingredient (C).

16. The composition according to any one of Claims 1 and 3 to 15 comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof 0.4 to 3.5% by weight;

Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer 0.2 to 0.4% by weight;

Ingredient (C): cross-linked sodium polyacrylate and/or PEG-240/HDI copolymer bis-decyltetradeceth-20 ether 0.04 to 0.8% by weight;

Ingredient (E): an oil content 5 to 8% by weight; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 10,000 mPa·s.

17. The composition according to any one of Claims 2 to 16 comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof 0.4 to 3.5% by weight;

Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer 0.2 to 0.4% by weight;

Ingredient (D): tromethamine and/or arginine;

Ingredient (E): an oil content 5 to 8% by weight; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 10,000 mPa·s, and a pH of 6 to 7.

18. The composition according to any one of Claims 1 to 17, wherein

the composition does not comprise a pH adjuster which is an inorganic alkali compound, or

the composition comprises a pH adjuster which is an inorganic alkali compound, and the pH adjuster which is an

inorganic alkali compound/Ingredient (D) (weight ratio) is 0.1 or less.

19. The composition according to any one of 1 to 18,

wherein Ingredient (E) comprises Ingredient (G) selected from:

an uncrystallized high melting point oil having a melting point of 30 °C or higher selected from an uncrystallized triglyceride having a melting point of 30 °C or higher; an uncrystallized sterol fatty acid ester having a melting point of 30 °C or higher; petrolatum; and a mixture thereof;

an oil-based gelling agent selected from an inulin fatty acid ester, a dextrin fatty acid ester, polyglycerol, dibutyl ethylhexanoyl glutamide, dibutyl lauroyl glutamide, sodium dilauramidoglutamide lysine, vinyl dimethicone/methicone silsesquioxane crosspolymer, PEG/PPG-19/19 dimethicone, and a mixture thereof;

a silicone agent for improving feel selected from an amino-modified silicone, a silicone wax, polyether-modified silicone, highly polymerized dimethicone, a silicone wax, a silicone emulsion, a silicone powder, and a mixture thereof; and

a mixture thereof, and

wherein the amount of Ingredient (G) is 0.1 to 50% by weight based on Ingredient (E).

20. The composition according to any one of Claims 1 to 19 wherein the composition comprises 0.1 to 5% by weight of Ingredient (G).

21. The composition according to any one of Claims 1 to 20, wherein the composition further comprises

Ingredient (H): a water-soluble humectant.