
Claims

1. A compound of formula (I)



(I)

or a stereoisomeric form thereof, wherein
R^1 is hydrogen, halo, C_{1-4}alkyl or C_{1-4}alkyloxy;
R^2 is hydrogen or halo;
R^3 and R^4 are hydrogen;
or R^3 and R^4 taken together form a bond;
R^5 is C_{1-4}alkylcarbonyl, C_{1-4}alkylsulphonyl, C_{1-4}alkylsulphinyl, or C_{1-4}alkyl substituted with one hydroxyl moiety;
R^6 is hydrogen or halo;
or a pharmaceutically acceptable addition salt or a solvate thereof.

2. The compound according to claim 1 wherein
R^1 is hydrogen, halo, C_{1-4}alkyl or C_{1-4}alkyloxy;
R^2 is hydrogen or halo;
R^3 and R^4 are hydrogen;
or R^3 and R^4 taken together form a bond;
R^5 is C_{1-4}alkylcarbonyl; C_{1-4}alkylsulphonyl; or C_{1-4}alkyl substituted with one hydroxyl moiety;
R^6 is hydrogen or halo;
or a pharmaceutically acceptable addition salt or a solvate thereof.

3. The compound according to claim 1 wherein
R^1 is chloro or fluoro;
R^2 is hydrogen, chloro or fluoro;
R^5 is methylcarbonyl, methylsulphonyl or 1-hydroxyethyl;
R^6 is hydrogen or fluoro.


4. The compound according to claim 1 wherein
R^5 is C_{1-4}alkylcarbonyl, C_{1-4}alkylsulphonyl, or C_{1-4}alkylsulphinyl.

5. The compound according to claim 1 wherein R^5 is C_{1-4}alkylcarbonyl or C_{1-4}alkylsulphonyl.


6. The compound according to claim 1 wherein R^5 is C_{1-4}alkylcarbonyl.

~~5~~7. The compound according to claim 1 wherein
R^1 is halo.

~~6~~8. The compound according to claim 1 wherein the compound is a compound of formula (I-x) or (I-y)



(I-x)



(I-y)

~~7~~9. The compound according to any one of claims 1 to ~~6~~8 wherein
R^3 and R^4 are taken together to form a bond.

~~8~~10. A pharmaceutical composition comprising a pharmaceutically acceptable carrier and, as active ingredient, a therapeutically effective amount of a compound as defined in any one of claims 1 to ~~7~~9.

~~9~~11. A compound as defined in any one of claims 1 to ~~7~~9 for use as a medicament.

~~10~~12. A compound as defined in any one of claims 1 to ~~7~~9 for use in the treatment or prevention of a fungal infection.

~~11~~13. The compound for use according to claim ~~10~~12 wherein the fungal infection is caused by one or more of the fungi selected from the group consisting of *Candida* spp.; *Aspergillus* spp.; *Cryptococcus neoformans; Sporothrix schenckii; Epidermophyton floccosum; Microsporum* spp.; *Trichophyton* spp; *Fusarium* spp.; *Rhizomucor* spp.; *Mucor circinelloides; Rhizopus* spp.; *Malassezia furfur; Acremonium* spp.; *Paecilomyces; Scopulariopsis; Arthrographis* spp.; *Scytalidium; Scedosporium* spp.; *Trichoderma* spp.; *Penicillium* spp.; *Penicillium marneffei; Blastoschizomyces.*

~~12~~14. The compound for use according to claim ~~10~~12 wherein the fungal infection is caused by one or more of the fungi selected from the group consisting of *Candida parapsilosis; Aspergillus* spp.; *Cryptococcus neoformans; Sporothrix schenckii;*

Epidermophyton floccosum; Microsporum spp.; *Trichophyton* spp.; *Fusarium* spp.; *Rhizomucor* spp.; *Mucor circinelloides; Rhizopus* spp.; *Acremonium* spp.; *Paecilomyces; Scopulariopsis; Arthrographis* spp.; *Scytalidium; Scedosporium* spp.; *Trichoderma* spp.; *Penicillium* spp.; *Penicillium marneffei; Blastoschizomyces.*

~~13~~15. The compound for use according to claim ~~10~~12 wherein the fungal infection is caused by one or more of the fungi selected from the group consisting of *Microsporum canis, Trichophyton mentagrophytes, Trichophyton rubrum* and *Aspergillus fumigatus.*