



20000 4735-7.

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C08F 220/12, 2/38, C09D 157/00	A1	(11) International Publication Number: WO 99/46310 (43) International Publication Date: 16 September 1999 (16.09.99)
(21) International Application Number: PCT/GB99/00618 (22) International Filing Date: 12 March 1999 (12.03.99) (30) Priority Data: 9805141.0 12 March 1998 (12.03.98) GB 9817728.0 15 August 1998 (15.08.98) GB (71) Applicant (for all designated States except US): IMPERIAL CHEMICAL INDUSTRIES PLC [GB/GB]; Imperial Chem- ical House, Millbank, London SW1P 3JF (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): CHISHOLM, Michael, Stephen [GB/GB]; 31 Sideling Tails, Yarm, Cleveland TS15 8HT (GB). SLARK, Andrew, Trevithick [GB/GB]; 2 Willow Road, Northallerton, North Yorkshire DL7 8RX (GB). (74) Agents: GIBSON, Sara, Hillary, Margaret et al.; ICI Group Intellectual Property, P.O. Box 90, Wilton, Middlesbrough, Cleveland TS90 8JE (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i>
(54) Title: POLYMER COMPOSITION (57) Abstract A method of preparing a (meth)acrylate functionalised polymer comprising the steps of mixing together a monofunctional vinylic monomer with from 0.3–100 % w/w (based on monofunctional monomer) of a polyfunctional vinylic monomer and from 0.0001–50 % w/w of a chain transfer agent, reacting said mixture to form a polymer and terminating the polymerisation reaction before 99 % conversion. The resulting polymers are useful as components of surface coatings and inks, as moulding resins or in curable compounds, e.g. curable moulding resins or photoresists.		