


Claims

What is claimed is:

1. A compound of Formula (I):



or a form thereof, wherein R₁ is bicyclic heteroaryl or bicyclic heterocyclyl substituted on a carbon atom ring member with one, two, three or four R₅ substituents, or on a nitrogen atom ring member with an oxygen atom substituent to form an N-oxide;

X is N or N substituted with an oxygen atom substituent to form an N-oxide;

R₂ is amino;

R₃ is hydrogen, cyano, halo, C₁₋₈ alkyl, amino, C₁₋₈ alkyl-amino or (C₁₋₈ alkyl)₂-amino;

R₄ is phenyl, optionally substituted with one, two, three or four R₆ substituents;

R₅ is independently selected from the group consisting of cyano, halo, hydroxyl, nitro, oxo, C₁₋₈alkyl, cyano-C₁₋₈alkyl, halo-C₁₋₈alkyl, hydroxyl-C₁₋₈alkyl, C₁₋₈alkoxy, C₁₋₈alkoxy-C₁₋₈alkyl, halo-C₁₋₈alkoxy, C₂₋₈alkenyl, C₁₋₈alkoxy-C₂₋₈alkenyl, C₂₋₈alkynyl, C₁₋₈alkoxy-C₂₋₈alkynyl, carboxyl, amino, C₁₋₈alkyl-amino, (C₁₋₈alkyl)₂-amino, amino-C₁₋₈alkyl, C₁₋₈alkyl-amino-C₁₋₈alkyl, (C₁₋₈alkyl)₂-amino-C₁₋₈alkyl, hydroxyl-C₁₋₈alkyl-amino, hydroxyl-C₁₋₈alkyl-amino-C₁₋₈alkyl, hydroxyl-C₁₋₈alkyl-amino-C₁₋₈alkyl-amino, C₁₋₈alkyl-thio, C₁₋₈alkyl-carbonyl, C₁₋₈alkyl-carbonyl-amino, C₁₋₈alkyl-carbonyl-oxy, C₁₋₈alkyl-carbonyl-oxy-C₁₋₈alkyl, C₁₋₈alkoxy-carbonyl, C₁₋₈alkoxy-carbonyl-C₁₋₈alkyl, C₁₋₈alkoxy-carbonyl-amino, C₁₋₈alkyl-sulfonyl, C₃₋₁₄cycloalkyl, aryl, aryl-C₁₋₈alkyl, aryl-amino, aryl-C₁₋₈alkyl-amino, heteroaryl, heteroaryl-C₁₋₈alkyl and heterocyclyl, wherein C₃₋₁₄cycloalkyl, aryl, heteroaryl or heterocyclyl and the aryl and heteroaryl portions of aryl-C₁₋₈alkyl, aryl-amino, aryl-C₁₋₈alkyl-amino and heteroaryl-C₁₋₈alkyl are each optionally substituted with one, two, three or four halo, C₁₋₈alkyl, halo-C₁₋₈alkyl, hydroxyl-C₁₋₈alkyl, C₁₋₈alkoxy, halo-C₁₋₈alkoxy, hydroxyl-C₁₋₈alkoxy or carboxyl substituents; R₆ is independently selected from the group consisting of cyano, halo, nitro, C₁₋₈alkyl, halo-C₁₋₈alkyl, hydroxyl-C₁₋₈alkyl, C₁₋₈alkoxy, halo-C₁₋₈alkoxy, C₂₋₈alkenyl, C₁₋₈alkoxy-C₂₋₈alkenyl, C₂₋₈alkynyl, C₁₋₈alkoxy-C₂₋₈alkynyl, carboxyl, formyl, formyl-oxy, C₁₋₈alkyl-carbonyl, halo-C₁₋₈alkyl-carbonyl, C₁₋₈alkyl-thio, halo-C₁₋₈alkyl-thio, amino, C₁₋₈alkyl-amino, (C₁₋₈alkyl)₂-amino, C₁₋₈alkyl-carbonyl, C₁₋₈alkyl-carbonyl-oxy, C₁₋₈alkyl-carbonyl-oxy-C₁₋₈alkyl, C₁₋₈alkoxy-carbonyl, halo-C₁₋₈alkoxy-carbonyl, C₁₋₈alkoxy-carbonyl-C₁₋₈alkyl, C₁₋₈alkoxy-carbonyl-amino, C₁₋₈alkoxy-carbonyl-amino-C₁₋₈alkyl, amino-carbonyl, C₁₋₈alkyl-amino-carbonyl, (C₁₋₈alkyl)₂-amino-carbonyl, C₁₋₈alkyl-carbonyl-amino, C₁₋₈alkyl-carbonyl-amino-C₁₋₈alkyl, amino-C₁₋₈alkyl, C₁₋₈alkyl-amino-C₁₋₈alkyl, (C₁₋₈alkyl)₂-amino-C₁₋₈alkyl, amino-C₁₋₈alkyl-amino, C₁₋₈alkyl-amino-C₁₋₈alkyl-amino, (C₁₋₈alkyl)₂-amino-C₁₋₈alkyl-amino, hydroxyl-C₁₋₈alkyl-amino, hydroxyl-C₁₋₈alkyl-amino-C₁₋₈alkyl, hydroxyl-C₁₋₈alkyl-

amino-C₁₋₈ alkyl-amino, imino-C₁₋₈ alkyl, hydroxyl-imino-C₁₋₈ alkyl, C₁₋₈alkoxy-imino-C₁₋₈ alkyl, C₁₋₈ alkyl-sulfonyl, halo-C₁₋₈alkyl-sulfonyl, amino-sulfonyl, C₁₋₈alkyl-amino-sulfonyl, (C₁₋₈ alkyl)₂-amino-sulfonyl, B(OR₈)₂, C₃₋₁₄cycloalkyl, heterocyclyl, aryl and heteroaryl, wherein C₃₋₁₄cycloalkyl, heterocyclyl, aryl, and heteroaryl are each optionally substituted with one, two, three or four halo or C₁₋₈alkyl substituents;

R₈ is independently hydrogen or C₁₋₈alkyl;

wherein the form of the compound is selected from the group consisting of a free acid, free base, salt, ester, hydrate, solvate, chelate, clathrate, isotopologue, stereoisomer, racemate, enantiomer, diastereomer and tautomer thereof.

2. The compound of claim 1, or form thereof, wherein R₁ is substituted bicyclic heteroaryl or bicyclic heterocyclyl selected from the group consisting of 1H-indolyl, 2H-indazolyl, 4,5,6,7-tetrahydro-2H-indazolyl, 1H-benzimidazolyl, imidazo[2,1-b][1,3]thiazolyl, pyrazolo[1,5-a]pyridinyl, pyrazolo[1,5-c]pyrimidinyl, imidazo[1,2-a]pyridinyl, 5,6,7,8-tetrahydroimidazo[1,2-a]pyridinyl, 1H-imidazo[4,5-b]pyridinyl, 1H-imidazo[4,5-c]pyridinyl, 4,5,6,7-tetrahydro-3H-imidazo[4,5-c]pyridinyl, imidazo[1,2-a]pyrazinyl, imidazo[1,2-a]pyrimidinyl, 7H-purinyl and quinolinyl.

3. The compound of claim 2, or form thereof, wherein R₁ is substituted bicyclic heteroaryl selected from the group consisting of 1H-indolyl, 1H-benzimidazolyl, pyrazolo[1,5-a]pyridinyl, imidazo[1,2-a]pyridinyl, 1H-imidazo[4,5-b]pyridinyl, imidazo[1,2-a]pyrazinyl and imidazo[1,2-a]pyrimidinyl.

4. A compound or form thereof, selected from the group consisting of:

2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
N-[4-(difluoromethoxy)phenyl]-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidine-4,6-diamine,
2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
N-[4-(trifluoromethoxy)phenyl]-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidine-4,6-diamine,
2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
N-[4-(difluoromethoxy)phenyl]-2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidine-4,6-diamine,
N-[4-(trifluoromethyl)phenyl]-2-(1,3,5-trimethyl-1H-pyrazol-4-yl)pyrimidine-4,6-diamine,
2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
N-[4-(difluoromethoxy)phenyl]-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
2-(2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-N-[3-fluoro-4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
2-(2-cyclopropyl-6-fluoroimidazo[1,2-a]pyridin-3-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]pyrimidine-4,6-diamine,
N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-ethyl-6-fluoro-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
2-(2-cyclopropyl-6-fluoro-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]pyrimidine-4,6-diamine,

N-[4-(trifluoromethyl)phenyl]-2-(2,5,6-trimethyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[3-fluoro-4-(trifluoromethyl)phenyl]-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-ethyl-6-fluoro-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-5-fluoro-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 [3-(4-amino-6-{[4-(trifluoromethyl)phenyl]amino}pyrimidin-2-yl)-6-fluoroimidazo[1,2-a]pyridin-2-yl]methanol,
 2-(6-bromo-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2,6-dimethyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-ethyl-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-N-[3-fluoro-4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-ethenyl-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[3-fluoro-4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 2-(5-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[3-fluoro-4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(5-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methylimidazo[1,2-a]pyrimidin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(difluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-ethyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-imidazo[4,5-b]pyridin-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoropyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 2-(2-ethyl-4,6-difluoro-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-ethyl-4,6-difluoro-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-4,6-difluoro-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 5-fluoro-2-(4-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(4-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(4-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-4-fluoro-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-4-fluoro-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(2-cyclopropyl-4-fluoro-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-6-fluoro-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-[2-(difluoromethyl)-6-fluoro-1H-benzimidazol-1-yl]pyrimidine-4,6-diamine,
 2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(methylsulfanyl)phenyl]pyrimidine-4,6-diamine,
 2-[2-(1-methylcyclopropyl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-[2-(1-methylcyclopropyl)-1H-benzimidazol-1-yl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-[2-(methoxymethyl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-[2-(propan-2-yl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-[2-(difluoromethyl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-ethyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(5-chloro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(5-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(2-ethyl-5-fluoro-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-5-fluoro-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 2-(2-ethyl-6-fluoro-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-6-fluoro-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 5-chloro-2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-chloro-2-(2-ethyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-chloro-N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(2-methylimidazo[1,2-a]pyridin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidine-4,6-diamine,

5-methyl-2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(2-methylpyrazolo[1,5-a]pyridin-3-yl)pyrimidine-4,6-diamine,
 5-fluoro-N-[4-(trifluoromethyl)phenyl]-2-(2,6,8-trimethylimidazo[1,2-a]pyrazin-3-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(2,6,8-trimethylimidazo[1,2-a]pyrazin-3-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(2,6,8-trimethylimidazo[1,2-a]pyrazin-3-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-[6-fluoro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 2-(2-cyclopropylpyrazolo[1,5-a]pyridin-3-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 [3-(4-amino-6-{[4-(difluoromethoxy)phenyl]amino}-5-fluoropyrimidin-2-yl)-5-fluoropyrazolo[1,5-a]pyridin-2-yl]methanol,
 2-[2-(methylsulfanyl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-5-fluoropyrazolo[1,5-a]pyridin-3-yl)-5-fluoropyrimidine-4,6-diamine,
 2-(2-ethyl-5-fluoropyrazolo[1,5-a]pyridin-3-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-ethyl-5-fluoropyrazolo[1,5-a]pyridin-3-yl)-5-fluoropyrimidine-4,6-diamine,
 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(3-methoxyphenyl)pyrimidine-4,6-diamine,
 N-(3-chlorophenyl)-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 4-[[6-amino-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4-yl]amino]benzonitrile, methyl
 4-[[6-amino-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4-yl]amino]benzoate,
 5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)-N-(3-methylphenyl)pyrimidine-4,6-diamine,
 5-fluoro-N-(3-methoxyphenyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 N-(4-methoxyphenyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(dimethylamino)phenyl]-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 5-fluoro-N-(4-methoxyphenyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 4-[[6-amino-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidin-4-yl]amino]benzonitrile,
 5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 N-(3-fluoro-4-methoxyphenyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,

4-[[6-amino-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidin-4-yl]amino]benzo-nitrile,
 2-(2-methyl-1H-benzimidazol-1-yl)-N-(4-nitrophenyl)pyrimidine-4,6-diamine,
 N-(4-bromophenyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-[2-(methoxymethyl)-1H-benzimidazol-1-yl]pyrimidine-4,6-diamine,
 5-fluoro-2-[2-(methoxymethyl)-1H-benzimidazol-1-yl]-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 5-fluoro-2-[2-(methoxymethyl)-1H-benzimidazol-1-yl]-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-5-fluoro-2-[2-(methoxymethyl)-1H-benzimidazol-1-yl]pyrimidine-4,6-diamine,
 5-fluoro-2-[2-(methoxymethyl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 1-(4-amino-5-fluoro-6-[[4-(trifluoromethyl)phenyl]amino]pyrimidin-2-yl)-2-methyl-1H-benzimidazole-6-carbonitrile,
 1-(4-amino-6-[[4-(difluoromethoxy)phenyl]amino]-5-fluoropyrimidin-2-yl)-2-methyl-1H-benzimidazole-6-carbonitrile,
 1-{4-amino-5-fluoro-6-[(4-methylphenyl)amino]pyrimidin-2-yl}-2-methyl-1H-benzimidazole-6-carbonitrile,
 1-{4-amino-5-fluoro-6-[(4-methoxyphenyl)amino]pyrimidin-2-yl}-2-methyl-1H-benzimidazole-6-carbonitrile,
 1-(4-amino-6-[[4-(difluoromethoxy)phenyl]amino]-5-fluoropyrimidin-2-yl)-2-methyl-1H-benzimidazole-5-carbonitrile,
 1-{4-amino-5-fluoro-6-[(4-methylphenyl)amino]pyrimidin-2-yl}-2-methyl-1H-benzimidazole-5-carbonitrile,
 1-{4-amino-5-fluoro-6-[(4-methoxyphenyl)amino]pyrimidin-2-yl}-2-methyl-1H-benzimidazole-5-carbonitrile,
 1-(4-amino-5-fluoro-6-[[4-(trifluoromethyl)phenyl]amino]pyrimidin-2-yl)-2-methyl-1H-benzimidazole-5-carbonitrile,
 1-{4-amino-6-[(4-chlorophenyl)amino]-5-fluoropyrimidin-2-yl}-2-methyl-1H-benzimidazole-5-carbonitrile,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(2-methyl-6-nitro-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(2-methyl-6-nitro-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 5-fluoro-N-(4-methoxyphenyl)-2-(2-methyl-6-nitro-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(2-methyl-6-nitro-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-N-(4-methoxyphenyl)-2-(2-methylpyrazolo[1,5-a]pyridin-3-yl)pyrimidine-4,6-diamine,
 2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 2-(5,7-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-(4-chlorophenyl)-5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-5-fluoro-2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidine-4,6-diamine,
 5-fluoro-2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 5-fluoro-2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 5-fluoro-2-(2-methyl-5-nitro-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 5-fluoro-N-(4-methoxyphenyl)-2-(2-methyl-5-nitro-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(6-amino-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 2-(6-amino-2-methyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(6-amino-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 N-[4-(dimethylamino)phenyl]-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(3-methylphenyl)pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 and

2-(6-amino-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)-phenyl]pyrimidine-4,6-diamine; wherein the form of the compound is selected from the group consisting of a salt, ester, hydrate, solvate, chelate, clathrate, isotopologue, stereoisomer, racemate, enantiomer, diastereomer and tautomer thereof.

5. A pharmaceutical composition for use in treating a cancer mediated by Bmi-1 comprising an effective amount of the compound of claim 1, of form thereof, in admixture with a pharmaceutically acceptable excipient.

6. A pharmaceutical composition for use in treating a cancer mediated by Bmi-1 comprising an effective amount of the compound of claim 4, or form thereof, in admixture with a pharmaceutically acceptable excipient.

7. A compound or form thereof, selected from the group consisting of:

N-(4-methoxyphenyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidin-4-amine,
 N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-(2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidin-4-amine,
 2-(2-methylimidazo[1,2-a]pyridin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 N-(4-methoxyphenyl)-2-(2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidin-4-amine,
 N-(4-chlorophenyl)-2-(2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidin-4-amine,
 2-(2-methylimidazo[1,2-a]pyridin-3-yl)-N-phenylpyrimidin-4-amine,
 2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 N-(4-chlorophenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(4-methylphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(4-bromophenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-[4-(difluoromethoxy)phenyl]-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(4-methoxyphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 2-[6-chloro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine, 2-[6-chloro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethoxy)phenyl]pyrimidin-4-amine, N-(4-bromophenyl)-2-[6-chloro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 2-[6-chloro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(difluoromethoxy)phenyl]pyrimidin-4-amine,
 N-(4-chlorophenyl)-2-[6-chloro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 2-[2-methyl-6-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 N-(4-bromophenyl)-2-[2-methyl-6-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(4-methylphenyl)-2-[2-methyl-6-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 2-[6-fluoro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-(4-methylphenyl)pyrimidin-4-amine,
 2-[6-fluoro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-(4-methoxyphenyl)pyrimidin-4-amine,
 2-[5-chloro-1-methyl-2-(trifluoromethyl)-1H-indol-3-yl]-N-(4-methoxyphenyl)pyrimidin-4-amine,
 2-[5-chloro-1-methyl-2-(trifluoromethyl)-1H-indol-3-yl]-N-[4-(difluoromethoxy)phenyl]pyrimidin-4-amine,
 N-(4-bromophenyl)-2-[5-chloro-1-methyl-2-(trifluoromethyl)-1H-indol-3-yl]pyrimidin-4-amine,
 N-(4-bromophenyl)-2-(6-fluoro-2-phenylimidazo[1,2-a]pyridin-3-yl)pyrimidin-4-amine,
 2-(6-fluoro-2-phenylimidazo[1,2-a]pyridin-3-yl)-N-(4-methylphenyl)pyrimidin-4-amine,

N-(1,3-benzodioxol-5-yl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-pyrimidin-4-amine,
 N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-[2-(trifluoromethyl)imidazo[1,2-a]-pyridin-3-yl]pyrimidin-4-amine,
 N-(6-methoxypyridin-3-yl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N²,N²-dimethyl-N-sup.5-{2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-yl}pyridine-2,5-diamine,
 2-[6-bromo-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 2-[6-bromo-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-(4-methoxyphenyl)pyrimidin-4-amine,
 N-(3-fluoro-4-methoxyphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(3-chloro-4-methoxyphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(3-chloro-4-methylphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(4-ethoxyphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-[4-(propan-2-yl)phenyl]-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-[4-(1H-pyrazol-1-yl)phenyl]-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(3-chloro-4-methoxyphenyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidin-4-amine,
 2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 N-(3-chloro-4-methoxyphenyl)-2-[2-(trifluoromethyl)-1H-benzimidazol-1-yl]-pyrimidin-4-amine,
 5-fluoro-N-(4-methylphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 5-chloro-N-(4-methylphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-(4-methoxyphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyrazin-3-yl]pyrimidin-4-amine,
 2-[2-(trifluoromethyl)imidazo[1,2-a]pyrazin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 N-(4-chlorophenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyrazin-3-yl]pyrimidin-4-amine,
 2-[6-methoxy-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 2-[6-methoxy-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethoxy)phenyl]pyrimidin-4-amine,
 N-(4-methoxyphenyl)-2-[6-methoxy-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-[4-(difluoromethoxy)phenyl]-2-[6-methoxy-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 2-[[6-[[4-(difluoromethoxy)phenyl]amino]-2-(2-methyl-1H-benzimidazol-1-yl)]pyrimidin-4-yl]amino}ethanol,
 N-[4-(difluoromethoxy)phenyl]-2-[2-(trifluoromethyl)imidazo[1,2-a]pyrazin-3-yl]pyrimidin-4-amine,
 2-[6-fluoro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 N-[4-(difluoromethoxy)phenyl]-2-[6-fluoro-2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-4-amine,
 N-[4-(trifluoromethyl)phenyl]-2-[2-(trifluoromethyl)pyrazolo[1,5-a]pyridin-3-yl]pyrimidin-4-amine,
 2-[[2-(2-methyl-1H-benzimidazol-1-yl)-6-[[4-(trifluoromethyl)phenyl]amino]pyrimidin-4-yl]amino}ethanol,
 N⁴-(2-methoxyethyl)-2-(2-methyl-1H-benzimidazol-1-yl)-N⁶-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N⁴-[4-(difluoromethoxy)phenyl]-N⁶-(2-methoxyethyl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-methoxyphenyl)-2-[2-(trifluoromethyl)pyrazolo[1,5-a]pyridin-3-yl]pyrimidin-4-amine,
 N-[4-(difluoromethoxy)phenyl]-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidin-4-amine,

N-(4-methylphenyl)-2-[2-(trifluoromethyl)imidazo[1,2-a]pyrazin-3-yl]pyrimidin-4-amine,
 2-[[2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-6-[[4-(trifluoromethyl)phenyl]amino}pyrimidin-4-yl]amino}ethanol,
 2-(imidazo[1,2-a]pyridin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidin-4-amine,
 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[6-(trifluoromethyl)pyridin-3-yl]pyrimidine-4,6-diamine,
 N-(1,3-benzodioxol-5-yl)-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(1,3-benzodioxol-5-yl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(2,2-difluoro-1,3-benzodioxol-5-yl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(6-methoxypyridin-3-yl)-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(1,3-benzodioxol-5-yl)-2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-(1,3-benzodioxol-5-yl)-5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(2,2-difluoro-1,3-benzodioxol-5-yl)-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine, and
 N-(1,3-benzodioxol-5-yl)-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine

wherein the form of the compound is selected from the group consisting of salt, ester, hydrate, solvate, chelate, clathrate, isotopologue, stereoisomer, racemate, enantiomer, diastereomer and tautomer thereof.

8. The compound or form thereof of claim 4, selected from the group consisting of
 2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidine-4,6-diamine,
 2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(trifluoromethoxy)phenyl]-2-[2-(trifluoromethyl)imidazo[1,2-a]pyridin-3-yl]pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidine-4,6-diamine,
 N-[4-(trifluoromethyl)phenyl]-2-(1,3,5-trimethyl-1H-pyrazol-4-yl)pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-N-[3-fluoro-4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoroimidazo[1,2-a]pyridin-3-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-ethyl-6-fluoro-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]pyrimidine-4,6-diamine,
 N-[4-(trifluoromethyl)phenyl]-2-(2,5,6-trimethyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[3-fluoro-4-(trifluoromethyl)phenyl]-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-ethyl-6-fluoro-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-(2-cyclopropyl-6-fluoro-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-5-fluoro-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 [3-(4-amino-6-{[4-(trifluoromethyl)phenyl]amino}pyrimidin-2-yl)-6-fluoroimidazo[1,2-a]pyridin-2-yl]methanol,
 2-(6-bromo-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(2,6-dimethyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-ethyl-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-N-[3-fluoro-4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-ethenyl-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]-pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine, 5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[3-fluoro-4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 2-(5-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[3-fluoro-4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(5-chloro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methylimidazo[1,2-a]pyrimidin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-6-fluoro-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(difluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 2-(6-chloro-2-ethyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(6-chloro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-(6-chloro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,

2-(6-chloro-2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoropyrimidine-4,6-diamine,

2-(2-cyclopropyl-6-fluoro-1H-imidazo[4,5-b]pyridin-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,

2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-(2-cyclopropyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,

2-(2-cyclopropyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoropyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

2-(2-ethyl-4,6-difluoro-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)-3-fluorophenyl]-2-(2-ethyl-4,6-difluoro-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-4,6-difluoro-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-2-(5,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

5-fluoro-2-(4-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(4-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(4-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,

5-fluoro-2-(2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoro-2-(2-methyl-1H-imidazo[4,5-b]pyridin-1-yl)pyrimidine-4,6-diamine,

2-(2-cyclopropyl-4-fluoro-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-(2-cyclopropyl-4-fluoro-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,

2-(2-cyclopropyl-4-fluoro-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)-3-fluorophenyl]-5-fluoropyrimidine-4,6-diamine,

2-(2-cyclopropyl-6-fluoro-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-2-(2-ethyl-6-fluoro-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-2-[2-(difluoromethyl)-6-fluoro-1H-benzimidazol-1-yl]pyrimidine-4,6-diamine,

2-(2-methyl-1H-benzimidazol-1-yl)-N-[4-(methylsulfanyl)phenyl]pyrimidine-4,6-diamine,

2-[2-(1-methylcyclopropyl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-2-[2-(1-methylcyclopropyl)-1H-benzimidazol-1-yl]pyrimidine-4,6-diamine,

2-(2-cyclopropyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-[2-(methoxymethyl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-[2-(propan-2-yl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-[2-(difluoromethyl)-1H-benzimidazol-1-yl]-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-(2-ethyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

2-(2-cyclopropyl-6-fluoro-1H-imidazo[4,5-b]pyridin-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,

5-fluoro-2-(2-methyl-6-nitro-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-(4-chlorophenyl)-2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,

2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,

5-fluoro-N-(4-methoxyphenyl)-2-(2-methylpyrazolo[1,5-a]pyridin-3-yl)pyrimidine-4,6-diamine,

2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,

2-(4,6-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,

2-(5,7-difluoro-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine,

N-(4-chlorophenyl)-5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,

5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,

N-[4-(difluoromethoxy)phenyl]-5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,

5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,

5-fluoro-2-(6-methoxy-2-methyl-1H-benzimidazol-1-yl)-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,

N-(4-chlorophenyl)-5-fluoro-2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)pyrimidine-4,6-diamine,

5-fluoro-2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,

5-fluoro-2-(6-fluoro-2-methylimidazo[1,2-a]pyridin-3-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,

5-fluoro-2-(2-methyl-5-nitro-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,

5-fluoro-N-(4-methoxyphenyl)-2-(2-methyl-5-nitro-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(6-amino-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 2-(6-amino-2-methyl-1H-benzimidazol-1-yl)-N-[4-(difluoromethoxy)phenyl]-5-fluoropyrimidine-4,6-diamine,
 2-(6-amino-2-methyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-5-fluoro-2-(2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 N-[4-(dimethylamino)phenyl]-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)pyrimidine-4,6-diamine,
 2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(3-methylphenyl)pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-2-(2-ethyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methylphenyl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)pyrimidine-4,6-diamine,
 2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoro-N-[4-(trifluoromethoxy)phenyl]pyrimidine-4,6-diamine,
 N-(4-chlorophenyl)-2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 N-(4-chloro-3-fluorophenyl)-2-(2-cyclopropyl-1H-benzimidazol-1-yl)-5-fluoropyrimidine-4,6-diamine,
 and
 5-fluoro-2-(5-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-(4-methylphenyl)pyrimidine-4,6-diamine.

9. A compound, wherein the compound is 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine, or a salt form thereof.

10. The compound of claim 9, wherein the compound is 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine.

11. The compound of claim 9, wherein the compound is the salt form of 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine.

12. A pharmaceutical composition comprising an effective amount of the compound of claim 9, or salt form thereof, in admixture with a pharmaceutically acceptable excipient for use in the treatment of a cancer.

13. Use of the compound of claim 9, or salt form thereof, in admixture with a pharmaceutically acceptable excipient in the manufacture of a pharmaceutical composition for treating cancer.

14. The use as claimed in claim 13, wherein the compound is 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine.
15. The use as claimed in claim 13, wherein the compound is the salt form of 5-fluoro-2-(6-fluoro-2-methyl-1H-benzimidazol-1-yl)-N-[4-(trifluoromethyl)phenyl]pyrimidine-4,6-diamine.