CLAIMS

We Claim

1. A compound selected from the group consisting of:

8-(2-methoxypyridin-4-yl)-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;

6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-8-(thiazol-2-yl)-3,4-dihydroquinolin-2(1H)-one;

8-(2-methoxythiazol-5-yl)-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;

7-chloro-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

7-(4-chlorophenyl)-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;

7'-chloro-5'-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)spiro[cyclopropane-1,3'-indolin]-2'-one;

8-(4-chlorophenyl)-6-(6-oxo-1,6-dihydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;

8-(3-fluorophenyl)-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;

6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-8-(pyridin-3-yl)-3,4-dihydroquinolin-2(1H)-one;

3,3-dimethyl-5-(4-methyl-6-oxo-1,6-dihydropyridazin-3-yl)-7-(thiazol-4-yl)indolin-2-one;

9-(6-methoxypyridin-3-yl)-7-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-1,3,4,5-tetrahydro-2H-benzo[b]azepin-2-one;

6-(2-(1-(4-methoxyphenyl)cyclopropyl)-1H-benzo[d]imidazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

7-bromo-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

7-chloro-3,3-dimethyl-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;

7-fluoro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

7-fluoro-3,3-dimethyl-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;

7'-fluoro-5'-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)spiro[cyclopropane-1,3'-indolin]-2'-one;
7-chloro-3,3-dimethyl-5-(6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
4-chloro-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)benzo[d]thiazol-2(3H)-one;
6-(2-amino-4-chlorobenzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
6-(2-amino-4-fluorobenzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
7-bromo-3,3-dimethyl-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;
(R)-7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
6-(4-fluoro-2-(methylamino)benzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
8-chloro-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)quinolin-2(1H)-one;
6-(8-chloro-2-hydroxyquinolin-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
7-chloro-6-fluoro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
6-(4-fluoro-2-(3-hydroxyazetidin-1-yl)benzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
2-amino-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)benzo[d]thiazole-4-carbonitrile;
7-chloro-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)isoindolin-1-one;
6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-2-oxo-1,2-dihydroquinoline-8-carbonitrile;
2-hydroxy-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)quinoline-8-carbonitrile;
7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)isoindolin-1-one;
4-chloro-1-methyl-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one;
7'-fluoro-5'-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)spiro[cyclobutane-1,3'-indolin]-2'-one;
6-(8-bromo-2-hydroxyquinolin-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

6-(4-fluoro-2-(((1-methyl-1H-pyrazol-4-yl)methyl)amino)benzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

6-(7-chloro-3-methyl-1H-indazol-5-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

6-(8-cyclopropyl-2-hydroxyquinolin-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

6-(2-(3-methoxyazetidin-1-yl)benzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

7-fluoro-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

(S)-7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)isoindolin-2-one;

4-chloro-6-(6-oxo-1,6-dihydropyridazin-3-yl)benzo[d]thiazol-2(3H)-one;

5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-2-oxoindoline-7-carbonitrile;

4-methyl-6-(6-methyl-2-oxo-3,6-dihydro-2H-1,3,4-thiadiazin-5-yl)benzo[d]thiazol-2(3H)-one;

4-chloro-6-(6-methyl-2-oxo-3,6-dihydro-2H-1,3,4-thiadiazin-5-yl)benzo[d]thiazol-2(3H)-one;

5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7'-chloro-2'-oxospiro[cyclopropane-1,3'-indolin]-5'-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7-fluoro-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7-chloro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

6-methyl-5-(7-(4-(methylsulfonyl)phenyl)-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7-bromo-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(3,3-dimethyl-2-oxo-7-(thiazol-4-yl)indolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7-(4-chlorophenyl)-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

6-methyl-5-(9-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7-fluoro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-bromo-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(6-methyl-2-oxo-3,6-dihydro-2H-1,3,4-thiadiazin-5-yl)-2-oxoindoline-7-carbonitrile;
(S)-5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-1-oxoisoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-1-oxoisoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(8-chloro-2-hydroxyquinolin-6-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-2,2-dioxido-1,3-dihydrobenzo[c]isothiazol-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
6-methyl-5-(8-methyl-2-oxo-1,2,3,4-tetrahydroquinolin-6-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
4-chloro-6-(2-oxo-2,3-dihydro-1H-pyrrolo[2,3-b]pyridin-5-yl)benzo[d]oxazol-2(3H)-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-1,3-dihydro-2H-pyrrolo[2,3-b]pyridin-2-one;
7-chloro-3,3-dimethyl-5-(pyrimidin-5-yl)indolin-2-one;
6-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-3,4-dihydro-1,8-naphthyridin-2(1H)-one;
4-chloro-6-(5-oxo-4,5-dihydro-1,3,4-thiadiazol-2-yl)benzo[d]thiazol-2(3H)-one; and
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-1,3,4-thiadiazol-2(3H)-one, stereoisomers thereof, and veterinarily acceptable salts thereof.

2. The compound of claim 1 selected form the group consisting of:
8-(2-methoxypyridin-4-yl)-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;
8-(2-methoxythiazol-5-yl)-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;
7-chloro-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

7'-chloro-5'-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)spiro[cyclopropane-1,3'-indolin]-2'-one;

8-(4-chlorophenyl)-6-(6-oxo-1,6-dihydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;

8-(3-fluorophenyl)-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;

6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-8-(pyridin-3-yl)-3,4-dihydroquinolin-2(1H)-one;

9-(6-methoxypyridin-3-yl)-7-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-1,3,4,5-tetrahydro-2H-benzo[b]azepin-2-one;

6-(2-(1-(4-methoxyphenyl)cyclopropyl)-1H-benzo[d]imidazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

7-bromo-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

7-chloro-3,3-dimethyl-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;

7-fluoro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

7-fluoro-3,3-dimethyl-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;

7'-fluoro-5'-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)spiro[cyclopropane-1,3'-indolin]-2'-one;

7-chloro-3,3-dimethyl-5-(6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

6-(2-amino-4-chlorobenzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

6-(2-amino-4-fluorobenzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

7-bromo-3,3-dimethyl-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;

(R)-7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

6-(4-fluoro-2-(methylamino)benzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

8-chloro-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)quinolin-2(1H)-one;

6-(8-chloro-2-hydroxyquinolin-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;

7-chloro-6-fluoro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

6-(4-fluoro-2-(3-hydroxyazetidin-1-yl)benzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
2-amino-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)benzo[d]thiazole-4-carbonitrile;
2-hydroxy-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)quinoline-8-carbonitrile;
7-chloro-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)isoindolin-1-one;
6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-2-oxo-1,2-dihydroquinoline-8-carbonitrile;
7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)isoindolin-1-one;
4-chloro-1-methyl-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one;
7'-fluoro-5'-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)spiro[cyclobutane-1,3'-indolin]-2'-one;
4-chloro-6-(6-methyl-2-oxo-3,6-dihydro-2H-1,3,4-thiadiazin-5-yl)benzo[d]thiazol-2(3H)-one;
5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7'-chloro-2'-oxospiro[cyclopropane-1,3'-indolin]-5'-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-fluoro-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
6-methyl-5-(7-(4-(methylsulfonyl)phenyl)-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-bromo-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-(4-chlorophenyl)-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
6-methyl-5-(9-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-fluoro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-bromo-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(6-methyl-2-oxo-3,6-dihydro-2H-1,3,4-thiadiazin-5-yl)-2-oxoindoline-7-carbonitrile;
(S)-5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-1-oxoisoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-1-oxoisoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
6-methyl-5-(8-methyl-2-oxo-1,2,3,4-tetrahydroquinolin-6-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-1,3-dihydro-2H-pyrrolo[2,3-b]pyridin-2-one; and
7-chloro-3,3-dimethyl-5-(pyrimidin-5-yl)indolin-2-one, stereoisomers thereof, and veterinary acceptable salts thereof.

3. The compound of claim 2 selected from the group consisting of:
8-(3-fluorophenyl)-6-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one;
6-(2-(1-(4-methoxyphenyl)cyclopropyl)-1H-benzo[d]imidazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
7-bromo-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
7-fluoro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
7-fluoro-3,3-dimethyl-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;
7'-fluoro-5'-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)spiro[cyclopropane-1,3'-indolin]-2'-one;
6-(2-amino-4-chlorobenzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
6-(2-amino-4-fluorobenzo[d]thiazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
7-bromo-3,3-dimethyl-5-(6-oxo-1,6-dihydropyridazin-3-yl)indolin-2-one;

(R)-7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
4-chloro-6-(6-methyl-2-oxo-3,6-dihydro-2H-1,3,4-thiadiazin-5-yl)benzo[d]thiazol-2(3H)-one;
5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7'-chloro-2'-oxospiro[cyclopropane-1,3'-indolin]-5'-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-bromo-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
6-methyl-5-(9-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-fluoro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-bromo-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(6-methyl-2-oxo-3,6-dihydro-2H-1,3,4-thiadiazin-5-yl)-2-oxoindoline-7-carbonitrile;
(S)-5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-1,3-dihydro-2H-pyrrolo[2,3-b]pyridin-2-one; and
7-chloro-3,3-dimethyl-5-(pyrimidin-5-yl)indolin-2-one, stereoisomers thereof, and veterinary acceptable salts thereof.

4. The compound of claim 3 that is a compound selected from the group consisting of:
6-(2-(1-(4-methoxyphenyl)cyclopropyl)-1H-benzo[d]imidazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
7-bromo-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;

5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
6-methyl-5-(9-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-fluoro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-bromo-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one; and
7-chloro-3,3-dimethyl-5-(pyrimidin-5-yl)indolin-2-one, stereoisomers thereof, and veterinary acceptable salts thereof.

5. The compound of claim 4 that is selected from the group consisting of
6-(2-(1-(4-methoxyphenyl)cyclopropyl)-1H-benzo[d]imidazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one; and
6-methyl-5-(9-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl)-3,6-dihydro-2H-1,3,4-thiadiazin-2-one, stereoisomers thereof, and veterinary acceptable salts thereof.

6. The compound of claim 4 that is selected from the group consisting of
7-bromo-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
5-(7-fluoro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;

5-(7-bromo-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one; and
7-chloro-3,3-dimethyl-5-(pyrimidin-5-yl)indolin-2-one, stereoisomers thereof, and veterinary acceptable salts thereof.

7. The compound of claim 4 that is selected from the group consisting of
6-(2-(1-(4-methoxyphenyl)cyclopropyl)-1H-benzo[d]imidazol-6-yl)-5-methyl-4,5-dihydropyridazin-3(2H)-one;
7-bromo-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
7-chloro-3,3-dimethyl-5-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)indolin-2-one;
5-(7-fluoro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one;
5-(7-chloro-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one; and
5-(7-chloro-3,3-dimethyl-2-oxoindolin-5-yl)-6-methyl-3,6-dihydro-2H-1,3,4-thiadiazin-2-one, stereoisomers thereof, and veterinary acceptable salts thereof.

8. A composition comprising a compound of any one of claims 1-7, stereoisomer thereof, or a veterinary acceptable salt thereof.

9. The composition of Claim 8, comprising a compound of any one of claims 3, 4, 5, 6 or 7, stereoisomer thereof, or a veterinary acceptable salt thereof.

10. The composition of claim 8 or 9, further comprising an additional pharmaceutical agent selected from the group consisting of an ACE inhibitor, furosemide or a spironolactone.

11. The composition of claim 9 or 10, further comprising a veterinary acceptable excipient.

12. Use of a compound of any one of claims 1-7 or any one of claims 3, 4, 5, 6 or 7, stereoisomer thereof, or veterinary acceptable salt thereof, to prepare a medicament for treating myxomatous mitral valve disease, congestive heart failure and/or asymptomatic heart failure in an animal in need thereof.

13. The use according to claim 12, wherein the animal is administered a compound of any one of claims 3, 4, 5, 6 or 7, stereoisomer thereof, or veterinary acceptable salt thereof, to an animal in need thereof.

14. The use according to claims 11-13, wherein the animal is administered at least one additional pharmaceutical agent selected from the group consisting of an ACE inhibitor, furosemide and a spironolactone, to an animal in need thereof.

15. The use of claim 12, 13 or 14, wherein the animal is canine.