

1/25




FIG. 1

2/25




FIG. 2

3/25




FIG. 3

4/25




FIG. 3

5/25



FIG. 4

6/25

FIG. 5A: P01

APVRSLAFRIWDVNQKTFYLRNNQLVAGYLQ
GPNVNLEEKIDV**SFVQGEESNDKIPVALGIHG**
GKMCLSCVKSGDETRLQLEAV**DPKNYPKKKM**
DKRFAFIRSDSGPTTSFESAACPGWFLCTAME
ADQPVSLTNMPDEGVMVTKFY**MQFVSS**
(SEQ ID NO:17)

FIG. 5B: P02

APVRSLAFRIWDVNQKTFYLRNNQLVAGYLQ
GPNVNLEEKIDV**SFVQGEESNDKIPVALGIHG**
GKMCLSCVKSGDETRLQLEAV**DPKNYPKKKM**
EKRFFVFNKIEINNKLSFESAACPGWFLCTAME
ADQPVSLTNMPDEGVMVTKFY**MQFVSS**
(SEQ ID NO:18)

FIG. 5C: P03

APVRSLAFRIWDVNQKTFYLRNNQLVAGYLQ
GPNVNLEEK**FSMSFVQGEESNDKIPVALGLKE**
KNLYLSCVLKDDKPTLQLESVDPKNYPKKKM
EKRFFVFIRSDSGPTTSFESAACPGWFLCTAME
ADQPVSLTNMPDEGVMVTK**FTMQFVSS**
(SEQ ID NO:19)

7/25

FIG. 5D: P04

APVRSLAFRIWDVNQKTFYLRNNQLVAGYLQGPNVNLEE
KFSMSFVQGEESNDKIPVALGLKEKNLYLSCVLKDDKPTL
QLESVDPKNYPKKKMEKRFVFNKIEINNKL***FESAACPG***
WFLCTAMEADQPVSLTNMPDEGVMVTK***FTMQFVSS***
(SEQ ID NO:20)

FIG. 5E: P05

APVRSLNCRIWDVNQKTFYLRNNQLVAGYLQGPNVNLE
EK***FMSFVQGEESNDKIPVALGLKEKNLYLSCVLKDDKPT***
LQLESVDPKNYPKKKMEKRFVFNKIEINNKL***FESAQFPN***
WFLCTAMEADQPVSLTNMPDEGVMVTKFY***MQFVSS***
(SEQ ID NO:21)

8/25




FIG. 6

9/25




FIG. 7A

10/25




FIG. 7B

11/25


IL-1 β conc. = 0.1 ng/ml

FIG. 8A

12/25






IL-1 β conc. = 0.1 ng/ml

FIG. 8B

13/25

**FIG. 9A****FIG. 9B**

14/25

**FIG. 9C****FIG. 9D**

15/25




FIG. 10A

16/25




FIG. 10B




FIG. 11A




FIG. 11B




FIG. 11C

19/25




FIG. 12A

20/25




FIG. 12B




FIG. 12C

21/25




FIG. 13

22/25






FIG. 14

23/25

**FIG. 15**

24/25



Lane 1 – Conditioned lysate
Lane 2 – FT 0-30 mg-EBI-005/mL-column
Lane 3 – FT 30-32.5 mg-EBI-005/mL-column
Lane 4 – FT 32.5-35 mg-EBI-005/mL-column
Lane 5 – FT 35-37.5 mg-EBI-005/mL-column
Lane 6 – FT 37.5-40 mg-EBI-005/mL-column
Lane 7 – pH step (wash #2)
Lane 8 – Main elution mock pool 1
Lane 9 – Main elution mock pool 2
Lane 10 – Main elution mock pool 3
Lane 11 – Main elution mock pool 4
Lane 12 – Second elution peak

FIG. 16

FIG. 17A




FIG. 17B




FIG. 17C




FIG. 17D

