Device, Body, Method and System For Health-Care

FIELD OF THE INVENTION

[0001] This invention relates to device, body, method and system for health-care, especially based on Chinese medical theory.

BACKGROUND OF THE INVENTION

[0002] Those who lose their health will know that being sick-free or painless is a great blessing in life. Human nature is usually greedy for life and fear of death. It is one of the big desires of ordinary people to get life prolonged. Everyone seems to agree that prevention is better than cure, but facing the life journey of birth, aging, sickness and death, not everyone has the opportunity or the perseverance to always pay attention to prevention. The invention follows the examples of Chinese genius doctors Hua Tuo and Bian Que, and is intended to bring health and happiness to mankind.

SUMMARY OF THE INVENTION

[0003] Because of extremely diversified disclosures of the present inventions, for facilitating the examination, it is to be noted that the claims currently on file of this application are directed to seek patent protections for specific inventions exemplarily embodied in Figures 4A to 5A. In a nutshell, the present invention hopes to bring Hua Tuo and Bian Que back to the world. The ensuing questions are: how to perform dreams or ideals? How to put imagination into practical content? Because the issues are very big, readers or examiners are invited to carefully review and examine what are described later.

[0004] Traditional Chinese medicine or acupuncture theory is scattered in ancient Chinese classics, where the cores or subtle implications thereof are

described in Huangdi Neijing Suwen and Lingshu. Among these cultural treasures, not only can we see the exquisiteness of medical theory or logic, but they have also been seen clinically effective or widely reported, which cannot be

WHAT IS CLAIMED IS:

1. A health care ~~system~~device, comprising:

~~a health care body performing a health care work on a user, wherein the user has a body part having an acupoint;~~

~~a~~a health care body having a first carrying base plate and a second carrying base plate for carrying a body part of a user, wherein the body part is an upper limb including an upper arm and a lower arm, or a lower limb including a thigh and a shank, the first and second carrying base plates respectively are respectively configured to carry thereon the upper and lower arms or the thigh and the shank, and the body part has an acupoint;

a first positioning ~~medium~~mechanism configured ~~on the health care body and positioning the body part~~to be slidably disposed on the health care body ~~so that~~, to position the body part on the health care body, and ~~the body part has~~to secure a first specific positional relationship ~~therebetween~~between the health care body and the body part;

an acupoint work piece configured ~~on the health care body and executing the health care work on the user via~~to have a second specific positional relationship with the acupoint; and

a ~~computer device~~work piece holder having:

a first end configured ~~on~~to be connected to the health care body, or the positioning mechanism; and ~~controlling~~

a second end configured to hold the acupoint work piece under the second specific positional relationship, and~~/or monitoring~~ to enable the acupoint work piece to ~~perform the~~engage in a health care work ~~under a second specific positional relationship maintained between the health care body and the acupoint work piece, or between the~~ towards the user through

the acupoint ~~work piece and the acupoint~~under the first and second positional relationships.

~~2.~~ The health care ~~system as claimed in Claim 1, further comprising a cloud database connected to the computer~~ device ~~through an internet, and allowing the user to access knowledge and alternatives of health care or medical treatment related to acupuncture or moxibustion.~~

~~3.~~2. ~~The health care system~~ as claimed in Claim 1, wherein ~~the computer device further comprises a symptom treatment module allowing the user to click or enter a current discomfort symptom, and the cloud database provides a specific treatment scheme or a specific acupoint to receive the health care work.~~:

the first carrying base plate has a third end and a fourth end, and the second carrying base plate has a fifth end and a sixth end;

the first positioning mechanism includes a first pair of positioning blocks respectively configured for disposal on two sides of the third end of the first carrying base plate; and

the body part has a first protruding feature, and inner surfaces of the first pair of positioning blocks respectively have at least one recess corresponding to the first protruding feature to provide the first specific positional relationship.

3. The health care ~~system~~device as claimed in Claim ~~1~~2, wherein ~~:~~

the health care ~~system~~body further ~~comprises~~includes a ~~cloud database,~~length adjustment device;

the fourth end and the ~~computer device~~fifth end are configured for disposal therebetween the length adjustment device;

the length adjustment device is configured to adjust a distance between the first carrying base plate and the second carrying base plate to adjust an apparent length of the health care body to be adapted to a length of the body

part; and

the third end has a pair of recesses respectively configured for sliding therewith the first pair of positioning blocks to adjust a distance between the first pair of positioning blocks to be adapted to a width of the body part.

4. The health care device as claimed in Claim 3, wherein each of the first pair of positioning blocks has a pair of lugs, the first carrying base plate has a pair of side grooves configured for respectively communicating with the pair of recesses, the first pair of positioning blocks being configured to slide in the pair of side grooves via the lugs, each of the fourth end and the fifth end has a central groove and a plurality of first pin holes, and the length adjustment device includes:

a linking plate, two sides of which are respectively configured for positioning in the central grooves;

a plurality of second pin holes respectively configured on the two sides of the linking plate and corresponding to the plurality of first pin holes; and

a plurality of pins configured to be respectively inserted into the plurality of first pin holes of the fourth end and the fifth end, and correspondingly into the plurality of second pin holes of the linking plate to fix the first carrying base plate, the second carrying base plate and the length adjustment device.

5. The health care device as claimed in Claim 2, wherein each of the fourth end and the fifth end has an arc convex, a middle groove and a first sliding hole, and the length adjustment device includes:

a length adjustment plate configured between the fourth end and the fifth end and has a second sliding hole;

a side piece configured to be inserted through the second sliding hole and the first sliding holes, and slidably and planarly combining the first carrying

base plate, the second carrying base plate and the length adjustment plate together; and

a trapezoidal piece configured in the middle grooves and having a pair of side bevels, wherein the trapezoidal piece is configured to adjust an apparent length of the health care body by an interaction between the pair of side bevels and the arc convexes.

6. The health care device as claimed in Claim 5, wherein:

the length adjustment plate further ~~comprises: a feedback/report module allowing~~includes a screw hole, a plurality of positioning pin holes and a rotatable screw rod for operating the trapezoidal piece so as to adjust a contact position between the pair of side bevels of the trapezoidal piece and the arc convexes to adjust a total virtual length of the first carrying base plate, the second carrying base plate and the length adjustment plate; or

the trapezoidal piece has a bottom hole and the rotatable screw rod has an end, and the end is configured to be freely rotatable in the bottom hole.

7. The health care device as claimed in Claim 5, wherein:

the length adjustment plate further includes a central recess for positioning a second protruding feature of the body part; and

~~4.~~ the second protruding feature is a protrusion of a kneecap of the user ~~to feedback/report~~when the user ~~satisfaction or a problem encountered in use to the cloud database after the health care work on a specific acupoint suggested by the cloud database; and a screen and keyboard and/or mouse allowing the user to search and confirm a symptom or its treatment method through the cloud database~~lies pronely.

8. The health care ~~system~~device as claimed in Claim ~~1~~5, further comprising a ~~service center~~second pair of positioning blocks respectively and slidably

configured on two sides of the length adjustment device for positioning a third protruding feature of the body part.

9. The health care device as claimed in Claim 5, further comprising a third positioning block slidably configured on one side of the sixth end of the second carrying base plate for positioning a fourth protruding feature of the body part.

10. The health care device as claimed in Claim 2, further comprising a second pair of positioning blocks respectively and slidably configured on two sides of the sixth end of the second carrying base plate for positioning a second protruding feature of the body part.

11. The health care device as claimed in Claim 10, wherein the first carrying base plate and the second carrying base plate are to be used for carrying the lower arm, wherein:

the sixth end of the second carrying base plate has an elbow containing recess for containing a most prominent part of an elbow of an ulna;

each of the sixth end of the second carrying base plate and the second pair of positioning blocks has a groove for positioning therein a respective left or lower side of prominent muscles of the lower arm when the lower arm is kept laterally upright;

the third end of the first carrying base plate has a recess for resting thereon an abductor muscle of a little finger of the user when the lower arm is kept laterally upright, and for freely resting thereon a wrist and a palm of the user when an inner (or yin) side of the lower arm is laterally placed on the first carrying base plate;

the first pair of positioning blocks are configured with a cavity and a groove, wherein when the palm is upright, the cavity contains a short abductor muscle of a thumb of the palm therein and the groove allows the palm to stretch

therein;

the first pair of positioning blocks are to be used for containing a carpal protrusion of a radius of the lower arm and a carpal protrusion of the ulna of the lower arm of the user respectively; and

the second pair of positioning blocks are to be used for containing a most protruding sesamoid at an ulna side of an elbow end of a humerus of the user.

12. The health care device as claimed in Claim 11, further comprising a third carrying base plate for carrying thereon the upper arm, and including a first carrier plate and a second carrier plate, wherein the first carrier plate is configured for connection to the second carrying base plate, the second carrier plate has a semi-cylindrical part for urging against an axilla of the user, and the second carrier plate has a guiding sheet for conforming to a shoulder end of the upper arm of the user.

13. The health care device as claimed in Claim 10, wherein the first carrying base plate and the second carrying base plate are respectively to be used for carrying the shank and the thigh, wherein:

the first carrying base plate is configured with a central concave, wherein when the user lies pronely, the central concave contains an outer protrusion of a tibia of the shank, and when the user lies supinely, the central concave contains a calf of the shank;

the third end of the first carrying base plate has a recess for containing therein a calcaneal tendon and a calcaneus when the user lies pronely;

the sixth end of the second carrying base plate has a recess for containing muscles connecting between buttocks and the thigh, and a stop for abutting against a bottom edge of a groin of the user;

the first pair of positioning blocks are respectively to be used for

containing a lateral malleolus and a medial malleolus of the user;

the second pair of positioning blocks are respectively to be used for containing a knee tuberosity of the tibia and a knee tuberosity of a femur of the user; and

the third positioning block is to be used for containing a trochanter major protrusion at a buttock end of the femur of the user.

14. The health care device as claimed in Claim 2, further comprising a heel height adjustment medium configured on the third end of the first carrying base plate for being adapted to a specific heel height of the user.

15. A health care device for holding an acupoint work piece thereon to engage in a health care work onto a user, wherein the user has a body part including an acupoint, and the health care device comprises:

a health care body having a carrying platform;

a pair of positioning blocks configured for slidable movement on the carrying platform, for positioning the body part on the carrying platform, and for causing the health care body and the body part to have a first specific positional relationship therebetween; and

~~5.~~ a work piece holder configured to be connected to the ~~computer device through an internet, and providing the user for a consultation related to acupuncture~~carrying platform or ~~moxibustion, or a confirmation of the user's own choice of a medical-level act.~~

~~6. The health care system as claimed in Claim 5, wherein the computer device further comprises a microphone and a lens for a consultation by, an inquisition on the symptom of, or a confirmation from the user of an act related to acupuncture or moxibustion via the service center.~~

~~7. The health care system as claimed in Claim 1, wherein the computer device~~

~~further comprises:~~

~~a screen of a touch type or non-touch type;~~

~~a personal health care history record module recording a personal health care history of the user; and/or~~

~~a control module coordinating the health care body and~~ the pair of positioning blocks, for holding the acupoint work piece ~~to perform~~on the ~~health care work.~~

~~8. The health care system as claimed in Claim 1, further comprising a position adjustment device configured between~~carrying platform or the ~~health care body and~~pair of positioning blocks, for securing the acupoint work piece~~,~~ and ~~maintaining~~ the acupoint to have a second specific positional relationship ~~between the health care body~~therebetween, and ~~the acupoint work piece, or between~~for ensuring the acupoint work piece ~~and the~~ to engage in the health care work onto the user through the acupoint under the first specific positional relationship and the second specific positional relationship.

~~9. A~~The health care ~~system using an acupoint work piece to perform a health care work on a user~~device as claimed in Claim 15, wherein the ~~user has a~~ body part ~~having~~is an upper limb including an ~~acupoint, comprising:~~

16. upper arm and a lower arm, or a lower limb including a thigh and a ~~health care body carrying the body part;~~shank.

17. ~~a positioning medium configured on the~~ The health care device as claimed in Claim 16, wherein the carrying platform includes a first base plate and a second base plate for respectively carrying thereon the upper and lower arms or the thigh and the shank, and the first and second base plates have a total length.

18. The health care ~~body and positioning the body part on the~~ device as claimed in Claim 17, further comprising a length adjustment device for mounting on the

health care body ~~so that the~~and to be used to adjust an apparent length of the total length of the carrying platform in response to a length of the body part.

19. The health care ~~body and the body part have a first specific positional relationship therebetween; and~~device as claimed in Claim 15, wherein the carrying platform has a pair of recesses for respectively mounting thereon the pair of positioning blocks to have a mutual distance in response to a width of the body part.

20. The health care device as claimed in Claim 15, further comprising the acupoint work piece.