




FIG. 1




FIG. 2A




FIG. 2B

4/27




FIG. 2C




FIG. 3A

6/27




FIG. 3B

25:75 AB928:HPMCAS-L
40:60 AB928:HPMCAS-L
25:75 AB928:HPMCAS-M
40:60 AB928:HPMCAS-M
25:75 AB928:CAP
40:60 AB928:CAP
25:75 AB928:PVP-VA
40:60 AB928:PVP-VA
AB928




FIG. 4

8/27




FIG. 5

9/27




FIG. 6

10/27




FIG. 7

11/27




FIG. 8

12/27




FIG. 9A




FIG. 9B

14/27




FIG. 10










FIG. 11



17/27

**FIG. 12C****FIG. 12D**

18/27

**FIG. 13A****FIG. 13B**




FIG. 13C




FIG. 13D

NON-SINK DISSOLUTION TESTING FOR AB928 TABLETS AFTER 3 MONTHS ON STABILITY




FIG. 14

NON-SINK DISSOLUTION TESTING FOR AB928 TABLETS AFTER 3 MONTHS ON STABILITY




FIG. 15

NON-SINK DISSOLUTION TESTING FOR AB928:HPMCAS-M SDI TABLETS AFTER 9 MONTHS ON STABILITY




FIG. 16




FIG. 17B

FIG. 17A






FIG. 18


25/27

**FIG. 19**

26/27

**FIG. 20**

27/27

**FIG. 21**