

9. A pharmaceutical composition comprising a compound of formula I as claimed in any one of claim 1 – 5 and pharmaceutically acceptable excipients.
10. The use of a compound of formula I according to any one of claims 1 - 5 for the
5 preparation of a medicament for the treatment of schizophrenia, obsessive-compulsive personality disorder, depression, bipolar disorders, anxiety disorders, normal aging, epilepsy, retinal degeneration, traumatic brain injury, spinal cord injury, post-traumatic stress disorder, panic disorder, Parkinson's disease, dementia, Alzheimer's disease, cognitive impairment, chemotherapy-induced cognitive dysfunction, Down syndrome,
10 autism spectrum disorders, hearing loss, tinnitus, spinocerebellar ataxia, amyotrophic lateral sclerosis, multiple sclerosis, Huntington's disease, stroke, radiation therapy, chronic stress, abuse of neuro-active drugs, selected from alcohol, opiates, methamphetamine, phencyclidine and cocaine.
11. A method for the treatment of schizophrenia, obsessive-compulsive personality
15 disorder, depression, bipolar disorders, anxiety disorders, normal aging, epilepsy, retinal degeneration, traumatic brain injury, spinal cord injury, post-traumatic stress disorder, panic disorder, Parkinson's disease, dementia, Alzheimer's disease, cognitive impairment, chemotherapy-induced cognitive dysfunction, Down syndrome, autism spectrum disorders, hearing loss, tinnitus, spinocerebellar ataxia, amyotrophic lateral
20 sclerosis, multiple sclerosis, Huntington's disease, stroke, radiation therapy, chronic stress, abuse of neuro-active drugs, selected from alcohol, opiates, methamphetamine, phencyclidine and cocaine, which method comprises administering an effective amount of a compound of formula I as claimed in any one of claims 1 - 5.
- 25 | ~~12. The invention as hereinbefore described.~~