




FIG. 1




FIG. 2




FIG. 3

Preoperative Weight (kg)	Chest Drainage Indicating Reoperation				
	Hourly Amount (mL/Hr)			Total Amount (mL)	
	No. of Successive Hours			Hour No.	
	1	2	3	4	5
5	70	60	50	120	130
6	70	60	50	130	155
7	70	60	50	150	180
8	90	70	50	175	200
9	90	80	60	195	230
10	100	90	65	220	260

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

1100

Condition : Tachycardia	
Diagnosis Suggestions : Bradycardia, Arrhythmia, Sepsis, Tamponade	
Provide Input within 2:00 min	
Enter	
Mental Status	☒ Normal ☐ Altered
SpO2	98
Palpable Pulse	☐ Yes ☒ No

1102

FIG 11

1215 →

Adherence / Recommendations	
Diagnosis suggestions : Bradycardia, Arrhythmia, Sepsis, Tamponade	
Protocol	1210 → Target Time 00:08 1200 ←
Hypotension 00:08 ▼	SBP 50 Actions ☒ Check Heart Rate ☐ Perform ABG ☐ Perform ECG 1205 ←
Step 1 00:04	
Step 2 00:02	

12/14

FIG 12

1300

Trigger : Tachycardia	
Diagnosis Suggestions : Bradycardia, Arrythmia, Tamponade	
Your Input	Tasks Procedure : ACLS if needed Alert : Call for Urgent Backup
Mental Status Altered	
SpO2 80	
Palpable Pulse Yes	
Perform Recommended Tasks within 2:00 min Next Step : ☒ ACLS Needed	

1302

1304

FIG 13




FIG 14